









LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this data without warranty of any kind, either expressed or implied concerning the accuracy, completeness, timeliness, and the ownership of the information and the data furnished. The United States shall be held harmless from any liability resulting from improper use of the data. This data belongs to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. The recipient shall not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and project at a specific time and under specific conditions. As such, it is only valid for its intended use, content, time and conditions at which it was collected/processed. The Government shall not be held liable for improper use or unauthorized interpretation of any of the application of the data for other than its intended purpose.

Surveyed by:	Cory Brenner, Lake Michigan Project Office
Mapping:	Geospatial Section, Chicago District
Reviewed by:	Kevin Kwasny, Lake Michigan Project Office
Path:	C:\Working\ehydro\products\MichDNL_LP_LRC_20251007_CS_30.dgn

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
1 of 35

Revison Number:
5.25.11.05-5.25.11.05



US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this data and map without warranty of any kind, express or implied concerning the accuracy, completeness, reliability, or suitability of the information depicted on the information and the data furnished. The United States shall be under no liability for any deficiency, inaccuracy, or error made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data or in any form that deletes this statement. Recipient shall not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and is valid only for the stated conditions. As such, it is only valid for its intended use, content, time and environmental conditions at the time of collection. The use of the data for purposes other than its intended purpose, or any of the application of the data for other than its intended purpose.

Surveyed by:
Cory Brenner, Lake Michigan Project Office
Mapping:
Geospatial Section, Chicago District
Reviewed by:
Kevin Kwasny, Lake Michigan Project Office
Path:
C:\Working\hydroproducts\MXD\IL_LP_LRC_20251007_CS_30.mxd


U.S. ARMY ENGINEER CORPS OF ENGINEERS CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
2 of 35

Revison Number:
5.25.11.05-5.25.11.05






LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.


ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.


WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.







LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this data and information without warranty with the understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this data and information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. The recipient is prohibited from selling these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and project at the time and under conditions. As such, it is only valid for its intended use, content, time and environmental conditions at the time of collection. The user assumes the entire risk related to its utilization. The US Army Corps of Engineers is not responsible for any adverse consequences from the use of any of the application of the data for other than its intended purpose.


U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS

Surveyed by:
Cory Brenner, Lake Michigan Project Office
Mapping:
Geospatial Section, Chicago District
Reviewed by:
Kevin Kwasny, Lake Michigan Project Office
Path:
C:\Working\ehydroproducts\MXD\IL_LP_LRC_20251007_CS_30.mxd


IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
20 of 35

Revison Number:
5.25.11.05-5.25.11.05







LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)

N W E S

0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this data without warranty of any kind whatsoever, express or implied concerning the accuracy, completeness, reliability, suitability for any particular purpose or use of the information and the data furnished. The United States shall be held harmless from any liability resulting from any inaccuracies made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data or in any form that is not readily distinguishable from these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and project under specific conditions. As such, it is only valid for its intended use, content, time and environmental conditions at the time of collection. The USACE is not responsible for any of the application of the data for other than its intended purpose.

U.S. ARMY ENGINEER CORPS OF ENGINEERS CHICAGO, ILLINOIS

Surveyed by: Cory Brenner, Lake Michigan Project Office
Mapping: Geospatial Section, Chicago District
Reviewed by: Kevin Kwasny, Lake Michigan Project Office
Path: C:\Working\ehlyd\projects\MXD\IL_LP_LRC_20251007_CS_30.mxd

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
4 of 35

Revison Number:
5.25.11.05-5.25.11.05



US Army Corps of Engineers
District: CELRC

DISCLAIMER

Access Constraints: The United States Government furnishes this map/chart/publication "as is" without express or implied warranty of any kind, including any warranty of understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information for any particular purpose. The information and the data furnished. The United States shall be under no liability for any loss or damage arising out of the use of made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data and to indemnify the Government from these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose and may not be suitable for other uses. As such, it is only valid for its intended use, content, time and conditions of collection/processing. The US Government shall not be liable for any damages resulting from the improper use or misinterpretation of any of the application of the data for other than its intended purpose.

Surveyed by: Cory Brenner, Lake Michigan Project Office
Mapping: Geospatial Section, Chicago District
Reviewed by: Kevin Kwasny, Lake Michigan Project Office
Path: C:\Work\eng\hydrosp\products\MXD\IL_LP_LRC_20251007_CS_30.mxd


U.S. ARMY ENGINEER CORPS OF ENGINEERS CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number 5 of 35

Revison Number:
5.25.11.05-5.25.11.05






LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.



US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information with the understanding that it bears no responsibility for any misuse, misrepresentation, misinterpretation, or misapplication of the data furnished. The United States shall be expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information and the data furnished. The United States shall be held harmless from any liability resulting from any misuse of the data made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data or in any way that may misrepresent the government ownership. The recipient also agrees to pass these disclaimers and restrictions on to any subsequent user and to include these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and is subject to change as conditions warrant. As such, it is only valid for its intended use, content, time and extent indicated. Any use of the data received from the US Army Corps of Engineers for purposes other than those stated, or any modification of the data by any party, is at the risk of the user. The US Army Corps of Engineers assumes no responsibility for the use of the data for other than its intended purpose, or any of the application of the data for other than its intended purpose.


Surveyed by:
Cory Brenner, Lake Michigan Project Office
Mapping:
Geospatial Section, Chicago District
Reviewed by:
Kevin Kwasny, Lake Michigan Project Office
Path:
C:\Working\ehydroproducts\MXD\IL_LP_LRC_20251007_CS_30.mxd


U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
6 of 35

Revison Number:
5.25.11.05-5.25.11.05






LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.



US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this data and map without warranty or guarantee of any kind, expressed or implied concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government. The recipient shall assume all responsibility for the presentation of these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and is subject to change as conditions. As such, it is only valid for its intended use, content, time and environment. Data and products may not be suitable for other purposes. The US Army Corps of Engineers is not liable for misuse of any of the application of the data for other than its intended purpose.

Surveyed by: Cory Brenner, Lake Michigan Project Office
Mapping: Geospatial Section, Chicago District
Reviewed by: Kevin Kwasny, Lake Michigan Project Office
Path: C:\Working\hydro\products\MXD\IL_LP_LRC_20251007_CS_30.aprx

U.S. ARMY ENGINEER CORPS OF ENGINEERS CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025


Sheet Reference Number
7 of 35

Revison Number:
5.25.11.05-5.25.11.05

SHEET INDEX



VICINITY MAP



LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.



US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient's understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information. Neither the United States Government nor any of its employees make any warranty of any kind, including warranties of merchantability or fitness for a particular purpose. It is furthermore made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not transfer or release these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose and may not be suitable for other purposes. As such, it is only valid for its intended use, content, time and conditions at the time of collection. The US Government bears no liability for the application of the data for other than its intended purpose.

Surveyed by:	Cory Brenner, Lake Michigan Project Office
Mapping	Geospatial Section, Chicago District
Reviewed by:	Kevin Kwasny, Lake Michigan Project Office
Path:	C:\Working\ehydroproducts\MXD\IL_LP_LRC_20251007_CS_30.aprx


U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
8 of 35

Revison Number:
5.25.11.05-5.25.11.05






LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.



US Army Corps of Engineers
District: CELRC

DISCLAIMER

Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient's understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information. Neither the information and the data furnished. The United States shall be liable for any deficiencies in the accuracy or adequacy of the data made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data or in any format different from that which these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and project at a specific time and under specific conditions. As such, it is only valid for its intended use, content, time and conditions. Any use or application of the data for other than its intended purpose, or any of the application of the data for other than its intended purpose.

Surveyed by: Cory Brenner, Lake Michigan Project Office
Mapping: Geospatial Section, Chicago District
Reviewed by: Kevin Kvasny, Lake Michigan Project Office
Path: C:\Working\elhyd\projects\MKD\IL_LP_LRC_20251007_CS_30.dgn

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025


Sheet Reference Number 9 of 35

Revison Number:
5.25.11.05-5.25.11.05

SHEET INDEX



VICINITY MAP



LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)

N W E S

0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.




US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this data without warranty of any kind whatsoever, express or implied concerning the accuracy, completeness, understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, currency or suitability of the information for any particular purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. It is strictly prohibited to sell or offer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and project under specific conditions. As such, it is only valid for its intended use, content, time and conditions of collection/processing. The US Government is not liable for any of the application of the data for other than its intended purpose.






LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

Surveyed by:
Cory Brenner, Lake Michigan Project Office
Mapping
Geospatial Section, Chicago District

Reviewed by:
Kevin Kwasny, Lake Michigan Project Office

Path:
C:\Working\ehydro\products\MiddNL_LP_LRC_20251007_CS_30.dgn

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS


IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
10 of 35

Revison Number:
5.25.11.05-5.25.11.05








LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this data without warranty of any kind, either expressed or implied. It is understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this data for any purpose. The user is responsible for the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data or in any way that government does not warrant these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission project and is valid only under those conditions. As such, it is only valid for its intended use, content, time and environmental conditions at the time of collection. The data is not to be used in any application, or for any other purpose, other than its intended purpose. The US Army Corps of Engineers shall not be liable for damages of any of the application of the data for other than its intended purpose.

U.S. ARMY ENGINEER CORPS OF ENGINEERS CHICAGO, ILLINOIS

Surveyed by:
Cory Brenner, Lake Michigan Project Office
Mapping:
Geospatial Section, Chicago District

Reviewed by:
Kevin Kwasny, Lake Michigan Project Office

Path:
C:\Working\ehydroproducts\MXD\IL_LP_LRC_20251007_CS_30.mxd


IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
11 of 35

Revison Number:
5.25.11.05-5.25.11.05







LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)

N W E S

0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN IGNS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this map and the data contained therein to the recipient with the understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information for any particular purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government and to indemnify the Government from any and all claims arising from the redistribution of these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and project at the time and under conditions. As such, it is only valid for its intended use, content, time and conditions at collection. The user accepts the data "as is" and assumes all risk for the application of the data and for any results obtained from its use. The US Army Corps of Engineers shall not be liable for any damages resulting from the use of any of the application of the data for other than its intended purpose.

Surveyed by:	Cory Brenner, Lake Michigan Project Office
Mapping:	Geospatial Section, Chicago District
Reviewed by:	Kevin Kwasny, Lake Michigan Project Office
Path:	C:\Working\Hydro\products\MXD\IL_LP_LRC_20251007_CS_30.mxd

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
12 of 35

Revison Number:
5.25.11.05-5.25.11.05



US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. It is solely the recipient's understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information for any purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. The recipient is prohibited from selling or giving these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and was developed for limited conditions. As such, it is only valid for its intended use, content, time and accuracy. The US Army Corps of Engineers shall not be liable for any of any of the application of the data for other than its intended purpose.

Surveyed by:	Cory Brenner, Lake Michigan Project Office
Mapping:	Geospatial Section, Chicago District
Reviewed by:	Kevin Kwasny, Lake Michigan Project Office
Path:	C:\Working\helyst\products\MXD\IL_LP_LRC_20251007_CS_30.mxd

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025


Sheet Reference Number
13 of 35

Revison Number:
5.25.11.05-5.25.11.05

SHEET INDEX



VICINITY MAP



LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.


WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN IGNS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.








LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this geospatial data "as is" and makes no warranties, express or implied concerning the accuracy, completeness, reliability, or suitability of this data for any purpose. It is the user's responsibility to determine the suitability of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. In the event of any disclaimer or boilerplate language imposed on these data by a recipient, the recipient agrees to indemnify the Government for any damage to the Government resulting from the recipient's improper dissemination of these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission project and may not meet other conditions. As such, it is only valid for its intended use, content, time and environmental conditions at collection. The US Army Corps of Engineers assumes no liability for the misuse, misinterpretation of any of the application of the data for other than its intended purpose.

Surveyed by:
Cory Brenner, Lake Michigan Project Office
Mapping:
Geospatial Section, Chicago District
Reviewed by:
Kevin Kwasny, Lake Michigan Project Office
Path:
C:\Working\ehydroproducts\MX09\IL_LP_LRC_20251007_CS_30.dgn

U.S. ARMY ENGINEER CORPS OF ENGINEERS CHICAGO, ILLINOIS


IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
14 of 35

Revison Number:
5.25.11.05-5.25.11.05







LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this data without warranty of any kind, either expressed or implied concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. In addition, the recipient agrees to hold these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and is applicable only to those conditions. As such, it is only valid for its intended use, content, time and accuracy. Application of the data for other than its intended purpose, or any of the application of the data for other than its intended purpose.

Surveyed by:
Cory Brenner, Lake Michigan Project Office
Mapping
Geospatial Section, Chicago District
Reviewed by:
Kevin Kwasny, Lake Michigan Project Office
Path:
C:\Working\ehydro\products\MX\DNL_LP_LRC_20251007_CS_30.dgn

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS


IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
15 of 35

Revison Number:
5.25.11.05-5.25.11.05







LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this map/chart and the data contained therein to users with the understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information for any particular purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government. The recipient shall not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and is valid only under the stated conditions. As such, it is only valid for its intended use, content, time and accuracy. Any use of the data for purposes other than its intended purpose, or any of the application of the data for other than its intended purpose.

Surveyed by:
Cory Brenner, Lake Michigan Project Office
Mapping:
Geospatial Section, Chicago District
Reviewed by:
Kevin Kwasny, Lake Michigan Project Office
Path:
C:\Working\ehydro\products\MI\MDNL_LP_LRC_20251007_CS_30.dgn

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
16 of 35

Revison Number:
5.25.11.05-5.25.11.05



US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this map and geographic data and related graphics as is with the understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information for any purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data or in any way that may misrepresent the data. Also these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and is valid only under those conditions. As such, it is only valid for its intended use, content, time and display scale. The US Government shall not be liable for damages of any of the application of the data for other than its intended purpose.


Surveyed by: Cory Brenner, Lake Michigan Project Office
Mapping: Geospatial Section, Chicago District
Reviewed by: Kevin Kwasny, Lake Michigan Project Office
Path: C:\Working\HydroInputs\products\MXD\IL_LP_LRC_20251007_CS_30.mxd


U.S. ARMY ENGINEER CORPS OF ENGINEERS CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number 17 of 35

Revison Number:
5.25.11.05-5.25.11.05





LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.


ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.


WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.







LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this map/chart/publication/data/information "as is" without express or implied warranty regarding its fitness for any particular purpose. By accepting this product, the recipient understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this product of any of its parts. In no event will the US Government be liable for any special, indirect or consequential damages attributed to the information and the data furnished. The United States shall be indemnified, defended, and held harmless by the recipient for any losses, costs or suits arising out of the use, sale, or distribution of this product not in accordance with the law. In making this product available, the US Government does not warrant the legal marketability or fitness for use of this product for any particular purpose, either express or implied, and no such warranties are made hereby. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. The recipient also agrees to hold these harmless from and to indemnify the US Government for any damages resulting from the recipient's use of these data or from any third party's use of these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose, at a specific time, under specific conditions. As such, it is only valid for its intended use, content, time and conditions of collection/processing. The US Army Corps of Engineers is not responsible for the use of this data or the results of any of the application of the data for other than its intended purpose.

Surveyed by:	Cory Brenner, Lake Michigan Project Office
Mapping:	Geospatial Section, Chicago District
Reviewed by:	Kevin Kwasny, Lake Michigan Project Office
Path:	C:\Working\ehydro\products\MXD\IL_LP_LRC_20251007_CS_30.aprx

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS


IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
18 of 35

Revison Number:
5.25.11.05-5.25.11.05







LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)

W N S E

0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this data without warranty of any kind, either expressed or implied. By accepting this data, you agree to the following understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this data for any purpose. The act of distribution shall not constitute any such warranty. The United States shall be held harmless from any liability resulting from the use of this data. This data may not be used to convey any false impression about the United States Government or any of its employees. No warranty is made by the Government that the data will be delivered to the recipient without error or interruption. The recipient agrees not to represent these data to anyone as other than Government data. The recipient may not assign or otherwise convey these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose, at a specific time, under specific conditions. As such, it is only valid for its intended use, content, time and conditions of collection/processing. The US Army Corps of Engineers assumes no liability for the misuse, misinterpretation, or any of the application of the data for other than its intended purpose.

Surveyed by:	Cory Brenner, Lake Michigan Project Office
Mapping:	Geospatial Section, Chicago District
Reviewed by:	Kevin Kwasny, Lake Michigan Project Office
Path:	C:\Working\eHydroproducts\MXD\IL_LP_LRC_20251007_CS_30.mxd

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS


IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
19 of 35

Revison Number:
5.25.11.05-5.25.11.05







LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this map and the data contained therein with the expressed understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. The recipient is prohibited from selling these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and project at the time of collection conditions. As such, it is only valid for its intended use, content, time and environmental conditions at the time of collection. The US Army Corps of Engineers assumes no responsibility for the application of the data for other than its intended purpose.

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS


Surveyed by:
Cory Brenner, Lake Michigan Project Office
Mapping:
Geospatial Section, Chicago District
Reviewed by:
Kevin Kwasny, Lake Michigan Project Office
Path:
C:\Working\ehydroproducts\MXD\IL_LP_LRC_20251007_CS_30.mxd


IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
20 of 35

Revison Number:
5.25.11.05-5.25.11.05








LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this geospatial data on an "as is" basis and expresses no warranty, understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, currency or quality of the geospatial data or the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data or in any way that would misrepresent the origin of these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission project and as such, may not meet standards for other conditions. As such, it is only valid for its intended use, content, time and accuracy as stated in the metadata and/or other project documents. The US Army Corps of Engineers assumes no liability for the misuse of any of the application of the data for other than its intended purpose.

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS

Surveyed by:
Cory Brenner, Lake Michigan Project Office

Mapping:
Geospatial Section, Chicago District


Reviewed by:
Kevin Kwasny, Lake Michigan Project Office


Path:
C:\Working\Hydro\projects\MXD\IL_LP_LRC_20251007_CS_30.mxd


IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
21 of 35

Revison Number:
5.25.11.05-5.25.11.05







LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)

N W E S

0 125 250 500 750
Feet

NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.

US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this map/chart/publication "as is" without warranty of any express or implied understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information, and shall not be liable for any damages arising from the use of the information and the data furnished. The United States shall be under no obligation to update or correct any information or data furnished by it which may be incorporated in any map/chart/publication made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data and to indemnify the Government from any claim arising from the transfer of these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose and may not be suitable for other conditions. As such, it is only valid for its intended use, content, time and accuracy as determined by the data collection/processing. The user assumes all responsibility for the misuse, misinterpretation, or inappropriate application of any of the application of the data for other than its intended purpose.

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS

Surveyed by:
Cory Brenner, Lake Michigan Project Office

Mapping:
Geospatial Section, Chicago District

Reviewed by:
Kevin Kwasny, Lake Michigan Project Office


Path:
C:\Workingfile\lyst\products\MXD\IL_LP_LRC_20251007_CS_30.mxd

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025

Sheet Reference Number
22 of 35

Revison Number:
5.25.11.05-5.25.11.05

CORPS OF ENGINEERS U.S. ARMY



US Army Corps of Engineers
District: CELRC

DISCLAIMER

Access Constraints: The United States Government furnishes this data without warranty of any kind, either expressed or implied. By accepting this data, the user agrees to the foregoing statement and understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this data and that the entire risk as to the quality and performance of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data or in any way that would violate the intent of this statement. Such action would be a violation of copyright. The recipient shall not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and project at the time and under the conditions stated. As such, it is only valid for its intended use, content, time and conditions at which it was collected/processed. The US Government is not responsible for the use of this data for other than its intended purpose, or any of the application of the data for other than its intended purpose.

Surveyed by:	Cory Brenner, Lake Michigan Project Office
Mapping:	Geospatial Section, Chicago District
Reviewed by:	Kevin Kwasny, Lake Michigan Project Office
Path:	C:\Working\eHydro\products\MXD\IL_LP_LRC_20251007_CS_30.mxd

U.S. ARMY ENGINEER CORPS OF ENGINEERS CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025


Sheet Reference Number
23 of 35

Revison Number:
5.25.11.05-5.25.11.05

SHEET INDEX



VICINITY MAP



LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



NOTES:


THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN I2NS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.



US Army Corps of Engineers
District: CELRC

DISCLAIMER
Access Constraints: The United States Government furnishes this data without warranty of any kind, either expressed or implied concerning the accuracy, completeness, timeliness, or fitness for any particular purpose of the information and the data furnished. The United States shall be held harmless from any liability resulting from improper use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data and to indemnify the Government for these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and is valid only for the stated conditions. As such, it is only valid for its intended use, content, time and accuracy. The US Army Corps of Engineers shall not be liable for any damages resulting from the unauthorized use, content, time, accuracy or any of the application of the data for other than its intended purpose.

Surveyed by:
Cory Brenner, Lake Michigan Project Office
Mapping:
Geospatial Section, Chicago District
Reviewed by:
Kevin Kwasny, Lake Michigan Project Office
Path:
C:\Working\ehydro\products\MIDNIL_LP_LRC_20251007_CS_30.dgn

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS

IL Waterway Lockport Pool
IL_LP_LRC_20251007_CS_30
07 October 2025


Sheet Reference Number
24 of 35

Revison Number:
5.25.11.05-5.25.11.05

SHEET INDEX



VICINITY MAP




LEGEND

- Federal Navigation Channel
- Cable Submarine
- Cable Overhead
- Placement Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding
- Beacon, General
- Red Navigation Lights
- Green Navigation Lights
- Red/Green Navigation Lights

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
9.0' CHANNEL
DEPTH BELOW LOW WATER DATUM (LWD)



NOTES:

THE SOUNDINGS INDICATED HEREON REPRESENT THE MINIMUM DEPTH SOUNDING THE 30 FOOT BY 30 FOOT AREA CENTERED AROUND THE TEXT. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICES TO NAVIGATION INTERESTS.

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC.

WATER LEVEL WAS DETERMINED USING RTK CORRECTIONS FROM HPRTK OR WISCORS.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, IL EAST ZONE 1201, NORTH AMERICAN DATUM 1983 (NAD83), INTERNATIONAL FOOT.

THE SURVEY SHOWN WAS CONDUCTED BY THE LAKE MICHIGAN PROJECT OFFICE, APPLETON SUB OFFICE SURVEY PARTY USING A R2SONIC 2026 MULTIBEAM ECHOSOUNDER, AN IGNS TYPE I WITH RTK CORRECTIONS FOR MOTION COMPENSATION AND POSITIONING, HYPACK 2025, AND SURVEY VESSEL LAUNCH 3059.
SURVEY CONTROL AND BENCHMARK DATA IS AVAILABLE FROM THE CHICAGO DISTRICT, OPERATIONS BRANCH, LAKE MICHIGAN PROJECT OFFICE.
THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THAT TIME.