






LEGEND

- Federal Navigation Channel
- Cable Submarine
- - - Cable Overhead
- Placement Area
- ⊗ Obstruction Point
- ✈ Wrecks-Submerged

- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:

- 30.0' APPROACH CHANNELS
- 28.0' ENTRANCE CHANNEL
- 27.0' SOUTH BASIN
- 21.0' NORTH BASIN
- DEPTH BELOW LOW WATER DATUM (LWD)

NOTES:

SURVEY CONTROL AND BENCH MARK DATA IS AVAILABLE FROM CHICAGO DISTRICT, OPERATIONS BRANCH, WISCONSIN PROJECT OFFICE.

THE SOUNDINGS AND ASSOCIATED INFORMATION REPRESENTED HEREIN ARE THE RESULT OF SURVEYS MADE ON THE DATE AS INDICATED AND CAN ONLY BE CONSIDERED REPRESENTATIVE OF THE GENERAL CONDITIONS EXISTING AT THE TIME OF SURVEY.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE WISCONSIN STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, SOUTH ZONE 4803, NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC (INTERNATIONAL GREAT LAKES DATUM 1985)

NOAA GAGE LOCATED AT MILWAUKEE, WI (#9087057)

SURVEY WAS COMPLETED WITH AN ODOM CV100 SOUNDER AND A HYPACK HYDROGRAPHIC SURVEY SYSTEM

US Army Corps of Engineers

District: CELRC

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not warranted for any specific purpose, expressed, or implied concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the recipient. These data are provided for informational purposes only and are not to be used for any purpose other than that for which they were provided. The recipient may not transfer these data to others without also transferring the Disclaimer.

U.S. ARMY ENGINEER CORPS OF ENGINEERS CHICAGO, ILLINOIS

Surveyed by: Cory Bremner, Wisconsin Project Office, LRC

Mapping: Geospatial Section, Chicago District

Reviewed by: Kevin Kvaany, Lake Michigan Project Office

Path: G:\hydro\products\WCDMMV_01_MIL_20250911_CS_10.aprx




MILWAUKEE HARBOR

MW_01_MIL_20250911_CS_10

11 September 2025

Sheet Reference Number 5 of 6

Revision Number: 5.24.09.03-5.24.09.03



LEGEND

- Federal Navigation Channel
- Cable Submarine
- - - Cable Overhead
- Placement Area
- ⊗ Obstruction Point
- ✈ Wrecks-Submerged

- Shoaling Area
- Shoalest Sounding**
- ⬇ Beacon, General
- ♦ Red Navigation Buoy
- ◆ Green Navigation Buoy

- 4+ Feet Above Authorized Channel Depth
- 2-4 Feet Above Authorized Channel Depth
- 0-2 Feet Above Authorized Channel Depth
- 0-2 Feet Below Authorized Channel Depth
- 2-4 Feet Below Authorized Channel Depth
- 4+ Feet Below Authorized Channel Depth

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:

- 30.0' APPROACH CHANNELS
- 28.0' ENTRANCE CHANNEL
- 27.0' SOUTH BASIN
- 21.0' NORTH BASIN
- DEPTH BELOW LOW WATER DATUM (LWD)

NOTES:

SURVEY CONTROL AND BENCH MARK DATA IS AVAILABLE FROM CHICAGO DISTRICT, OPERATIONS BRANCH, WISCONSIN PROJECT OFFICE.

THE SOUNDINGS AND ASSOCIATED INFORMATION REPRESENTED HEREIN ARE THE RESULT OF SURVEYS MADE ON THE DATE AS INDICATED AND CAN ONLY BE CONSIDERED REPRESENTATIVE OF THE GENERAL CONDITIONS EXISTING AT THE TIME OF SURVEY.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE WISCONSIN STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, SOUTH ZONE 4803, NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC (INTERNATIONAL GREAT LAKES DATUM 1985)

NOAA GAGE LOCATED AT MILWAUKEE, WI (#9087057)

SURVEY WAS COMPLETED WITH AN ODOM CV100 SOUNDER AND A HYPACK HYDROGRAPHIC SURVEY SYSTEM

US Army Corps of Engineers
District: CELRC

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not warranted for any specific purpose, expressed, or implied concerning the accuracy, completeness, reliability, usability, or availability for any particular purpose of the recipient. The data are provided for informational purposes only and are not to be used for any purpose other than that for which they were made. These data belong to the Government. Therefore, the recipient may not transfer these data to others without also transferring the Disclaimer.

DISCLAIMER: The data represent the results of data collection/processing for a specific US Army Corps of Engineers project. The data are not warranted for any specific purpose, expressed, or implied concerning the accuracy, completeness, reliability, usability, or availability for any particular purpose of the recipient. The data are provided for informational purposes only and are not to be used for any purpose other than that for which they were made. These data belong to the Government. Therefore, the recipient may not transfer these data to others without also transferring the Disclaimer.

U.S. ARMY ENGINEER CORPS OF ENGINEERS CHICAGO, ILLINOIS	Surveyed by:	Cory Bremier, Wisconsin Project Office, LRC
	Mapping:	Geospatial Section, Chicago District
	Reviewed by:	Kevin Kvaany, Lake Michigan Project Office
	Path:	G:\hydro\products\WCDMMV_01_MIL_20250911_CS_10.aprx


MILWAUKEE HARBOR




MW_01_MIL_20250911_CS_10

11 September 2025

Sheet Reference Number 2 of 6

Revision Number: 5.24.09.03-5.24.09.03





LEGEND

Federal Navigation Channel

Cable Submarine

Cable Overhead

Placement Area

Obstruction Point

Wrecks-Submerged

Shoaling Area

Shoalest Sounding**

Beacon, General

Red Navigation Buoy

Green Navigation Buoy

UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
30.0' APPROACH CHANNELS
28.0' ENTRANCE CHANNEL
27.0' SOUTH BASIN
21.0' NORTH BASIN
DEPTH BELOW LOW WATER DATUM (LWD)

NOTES:

SURVEY CONTROL AND BENCH MARK DATA IS AVAILABLE FROM CHICAGO DISTRICT, OPERATIONS BRANCH, WISCONSIN PROJECT OFFICE.

THE SOUNDINGS AND ASSOCIATED INFORMATION REPRESENTED HEREIN ARE THE RESULT OF SURVEYS MADE ON THE DATE AS INDICATED AND CAN ONLY BE CONSIDERED REPRESENTATIVE OF THE GENERAL CONDITIONS EXISTING AT THE TIME OF SURVEY.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE WISCONSIN STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, SOUTH ZONE 4803, NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC (INTERNATIONAL GREAT LAKES DATUM 1985)

NOAA GAGE LOCATED AT MILWAUKEE, WI (#9087057)

SURVEY WAS COMPLETED WITH AN ODOM CV100 SOUNDER AND A HYPACK HYDROGRAPHIC SURVEY SYSTEM

U.S. ARMY ENGINEER
CORPS OF ENGINEERS
CHICAGO, ILLINOIS

Surveyed by:
Cory Bremner, Wisconsin Project Office, LRC

Mapping:
Geospatial Section, Chicago District

Reviewed by:
Kevin Kvaazny, Lake Michigan Project Office

Path:
G:\hydro\products\WISCONSIN\MIL_01_MIL_20250911_CS_10.aprx




MILWAUKEE HARBOR

MW_01_MIL_20250911_CS_10

11 September 2025

Sheet
Reference
Number
4 of 6


Revision Number:
5.24.09.03-5.24.09.03




LEGEND

- Federal Navigation Channel
- Cable Submarine
- - - Cable Overhead
- Placement Area
- ⊗ Obstruction Point
- ✈ Wrecks-Submerged

- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy



UNLESS OTHERWISE NOTED PROJECT DEPTH IS:
30.0' APPROACH CHANNELS
28.0' ENTRANCE CHANNEL
27.0' SOUTH BASIN
21.0' NORTH BASIN
DEPTH BELOW LOW WATER DATUM (LWD)



NOTES:

SURVEY CONTROL AND BENCH MARK DATA IS AVAILABLE FROM CHICAGO DISTRICT, OPERATIONS BRANCH, WISCONSIN PROJECT OFFICE.

THE SOUNDINGS AND ASSOCIATED INFORMATION REPRESENTED HEREIN ARE THE RESULT OF SURVEYS MADE ON THE DATE AS INDICATED AND CAN ONLY BE CONSIDERED REPRESENTATIVE OF THE GENERAL CONDITIONS EXISTING AT THE TIME OF SURVEY.

THE COORDINATE GRID SYSTEM SHOWN IS REFERENCED TO THE WISCONSIN STATE PLANE COORDINATE SYSTEM, LAMBERT PROJECTION, SOUTH ZONE 4803, NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT

ALL SOUNDINGS ARE IN FEET AND ARE REFERENCED TO LOW WATER DATUM ELEVATION 577.5 FEET ABOVE MEAN WATER LEVEL AT RIMOUSKI, QUEBEC (INTERNATIONAL GREAT LAKES DATUM 1985)

NOAA GAGE LOCATED AT MILWAUKEE, WI (#9087057)

SURVEY WAS COMPLETED WITH AN ODOM CV100 SOUNDER AND A HYPACK HYDROGRAPHIC SURVEY SYSTEM

US Army Corps of Engineers
District: CELRC

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The user is responsible for the results of any application of the data for other than its intended purpose.

Access Constraints: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The user is responsible for the results of any application of the data for other than its intended purpose.

U.S. ARMY ENGINEER CORPS OF ENGINEERS CHICAGO, ILLINOIS	Surveyed by:	Cory Bremner, Wisconsin Project Office, LRC
	Mapping:	Geospatial Section, Chicago District
	Reviewed by:	Kevin Kvaazny, Lake Michigan Project Office
	Path:	G:\hydro\products\WMDMMV_01_MIL_20250911_CS_10.aprx

MILWAUKEE HARBOR

MW_01_MIL_20250911_CS_10

11 September 2025

Sheet Reference Number 3 of 6