





**LEGEND**

- Cable Submarine
- Cable Overhead
- Beacon, General
- Channel Limits
- Contour Lines

**SOUNDING LEGEND**

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

1 inch = 100 feet

Feet

0 100 200 300 400 500 600

**NOTES:**

1. THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT, DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

2. ELEVATIONS AND SOUNDING DEPTHS ARE REFERRED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85). LOW WATER DATUM (LWD) ZERO IS 577.5 FEET ABOVE MEAN WATER LEVEL AT POINT RIMOUSKI QUEBEC. WATER LEVEL READINGS ARE FROM AN AUTOMATED NOAA GAUGE (5080) LOCATED AT MACKINAW CITY, MI. DEPTHS ARE MEASURED USING AN R2SONIC 2024 MULTIBEAM SONAR

3. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON DAY INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS PRESENT AT THE TIME.

4. HORIZONTAL POSITIONING IS DETERMINED USING REAL TIME KINEMATIC GLOBAL POSITIONING SYSTEM (RTK). CORRECTIONS ARE PROVIDED BY THE MICHIGAN CONTINUOUSLY OPERATING REFERENCE STATIONS (CORS). THE GPS RECEIVER IS MANUFACTURED BY APPLANIX MARINE POS/MV VER. 5.0.

5. THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, CENTRAL ZONE (2112), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

6. THE PROJECT DEPTHS FOR THIS HARBOR ARE 21.0', 18.5' & 8.5' BELOW LOW WATER DATUM AS INDICATED HERON.

7. AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT

**US Army Corps of Engineers District: CELRE**

DISCLAIMER

Access Constraints: The United States Government furnishes this data/information/product without warranty, express or implied, and understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this data/information/product for any purpose. The information and the data furnished. The United States shall be held harmless from any liability resulting from improper or incorrect use of the information and data furnished. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data and not to transfer any liability to the government by these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission under specific environmental conditions. As such, it is only valid for its intended use, content, time and environmental conditions at the time of collection/processing. The use of any of the application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS
DETROIT DISTRICT

| | | |
|---|---|---|
| Surveyed By: | Plotted By: | Checked By: |
| Submitted: | Recommended: Chief, Survey Section | Approved: Chief, Technical Services |

**CHEBOYGAN HARBOR, MI**
**Cheboygan Harbor**
**CH_01_BOY_20260421_CS**
**21 April 2026**

**Sheet Reference Number 2 of 6**

Revision Number:
5.26.04.06-5.26.04.06

CORPS OF ENGINEERS

U.S. ARMY

84°28'20" W 45°39'10" N 84°28'10" W 45°39'20" N 84°28'0" W 45°39'30" N

84°28'20" W 45°39'30" N

PROJECT DEPTH = 18.5'

PROJECT DEPTH = 21.0'

84°28'10" W 84°27'50" W

84°28'0" W 45°39'0" N 84°27'50" W 45°39'10" N 84°27'40" W

31+00 30+00 29+00 28+00 27+00 26+00 25+00 24+00 23+00 22+00 21+00 20+00 19+00 18+00 17+00 16+00 15+00 14+00 13+00 12+00 11+00 10+00 09+00 08+00 07+00 06+00 05+00 04+00 03+00 02+00 01+00

Microsoft, Vantor

**US Army Corps of Engineers District: CELRE**

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and is valid only for the stated conditions. As such, it is only valid for its intended use, content, time and project parameters. Use or reuse of the data for other than its intended purpose, or any of the application of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map and the data furnished herein to you with the express understanding that the US Government makes no warranties.

The information depicted on this map and the data furnished herein is expressed, or implied concerning the accuracy, completeness, merchantability, or fitness for a particular purpose of the above information and the data furnished. The United States shall be under no liability for any deficiency, or for any injury or damage made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not release or make thereof these data to others without also transferring this Disclaimer.

U.S. ARMY COPRPS OF ENGINEERS
DETROIT DISTRICT

Surveyed By: ____
Plotted By: ____
Checked By: ____


Submitted: ____
Recommended: Chief, Survey Section
Approved: Chief, Technical Services

**CHEBOYGAN HARBOR, MI**
**Cheboygan Harbor**
**CH_01_BOY_20260421_CS**
**21 April 2026**


**Sheet Reference Number 3 of 6**

Revision Number:
5.26.04.06-5.26.04.06

**SHEET INDEX**




**VICINITY MAP**




**LEGEND**

- Cable Submarine
- Cable Overhead
- Beacon, General
- Channel Limits
- Contour Lines

**SOUNDING LEGEND**

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

1 inch = 100 feet

Feet
0 100 200 300 400 500 600

**NOTES:**

1. THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT. DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

2. ELEVATIONS AND SOUNDING DEPTHS ARE REFERRED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85). LOW WATER DATUM (LWD) ZERO IS 577.5 FEET ABOVE MEAN WATER LEVEL AT POINT RIMOUSKI QUEBEC. WATER LEVEL READINGS ARE FROM AN AUTOMATED NOAA GAUGE (5080) LOCATED AT MACKINAW CITY, MI. DEPTHS ARE MEASURED USING AN R2SONIC 2024 MULTIBEAM SONAR.


3. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON DAY INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS PRESENT AT THE TIME.

4. HORIZONTAL POSITIONING IS DETERMINED USING REAL TIME KINEMATIC GLOBAL POSITIONING SYSTEM (RTK). CORRECTIONS ARE PROVIDED BY THE MICHIGAN CONTINUOUSLY OPERATING REFERENCE STATIONS (CORS). THE GPS RECEIVER IS MANUFACTURED BY APPLANIX MARINE POS/MV VER. 5.0.


5. THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, CENTRAL ZONE (2112), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

6. THE PROJECT DEPTHS FOR THIS HARBOR ARE 21.0', 18.5' & 8.5' BELOW LOW WATER DATUM AS INDICATED HERON.


7. AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT




**SHEET INDEX**




**VICINITY MAP**




**LEGEND**

- Cable Submarine
- Cable Overhead
- Beacon, General
- Channel Limits
- Contour Lines

**SOUNDING LEGEND**

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

1 inch = 100 feet

Feet

0 100 200 300 400 500 600

**NOTES:**

1. THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT, DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

2. ELEVATIONS AND SOUNDING DEPTHS ARE REFERRED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85). LOW WATER DATUM (LWD) ZERO IS 577.5 FEET ABOVE MEAN WATER LEVEL AT POINT RIMOUSKI QUEBEC. WATER LEVEL READINGS ARE FROM AN AUTOMATED NOAA GAUGE (5080) LOCATED AT MACKINAW CITY, MI. DEPTHS ARE MEASURED USING AN R2SONIC 2024 MULTIBEAM SONAR.

3. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON DAY INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS PRESENT AT THE TIME.

4. HORIZONTAL POSITIONING IS DETERMINED USING REAL TIME KINEMATIC GLOBAL POSITIONING SYSTEM (RTK). CORRECTIONS ARE PROVIDED BY THE MICHIGAN CONTINUOUSLY OPERATING REFERENCE STATIONS (CORS). THE GPS RECEIVER IS MANUFACTURED BY APPLANIX MARINE POS/MV VER. 5.0.

5. THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, CENTRAL ZONE (2112), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

6. THE PROJECT DEPTHS FOR THIS HARBOR ARE 21.0', 18.5' & 8.5' BELOW LOW WATER DATUM AS INDICATED HERON.

7. AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT

**US Army Corps of Engineers District: CELRE**

DISCLAIMER
Access Constraints: The United States Government furnishes this map/data/information and assumes no responsibility beyond understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, usability, or suitability for any purpose of the map/data/information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government and to indemnify it from these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose, at a specific time, under specific conditions. As such, it is only valid for its intended use, content, time and conditions at collection/processing. The US Government assumes no liability for any misuse of the data or for other than its intended purpose, or any of the application of the data for other than its intended purpose.

U.S. ARMY CORRPS OF ENGINEERS
DETROIT DISTRICT

| Surveyed By: | Plotted By: | Checked By: |
|---|---|---|
| Submitted: | Recommended: Chief, Survey Section | Approved: Chief, Technical Services |

**CHEBOYGAN HARBOR, MI**
**Cheboygan Harbor**
**CH_01_BOY_20260421_CS**
**21 April 2026**

**Sheet Reference Number 4 of 6**

Revision Number:
5.26.04.06-5.26.04.06

45°40'0" N 84°27'30" W

45°40'10" N 84°27'20" W

84°27'30" W 45°39'50" N

84°27'10" W 45°40'10" N

84°27'20" W 45°39'50" N

84°27'10" W 45°40'0" N


84°27'0" W 45°40'0" N

84°27'0" W


PROJECT DEPTH = 21.0'

Microsoft, Vantor

**SHEET INDEX**




**VICINITY MAP**




**LEGEND**

- Cable Submarine
- Cable Overhead
- Beacon, General
- Channel Limits
- Contour Lines

**SOUNDING LEGEND**

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

1 inch = 100 feet

Feet

0 100 200 300 400 500 600

**NOTES:**

1. THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT. DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

2. ELEVATIONS AND SOUNDING DEPTHS ARE REFERRED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85). LOW WATER DATUM (LWD) ZERO IS 577.5 FEET ABOVE MEAN WATER LEVEL AT POINT RIMOUSKI QUEBEC. WATER LEVEL READINGS ARE FROM AN AUTOMATED NOAA GAUGE (5080) LOCATED AT MACKINAW CITY, MI. DEPTHS ARE MEASURED USING AN R2SONIC 2024 MULTIBEAM SONAR.

3. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON DAY INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS PRESENT AT THE TIME.

4. HORIZONTAL POSITIONING IS DETERMINED USING REAL TIME KINEMATIC GLOBAL POSITIONING SYSTEM (RTK). CORRECTIONS ARE PROVIDED BY THE MICHIGAN CONTINUOUSLY OPERATING REFERENCE STATIONS (CORS). THE GPS RECEIVER IS MANUFACTURED BY APPLANIX MARINE POS/MV VER. 5.0.

5. THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, CENTRAL ZONE (2112), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

6. THE PROJECT DEPTHS FOR THIS HARBOR ARE 21.0', 18.5' & 8.5' BELOW LOW WATER DATUM AS INDICATED HERON.

7. AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT

**US Army Corps of Engineers District: CELRE**

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose, at the time and under the conditions. As such, it is only valid for its intended use, content, time and accuracy. The US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, or suitability of this information for any other purpose. The information and the data furnished. The United States shall be held harmless from any liability resulting from any misuse of these data to others without also transferring this Disclaimer. The recipient fully agrees not to represent these data to anyone as other than data furnished by the US Government. Therefore the recipient shall indemnify the US Government and save it harmless from any claims made thereof. These data belong to the Government.

DISCLAIMER
Access Constraints: The United States Government furnishes this map/chart/publication and data "as is" and makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, or suitability of this information for any other purpose. The information and the data furnished. The United States shall be held harmless from any liability resulting from any misuse of these data to others without also transferring this Disclaimer. The recipient fully agrees not to represent these data to anyone as other than data furnished by the US Government. Therefore the recipient shall indemnify the US Government and save it harmless from any claims made thereof. These data belong to the Government.

U.S. ARMY CORPS OF ENGINEERS
DETROIT DISTRICT

Surveyed By: _____

Plotted By: _____

Checked By: _____

Submitted: _____

Recommended: _____
Chief, Survey Section

Approved: _____
Chief, Technical Services

**CHEBOYGAN HARBOR, MI**
**Cheboygan Harbor**
**CH_01_BOY_20260421_CS**
**21 April 2026**

**Sheet Reference Number**
**5 of 6**

Revision Number:
5.26.04.06-5.26.04.06

45°40'20" N 84°27'10" W 45°40'30" N 84°27'0" W


84°27'10" W 84°26'50" W 84°26'40" W 84°26'30" W

45°40'10" N 45°40'20" N 45°40'30" N


PROJECT DEPTH = 21.0'

Microsoft, Vantor

## SHEET INDEX




## VICINITY MAP




**LEGEND**

- Cable Submarine
- Cable Overhead
- Beacon, General
- Channel Limits
- Contour Lines

**SOUNDING LEGEND**

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

1 inch = 100 feet

Feet
0 100 200 300 400 500 600

**NOTES:**

1. THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT, DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

2. ELEVATIONS AND SOUNDING DEPTHS ARE REFERRED TO INTERNATIONAL GREAT LAKES DATUM 1985 (IGLD 85). LOW WATER DATUM (LWD) ZERO IS 577.5 FEET ABOVE MEAN WATER LEVEL AT POINT RIMOUSKI QUEBEC. WATER LEVEL READINGS ARE FROM AN AUTOMATED NOAA GAUGE (5080) LOCATED AT MACKINAW CITY, MI. DEPTHS ARE MEASURED USING AN R2SONIC 2024 MULTIBEAM SONAR.

3. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON DAY INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS PRESENT AT THE TIME.

4. HORIZONTAL POSITIONING IS DETERMINED USING REAL TIME KINEMATIC GLOBAL POSITIONING SYSTEM (RTK). CORRECTIONS ARE PROVIDED BY THE MICHIGAN CONTINUOUSLY OPERATING REFERENCE STATIONS (CORS). THE GPS RECEIVER IS MANUFACTURED BY APPLANIX MARINE POS/MV VER. 5.0.

5. THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, CENTRAL ZONE (2112), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

6. THE PROJECT DEPTHS FOR THIS HARBOR ARE 21.0', 18.5' & 8.5' BELOW LOW WATER DATUM AS INDICATED HERON.

7. AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT

US Army Corps of Engineers
District: CELRE

DISCLAIMER
Access Constraints: The United States Government furnishes this map/data/information and makes no warranty, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this information for any purpose. The information and the data furnished. The United States shall be under no liability for any deficiency, inaccuracy or error that may be made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government and not to transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose, at a specific time, under specific conditions. As such, it is only valid for its intended use, content, time and conditions at which it was collected/processed. The user assumes the entire risk of any of the application of the data for other than its intended purpose.

U.S. ARMY CORRPS OF ENGINEERS
DETROIT DISTRICT

| Surveyed By: | Plotted By: | Checked By: |
|---|---|---|
| Submitted: | Recommended: Chief, Survey Section | Approved: Chief, Technical Services |

**CHEBOYGAN HARBOR, MI**
**Cheboygan Harbor**
**CH_01_BOY_20260421_CS**
**21 April 2026**

**Sheet Reference Number**
**6 of 6**

Revision Number:
5.26.04.06-5.26.04.06