CORPS OF ENGINEERS

U.S. ARMY

43°0'40" N

43°0'50" N

43°1'0" N

PROJECT DEPTH = 30.0'


82°25'0" W

82°24'50" W


00+00 01+00 02+00 03+00 04+00 05+00 06+00 07+00 08+00 09+00 10+00 11+00 12+00 13+00 14+00 15+00 16+00 17+00 18+00 19+00 20+00 21+00 22+00 23+00 24+00 25+00 26+00 27+00 28+00

Maxar, Microsoft

SHEET INDEX



VICINITY MAP



LEGEND

- Cable Submarine
- Cable Overhead
- Placement Area
- Beacon, General
- Contour Lines
- Channel Limits

SOUNDING LEGEND

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

W S N E

1 inch = 100 feet

Feet

0 100 200 300 400 500 600

NOTES: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THE TIME.

FOR MULTIBEAM SURVEYS: THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT DERIVED FROM A 1X1 FOOT AVERAGED DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, SOUTH ZONE (2113), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

ALL SOUNDINGS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM OF 1985 (IGLD85).

TIDE VALUES ARE DERIVED FROM THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA) WATER LEVEL STATIONS:

FORT GRATIOT, MI (#9014098)
LAKEPORT, MI (#9075002)

POSITIONING:APPLANIX POS-MV4 W/ VRS/RTK OR MARINESTAR GNSS.
MOTION COMPENSATION: APPLANIX POS-MV4
SONAR: R2SONIC 2024 (MULTIBEAM) OR ODOM CV-300 (SINGLEBEAM)
SOFTWARE: HYPACK

AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT
ALL COORDINATES ARE IN U.S. SURVEY FEET.

US Army Corps of Engineers
District: CELRE

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and is valid only for the conditions. As such, it is only valid for its intended use, content, time and conditions of collection/processing. The US Army Corps of Engineers assumes no liability for the misuse or misinterpretation of any of the application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS
DETROIT DISTRICT

Surveyed By:
Plotted By:
Checked By:

Submitted	Chief, Survey Section	Chief, Technical Services
Recommended		
Approved		

LAKE HURON, MI
Point Edwards Range
PE_01_RNG_20250828_CS
28 August 2025

Sheet Reference Number 1 of 10

Revision Number:
5.25.07.03-5.25.07.03

CORPS OF ENGINEERS

U.S. ARMY

43°1'0" N

43°1'10" N

43°1'20" N

PROJECT DEPTH = 30.0'


82°2'50" W

82°2'40" W


26+00 27+00 28+00 29+00 30+00 31+00 32+00 33+00 34+00 35+00 36+00 37+00 38+00 39+00 40+00 41+00 42+00 43+00 44+00 45+00 46+00 47+00 48+00 49+00 50+00 51+00 52+00 53+00 54+00 55+00

Maxar, Microsoft

SHEET INDEX



VICINITY MAP



LEGEND

- Cable Submarine
- Cable Overhead
- Placement Area
- Beacon, General
- Contour Lines
- Channel Limits

SOUNDING LEGEND

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

N W S E

1 inch = 100 feet

Feet

0 100 200 300 400 500 600

US Army Corps of Engineers District: CELRE

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose, under specific survey conditions. As such, it is only valid for its intended use, content, time and conditions at which it was collected. Any use, change or addition of any of the application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS
DETROIT DISTRICT

Surveyed By:

Plotted By:

Checked By:

Submitted:	Chief, Technical Services
Recommended:	Chief, Survey Section
Approved:	

LAKE HURON, MI
Point Edwards Range
PE_01_RNG_20250828_CS
28 August 2025

Sheet Reference Number 2 of 10

Revision Number:
5.25.07.03-5.25.07.03

NOTES: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THE TIME.

FOR MULTIBEAM SURVEYS: THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON TEXT, DERIVED FROM A 1X1 FOOT AVERAGED DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, SOUTH ZONE (2113), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

ALL SOUNDINGS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM OF 1985 (IGLD85).

TIDE VALUES ARE DERRIVED FROM THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA) WATER LEVEL STATIONS:

FORT GRATIOT, MI (#9014098)
LAKEPORT, MI (#9075002)

POSITIONING:APPLANIX POS-MV4 W/ VRS/RTK OR MARINESTAR GNSS.
MOTION COMPENSATION: APPLANIX POS-MV4
SONAR: R2SONIC 2024 (MULTIBEAM) OR ODOM CV-300 (SINGLEBEAM)
SOFTWARE: HYPACK

AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT
ALL COORDINATES ARE IN U.S. SURVEY FEET.

DISCLAIMER
Access Constraints: The United States Government furnishes this map and the data furnished herein to the recipient expressly understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government and to indemnify the Government from any claim, action or suit against the Government that may in any way arise out of the recipient's use of these data or data derived therefrom.

CORPS OF ENGINEERS

U.S. ARMY

43°1'30" N

43°1'40" N

43°1'50" N

82°25'0" W


82°24'50" W

PROJECT DEPTH = 30.0'


53+00 54+00 55+00 56+00 57+00 58+00 59+00 60+00 61+00 62+00 63+00 64+00 65+00 66+00 67+00 68+00 69+00 70+00 71+00 72+00 73+00 74+00 75+00 76+00 77+00 78+00 79+00 80+00 81+00 82+00 83+00

Maxar, Microsoft

SHEET INDEX



VICINITY MAP



LEGEND

- Cable Submarine
- Cable Overhead
- Placement Area
- Beacon, General
- Contour Lines
- Channel Limits

SOUNDING LEGEND

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

W S N E

1 inch = 100 feet

Feet

0 100 200 300 400 500 600

NOTES: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THE TIME.

FOR MULTIBEAM SURVEYS: THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT, DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, SOUTH ZONE (2113), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

ALL SOUNDINGS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM OF 1985 (IGLD85).

TIDE VALUES ARE DERRIVED FROM THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA) WATER LEVEL STATIONS:

FORT GRATIOT, MI (#9014098)
LAKEPORT, MI (#9075002)

POSITIONING:APPLANIX POS-MV4 W/ VRS/RTK OR MARINESTAR GNSS.
MOTION COMPENSATION: APPLANIX POS-MV4
SONAR: R2SONIC 2024 (MULTIBEAM) OR ODOM CV-300 (SINGLEBEAM)
SOFTWARE: HYPACK

AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT
ALL COORDINATES ARE IN U.S. SURVEY FEET.

US Army Corps of Engineers District: CELRE

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and was collected under specific conditions. As such, it is only valid for its intended use, content, time and conditions of collection. The US Government assumes no liability for any of the application of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this information and the data furnished on an "as is" basis. The recipient understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government. The recipient shall not transfer these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
DETROIT DISTRICT

Surveyed By:		
Plotted By:		
Checked By:		
Submitted:		
Recommended:	Chief, Survey Section	
Approved:	Chief, Technical Services	

LAKE HURON, MI
Point Edwards Range
PE_01_RNG_20250828_CS
28 August 2025

Sheet Reference Number 3 of 10

Revision Number:
5.25.07.03-5.25.07.03

43°2'0" N | 43°2'10" N | 43°2'20" N

82°25'0" W

82°24'50" W


PROJECT DEPTH = 30.0'

81+00 | 82+00 | 83+00 | 84+00 | 85+00 | 86+00 | 87+00 | 88+00 | 89+00 | 90+00 | 91+00 | 92+00 | 93+00 | 94+00 | 95+00 | 96+00 | 97+00 | 98+00 | 99+00 | 100+00 | 101+00 | 102+00 | 103+00 | 104+00 | 105+00 | 106+00 | 107+00 | 108+00 | 109+00 | 110+00


Maxar, Microsoft

43°2'0" N | 43°2'10" N | 43°2'20" N

SHEET INDEX



VICINITY MAP



LEGEND

- Cable Submarine
- Cable Overhead
- Placement Area
- Beacon, General
- Contour Lines
- Channel Limits

SOUNDING LEGEND

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

W S N E

1 inch = 100 feet

Feet

0 | 100 | 200 | 300 | 400 | 500 | 600

NOTES: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THE TIME.

FOR MULTIBEAM SURVEYS: THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT, DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, SOUTH ZONE (2113), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

ALL SOUNDINGS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM OF 1985 (IGLD85).

TIDE VALUES ARE DERRIVED FROM THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA) WATER LEVEL STATIONS:

FORT GRATIOT, MI (#9014098)
LAKEPORT, MI (#9075002)

POSITIONING:APPLANIX POS-MV4 W/ VRS/RTK OR MARINESTAR GNSS.
MOTION COMPENSATION: APPLANIX POS-MV4
SONAR: R2SONIC 2024 (MULTIBEAM) OR ODOM CV-300 (SINGLEBEAM)
SOFTWARE: HYPACK

AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT
ALL COORDINATES ARE IN U.S. SURVEY FEET.

US Army Corps of Engineers District: CELRE

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose, at a specific time, under specific conditions. As such, it is only valid for its intended use, content, time and conditions at which it was collected/processed. The use of any of the application of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map and the data furnished herein on an "as is" basis and expressly understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government and to indemnify the Government from any and all claims arising from the use of these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
DETROIT DISTRICT

Surveyed By:	
Plotted By:	
Checked By:	
Submitted:	
Recommended:	Chief, Survey Section
Approved:	Chief, Technical Services

LAKE HURON, MI
Point Edwards Range
PE_01_RNG_20250828_CS
28 August 2025

Sheet Reference Number 4 of 10

Revision Number:
5.25.07.03-5.25.07.03

CORPS OF ENGINEERS

U.S. ARMY

43°2'20" N

43°2'30" N

43°2'40" N

82°25'0" W

82°24'50" W

PROJECT DEPTH = 30.0'

108+00 109+00 110+00 111+00 112+00 113+00 114+00 115+00 116+00 117+00 118+00 119+00 120+00 121+00 122+00 123+00 124+00 125+00 126+00 127+00 128+00 129+00 130+00 131+00 132+00 133+00 134+00 135+00 136+00 137+00

Maxar, Microsoft

US Army Corps of Engineers District: CELRE

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project under specific survey conditions. As such, it is only valid for its intended use, content, time and conditions of survey. The US Government is not liable for the use of any of the application of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this information and the data furnished on an "as is" basis. The user understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information and the data furnished. The United States shall be held harmless from any liability resulting from improper or incorrect use of the

CORPS OF ENGINEERS

U.S. ARMY

43°2'50" N


43°3'0" N

43°3'10" N


82°25'0" W

82°24'50" W


PROJECT DEPTH = 30.0'



SHEET INDEX



VICINITY MAP



LEGEND

- Cable Submarine
- Cable Overhead
- Placement Area
- Beacon, General
- Contour Lines
- Channel Limits

SOUNDING LEGEND

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

W S N E

1 inch = 100 feet

Feet

0 100 200 300 400 500 600

NOTES: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THE TIME.

FOR MULTIBEAM SURVEYS: THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT, DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, SOUTH ZONE (2113), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

ALL SOUNDINGS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM OF 1985 (IGLD85).

TIDE VALUES ARE DERRIVED FROM THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA) WATER LEVEL STATIONS:

FORT GRATIOT, MI (#9014098)
LAKEPORT, MI (#9075002)

POSITIONING:APPLANIX POS-MV4 W/ VRS/RTK OR MARINESTAR GNSS.
MOTION COMPENSATION: APPLANIX POS-MV4
SONAR: R2SONIC 2024 (MULTIBEAM) OR ODOM CV-300 (SINGLEBEAM)
SOFTWARE: HYPACK

AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT
ALL COORDINATES ARE IN U.S. SURVEY FEET.

US Army Corps of Engineers
District: CELRE

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project under specific survey conditions. As such, it is only valid for its intended use, content, time and conditions of survey. The US Government is not liable for the use of any of the application of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this information on an "as is" basis. The user assumes all responsibility for understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information. This information and the data furnished. The United States shall be under no liability whatsoever to any individual or group entity by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government. The recipient shall not release these data to others without also transferring this Disclaimer.

U.S. ARMY COPRPS OF ENGINEERS
DETROIT DISTRICT

Surveyed By: _____
Plotted By: _____
Checked By: _____

Submitted		Chief, Survey Section	
Recommended		Chief, Technical Services	
Approved			

LAKE HURON, MI
Point Edwards Range
PE_01_RNG_20250828_CS
28 August 2025

Sheet Reference Number
6 of 10

Revision Number:
5.25.07.03-5.25.07.03

CORPS OF ENGINEERS

U.S. ARMY

43°3'20" N


43°3'30" N

43°3'40" N


PROJECT DEPTH = 30.0'

82°25'0" W


82°24'50" W



SHEET INDEX



VICINITY MAP




LEGEND

- Cable Submarine
- Cable Overhead
- Placement Area
- Beacon, General
- Contour Lines
- Channel Limits

SOUNDING LEGEND

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'



1 inch = 100 feet

Feet

0 100 200 300 400 500 600

NOTES: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THE TIME.

FOR MULTIBEAM SURVEYS: THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT. DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE: MICHIGAN STATE PLANE, SOUTH ZONE (2113), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

ALL SOUNDINGS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM OF 1985 (IGLD85).

TIDE VALUES ARE DERRIVED FROM THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA) WATER LEVEL STATIONS:

FORT GRATIOT, MI (#9014098)
LAKEPORT, MI (#9075002)

POSITIONING:APPLANIX POS-MV4 W/ VRS/RTK OR MARINESTAR GNSS.
MOTION COMPENSATION: APPLANIX POS-MV4
SONAR: R2SONIC 2024 (MULTIBEAM) OR ODOM CV-300 (SINGLEBEAM)
SOFTWARE: HYPACK

AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT
ALL COORDINATES ARE IN U.S. SURVEY FEET.

US Army Corps of Engineers
District: CELRE

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project under specific survey conditions. As such, it is only valid for its intended use, content, time and survey conditions. The Government assumes no liability for any of the application of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this information and the data furnished on an "as is" basis. The recipient understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information and the data furnished. The United States shall be held harmless from any liability resulting from improper or incorrect use of the information and the data furnished. The recipient fully agrees not to represent these data to anyone as other than data furnished by the Government. Therefore the recipient hereby releases the United States Government from any liability which may arise from the use of these data and transferring this Disclaimer to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
DETROIT DISTRICT

Surveyed By:		
Plotted By:		
Checked By:		
Submitted		
Recommended	Chief, Survey Section	
Approved	Chief, Technical Services	

LAKE HURON, MI
Point Edwards Range
PE_01_RNG_20250828_CS
28 August 2025

Sheet Reference Number
7 of 10

Revision Number:
5.25.07.03-5.25.07.03

CORPS OF ENGINEERS

U.S. ARMY

43°3'40" N

43°3'50" N

43°4'0" N

82°25'0" W


82°24'50" W

PROJECT DEPTH = 30.0'


189+00 190+00 191+00 192+00 193+00 194+00 195+00 196+00 197+00 198+00 199+00 200+00 201+00 202+00 203+00 204+00 205+00 206+00 207+00 208+00 209+00 210+00 211+00 212+00 213+00 214+00 215+00 216+00 217+00 218+00 219+00

Maxar, Microsoft

SHEET INDEX



VICINITY MAP



LEGEND

- Cable Submarine
- Cable Overhead
- Placement Area
- Beacon, General
- Contour Lines
- Channel Limits

SOUNDING LEGEND

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

1 inch = 100 feet

Feet

0 100 200 300 400 500 600

NOTES: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THE TIME.

FOR MULTIBEAM SURVEYS: THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT, DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, SOUTH ZONE (2113), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

ALL SOUNDINGS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM OF 1985 (IGLD85).

TIDE VALUES ARE DERRIVED FROM THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA) WATER LEVEL STATIONS:

FORT GRATIOT, MI (#9014098)
LAKEPORT, MI (#9075002)

POSITIONING:APPLANIX POS-MV4 W/ VRS/RTK OR MARINESTAR GNSS.
MOTION COMPENSATION: APPLANIX POS-MV4
SONAR: R2SONIC 2024 (MULTIBEAM) OR ODOM CV-300 (SINGLEBEAM)
SOFTWARE: HYPACK

AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT
ALL COORDINATES ARE IN U.S. SURVEY FEET.

US Army Corps of Engineers
District: CELRE

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and is subject to certain conditions. As such, it is only valid for its intended use, content, time and conditions of collection/processing. The US Government is not liable for any of the application of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this information and the data furnished in good faith based upon its understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government and to indemnify the Government from any claim, action, or liability resulting from the use of these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
DETROIT DISTRICT

Surveyed By:	Plotted By:	Checked By:
Submitted	Chief, Survey Section	Chief, Technical Services
Recommended		
Approved		

LAKE HURON, MI
Point Edwards Range
PE_01_RNG_20250828_CS
28 August 2025

Sheet Reference Number
8 of 10

Revision Number:
5.25.07.03-5.25.07.03

CORPS OF ENGINEERS

U.S. ARMY

43°4'10" N

43°4'20" N

43°4'30" N

82°25'0" W

82°24'50" W

82°24'40" W

PROJECT DEPTH = 30.0'

217+00 218+00 219+00 220+00 221+00 222+00 223+00 224+00 225+00 226+00 227+00 228+00 229+00 230+00 231+00 232+00 233+00 234+00 235+00 236+00 237+00 238+00 239+00 240+00 241+00 242+00 243+00 244+00 245+00 246+00

Maxar, Microsoft

43°4'10" N 43°4'20" N 82°24'40" W 43°4'30" N

US Army Corps of Engineers District: CELRE

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose, at a specific time, under specific conditions. As such, it is only valid for its intended use, content, time and conditions at which it was collected and processed. Any use of any of the application of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map and the geographic data and related information depicted hereon with the understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information. It is expressly understood that the information and the data furnished. The United States shall be under no liability whatsoever to any individual or military unit for any claim or damage resulting from the use of this map or data hereon. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data or in any way that would violate the intent of these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
DETROIT DISTRICT


	Surveyed By:	Plotted By:	Checked By:
Submitted			
Recommended	Chief, Survey Section		
Approved:	Chief, Technical Services		

LAKE HURON, MI
Point Edwards Range
PE_01_RNG_20250828_CS
28 August 2025


Sheet Reference Number 9 of 10

Revision Number:
5.25.07.03-5.25.07.03

SHEET INDEX



VICINITY MAP



LEGEND

- Cable Submarine
- Cable Overhead
- Placement Area
- Beacon, General
- Contour Lines
- Channel Limits

SOUNDING LEGEND

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

W S N E

1 inch = 100 feet

Feet
0 100 200 300 400 500 600

NOTES: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THE TIME.

FOR MULTIBEAM SURVEYS: THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT, DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, SOUTH ZONE (2113), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

ALL SOUNDINGS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM OF 1985 (IGLD85).

TIDE VALUES ARE DERRIVED FROM THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA) WATER LEVEL STATIONS:

FORT GRATIOT, MI (#9014098)
LAKEPORT, MI (#9075002)

POSITIONING:APPLANIX POS-MV4 W/ VRS/RTK OR MARINESTAR GNSS.
MOTION COMPENSATION: APPLANIX POS-MV4
SONAR: R2SONIC 2024 (MULTIBEAM) OR ODOM CV-300 (SINGLEBEAM)
SOFTWARE: HYPACK

AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT
ALL COORDINATES ARE IN U.S. SURVEY FEET.

CORPS OF ENGINEERS

U.S. ARMY

82°25'0" W

43°4'40" N

43°4'50" N

43°5'0" N

PROJECT DEPTH = 30.0'


82°24'50" W

82°24'40" W


244+00 245+00 246+00 247+00 248+00 249+00 250+00 251+00 252+00 253+00 254+00 255+00 256+00 257+00 258+00 259+00 260+00 261+00 262+00 263+00 264+00 264+97

Maxar, Microsoft

SHEET INDEX



VICINITY MAP



LEGEND

- Cable Submarine
- Cable Overhead
- Placement Area
- Beacon, General
- Contour Lines
- Channel Limits

SOUNDING LEGEND

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

1 inch = 100 feet

Feet 0 100 200 300 400 500 600

NOTES: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THE TIME.

FOR MULTIBEAM SURVEYS: THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT, DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, SOUTH ZONE (2113), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

ALL SOUNDINGS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM OF 1985 (IGLD85).

TIDE VALUES ARE DERRIVED FROM THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA) WATER LEVEL STATIONS:

FORT GRATIOT, MI (#9014098)
LAKEPORT, MI (#9075002)

POSITIONING:APPLANIX POS-MV4 W/ VRS/RTK OR MARINESTAR GNSS.
MOTION COMPENSATION: APPLANIX POS-MV4
SONAR: R2SONIC 2024 (MULTIBEAM) OR ODOM CV-300 (SINGLEBEAM)
SOFTWARE: HYPACK

AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT
ALL COORDINATES ARE IN U.S. SURVEY FEET.

US Army Corps of Engineers
District: CELRE

DISCLAIMER
Access Constraints: The United States Government furnishes this map and the data contained therein without warranty and expresses understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information for any purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any individual or party for any action made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government. The recipient shall not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose at the time and under the conditions. As such, it is only valid for its intended use, content, time and conditions at collection. The US Government is not liable for any of any of the application of the data for other than its intended purpose.

U.S. ARMY CORPRS OF ENGINEERS
DETROIT DISTRICT

Surveyed By:		
Plotted By:		
Checked By:		
Submitted:		
Recommended:	Chief, Survey Section	
Approved:	Chief, Technical Services	

LAKE HURON, MI
Point Edwards Range
PE_01_RNG_20250828_CS
28 August 2025

Sheet Reference Number
10 of 10

Revision Number:
5.25.07.03-5.25.07.03