43°39'40" N 83°50'40" W 43°39'50" N 83°50'30" W 43°40'0" N


83°50'40" W 43°39'30" N 83°50'30" W 83°50'20" W 83°50'10" W

50+00 51+00 52+00 53+00 54+00 55+00 56+00 57+00 58+00 59+00 60+00 61+00 62+00 63+00 64+00 65+00 66+00 67+00 68+00 69+00 70+00 71+00 72+00 73+00 74+00 75+00 76+00 77+00 78+00 79+00


PROJECT DEPTH = 27.0'

43°39'30" N 83°50'20" W 43°39'40" N 83°50'10" W 43°39'50" N

SHEET INDEX



VICINITY MAP



LEGEND

- Cable Submarine
- Cable Overhead
- Placement Area
- Beacon, General
- Contour Lines
- Channel_Limits

SOUNDING LEGEND

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

W N S E

1 inch = 100 feet

Feet
0 100 200 300 400

NOTES: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THE TIME.

FOR MULTIBEAM SURVEYS: THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT, DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, SOUTH ZONE (2113), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

ALL SOUNDINGS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM OF 1985 (IGLD 1985)
PROJECT DEPTH RANGE FROM 20.0' TO 27.0'

TIDE VALUES ARE DERRIVED FROM THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA) WATER LEVEL STATIONS: ESSEXVILLE, MI (#9075035) ALONG WITH THE FOLLOWING GAGES: G. BOARD ON PILING NEAR CS 820+00, TBM ZILL RAMP, TBM CHEB, TBM CASS RAMP, TBM RAILROAD [ESTABLISHED FROM COE VERTICAL CP BM 36], TBM SAIL AT THE FOOT OF THE 5TH STREET, G.BOARD
ON THE D.STREAM WESTERN PIER OF THE CENTRAL MICHIGAN R.R. BRIDGE [GAGE BOARD WAS ESTABLISHED FROM NGS BM HL MON 25 USE], G.BOARD ON THE DOWNSTREAM END OF THE CENTER PIER OF THE LAKE STATE RAILROAD BRIDGE [ESTABLISHED FROM NGS BM HL MON 16 USE (PID QJ0534)], G.BOARD ON THE D.STREAM END OF THE CTR PIER OF LAKE STATE R.R. BRIDGE, G.BOARD SET ON THE PILING AT THE MOUTH OF THE BLACK RIVER ON THE NORTH SIDE NEAR THE RAILROAD TRESTLE

POSITIONING:APPLANIX POS-MV4 W/ VRS/RTK OR MARINESTAR GNSS.
MOTION COMPENSATION: APPLANIX POS-MV4
SONAR: R2SONIC 2024 (MULTIBEAM) OR ODOM CV-300 (SINGLEBEAM)
SOFTWARE: HYPACK

AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT
ALL COORDINATES ARE IN U.S. SURVEY FEET.

US Army Corps of Engineers District: CELRE

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient agrees to its understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information. The recipient shall not use the information and the data furnished. The United States shall be indemnified against any claim of any kind arising from the use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data or in any way that would violate the rights in these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission at the time and under the conditions stated. As such, it is only valid for its intended use, content, time and conditions at collection. The US Government shall not be liable for any of any of the application of the data for other than its intended purpose.

U.S. ARMY COPRPS OF ENGINEERS
DETROIT DISTRICT

Surveyed By: ____
Plotted By: ____
Checked By: ____

Submitted: ____
Recommended: Chief, Survey Section
Approved: Chief, Technical Services

Saginaw, MI
Saginaw River
SH_01_SAG_20260901_AD
01 September 2026

Sheet Reference Number
26 of 62

Revision Number:
5.26.04.06-5.26.04.06

CORPS OF ENGINEERS

U.S. ARMY

83°51'0" W 43°39'20" N

83°50'50" W 43°39'30" N

83°51'0" W 43°39'10" N

83°50'40" W

83°50'50" W

83°50'30" W

43°39'30" N

43°39'20" N


83°50'40" W

83°50'30" W


23+00 24+00 25+00 26+00 27+00 28+00 29+00 30+00 31+00 32+00 33+00 34+00 35+00 36+00 37+00 38+00 39+00 40+00 41+00 42+00 43+00 44+00 45+00 46+00 47+00 48+00 49+00 50+00 51+00 52+00

PROJECT DEPTH = 27.0'

SHEET INDEX



VICINITY MAP



LEGEND

- Cable Submarine
- Cable Overhead
- Placement Area
- Beacon, General
- Contour Lines
- Channel_Limits

SOUNDING LEGEND

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

W N S E

1 inch = 100 feet

Feet

0 100 200 300 400

NOTES: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THE TIME.

FOR MULTIBEAM SURVEYS: THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT, DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, SOUTH ZONE (2113), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

ALL SOUNDINGS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM OF 1985 (IGLD 1985)
PROJECT DEPTH RANGE FROM 20.0' TO 27.0'

TIDE VALUES ARE DERRIVED FROM THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA) WATER LEVEL STATIONS: ESSEXVILLE, MI (#9070535) ALONG WITH THE FOLLOWING GAGES: G. BOARD ON PILING NEAR CS 820+00, TBM ZILL RAMP, TBM CHEB, TBM CASS RAMP, TBM RAILROAD [ESTABLISHED FROM COE VERTICAL CP BM 36], TBM SAIL AT THE FOOT OF THE 5TH STREET, G.BOARD
ON THE D.STREAM WESTERN PIER OF THE CENTRAL MICHIGAN R.R. BRIDGE [GAGE BOARD WAS ESTABLISHED FROM NGS BM HL MON 25 USE], G.BOARD ON THE DOWNSTREAM END OF THE CENTER PIER OF THE LAKE STATE RAILROAD BRIDGE [ESTABLISHED FROM NGS BM HL MON 16 USE (PID DJ0534)], G.BOARD ON THE D.STREAM END OF THE CTR PIER OF LAKE STATE R.R. BRIDGE, G.BOARD SET ON THE PILING AT THE MOUTH OF THE BLACK RIVER ON THE NORTH SIDE NEAR THE RAILROAD TRESTLE

POSITIONING:APPLANIX POS-MV4 W/ VRS/RTK OR MARINESTAR GNSS.
MOTION COMPENSATION: APPLANIX POS-MV4
SONAR: R2SONIC 2024 (MULTIBEAM) OR ODOM CV-300 (SINGLEBEAM)
SOFTWARE: HYPACK

AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT
ALL COORDINATES ARE IN U.S. SURVEY FEET

US Army Corps of Engineers District: CELRE

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers purpose, at a specific time, under specific conditions. As such, it is only valid for its intended use, content, time and conditions at which it was collected/processed. The user assumes all risk of any of the application of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map/chart/publication and the data contained therein expressly understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information for any purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government. The recipient shall not transferring this Disclaimer. these data to others without also


U.S. ARMY CORPS OF ENGINEERS
DETROIT DISTRICT


	Surveyed By:	Plotted By:	Checked By:
Submitted:			
Recommended:	Chief, Survey Section		
Approved:	Chief, Technical Services		


Saginaw, MI
Saginaw River
SH_01_SAG_20260901_AD
01 September 2026

Sheet Reference Number
27 of 62

Revision Number:
5.26.04.06-5.26.04.06







LEGEND

- Cable Submarine
- Cable Overhead
- Placement Area
- Beacon, General
- Contour Lines
- Channel_Limits

SOUNDING LEGEND

- LESS THAN PROJECT DEPTH
- PROJECT DEPTH
- PROJECT DEPTH +1'
- PROJECT DEPTH +2'
- PROJECT DEPTH +3'
- PROJECT DEPTH +4'
- PROJECT DEPTH +5'

1 inch = 100 feet

Feet
0 100 200 300 400

NOTES: THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS AT THE TIME.

FOR MULTIBEAM SURVEYS: THE SOUNDINGS INDICATED HEREIN ARE GENERALIZED DEPTHS AND ARE NOT REPRESENTATIVE OF THE FULL DATASET. THE SOUNDINGS REPRESENT THE MINIMUM DEPTH FOUND WITHIN THE 10X10 FOOT AREA CENTERED ON THE TEXT, DERIVED FROM A 1X1 FOOT AVERAGE DATASET AT CELL CENTER. THIS MAP SHOULD NOT BE USED FOR CHANNEL CLEARANCE OR VOLUME COMPUTATIONS. MINIMUM DEPTH DATA IS PRODUCED FOR STRIKE/SHOAL REMOVAL OPERATIONS AND NOTICE TO NAVIGATION INTERESTS.

THE GRID SHOWN REFERENCES LATITUDE/LONGITUDE DISPLAYED AS DEGREES, MINUTE, SECONDS IN 10 SECOND INCREMENTS. THE SURVEY DATA REPRESENTED HEREIN IS PROJECTED TO THE MICHIGAN STATE PLANE, SOUTH ZONE (2113), NORTH AMERICAN DATUM 1983 (NAD83), US SURVEY FOOT.

ALL SOUNDINGS ARE REFERENCED TO INTERNATIONAL GREAT LAKES DATUM OF 1985 (IGLD 1985)
PROJECT DEPTH RANGE FROM 20.0' TO 27.0'

TIDE VALUES ARE DERRIVED FROM THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION (NOAA) WATER LEVEL STATIONS: ESSEXVILLE, MI (9075035) ALONG WITH THE FOLLOWING GAGES: G. BOARD ON PILING NEAR CS 820+00, TBM ZILL RAMP, TBM CHEB, TBM CASS RAMP, TBM RAILROAD [ESTABLISHED FROM COE VERTICAL CP BM 36], TBM SAIL AT THE FOOT OF THE 5TH STREET, G.BOARD
ON THE D.STREAM WESTERN PIER OF THE CENTRAL MICHIGAN R.R. BRIDGE [GAGE BOARD WAS ESTABLISHED FROM NGS BM HL MON 25 USE], G.BOARD ON THE DOWNSTREAM END OF THE CENTER PIER OF THE LAKE STATE RAILROAD BRIDGE [ESTABLISHED FROM NGS BM HL MON 16 USE (PID DJ0534)], G.BOARD ON THE D.STREAM END OF THE CTR PIER OF LAKE STATE R.R. BRIDGE, G.BOARD SET ON THE PILING AT THE MOUTH OF THE BLACK RIVER ON THE NORTH SIDE NEAR THE RAILROAD TRESTLE

POSITIONING:APPLANIX POS-MV4 W/ VRS/RTK OR MARINESTAR GNSS.
MOTION COMPENSATION: APPLANIX POS-MV4
SONAR: R2SONIC 2024 (MULTIBEAM) OR ODOM CV-300 (SINGLEBEAM)
SOFTWARE: HYPACK

AERIAL PHOTOGRAPHY DATA SOURCE: MAXAR, MICROSOFT
ALL COORDINATES ARE IN U.S. SURVEY FEET.

US Army Corps of Engineers
District: CELRE

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and was collected under specific conditions. As such, it is only valid for its intended use, content, time and accuracy. Any use of this data for purposes other than its intended purpose, or any of the application, of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map/chart/publication "as is" without warranty of any express understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information for any particular purpose. The information and the data furnished. The United States shall be under no liability for any loss or damage arising from the use of the data made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. Also, the recipient agrees to forward these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
DETROIT DISTRICT

Surveyed By: ____
Plotted By: ____
Checked By: ____

Submitted: _____
Recommended: Chief, Survey Section _____
Approved: Chief, Technical Services _____

Saginaw, MI
Saginaw River
SH_01_SAG_20260901_AD
01 September 2026

Sheet Reference Number
28 of 62

Revision Number:
5.26.04.06-5.26.04.06