


NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.




The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided by
the U.S. Coast Guard.










LAYERS	
	< 0 (drying height)
	0 - 9 ft
	10 - 12 ft
	> 12 ft
	River Mile
	Sailing Line

Daymark	
	Green and Green
	Red and Green
	Red and Red
	White and Green
	White and Red

TGT Points	
	Green Buoy
	Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.



DISCLAIMER: The United States Government furnishes this information as a service to the public and does not warrant the accuracy, completeness, or reliability of the information. The user assumes all responsibility for the use of the information and the data furnished. The United States shall not be liable for any damages, including consequential damages, arising from the use of the information. The user shall be responsible for the accuracy of the information and the data furnished. The user shall be responsible for the accuracy of the information and the data furnished. The user shall be responsible for the accuracy of the information and the data furnished.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	_____	_____
Reviewed By	_____	_____
Checked By	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
4 of 38

87°23'W







87°22'W

37°48'N

37°48'N

87°23'W

87°22'W



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.






DISCLAIMER: The United States Government furnishes this information as it is received from the source and does not warrant its accuracy, completeness, or reliability. The user of this information shall be responsible for its use and shall assume all liability for any errors or omissions. The United States Government shall not be held responsible for any damages or losses resulting from the use of this information. The user shall indemnify and hold the United States Government harmless from any and all claims, damages, and expenses, including reasonable attorneys' fees, that may be asserted against or incurred by the United States Government or its officers, employees, or agents, in connection with the use of this information.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Reviewed By	Checked By
_____	_____	_____
_____	_____	_____
_____	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
5 of 38




NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.



The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.










LAYERS	
	< 0 (drying height)
	0 - 9 ft
	10 - 12 ft
	> 12 ft
	River Mile
	Sailing Line

Daymark	
	Green and Green
	Red and Green
	Red and Red
	White and Green
	White and Red

TGT Points	
	Green Buoy
	Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.







DISCLAIMER: The data presented in this map is the result of a survey conducted by the U.S. Army Corps of Engineers. The data is provided for informational purposes only and is not intended for navigation. The data is not to be used for any purpose other than the intended purpose. The data is not to be used for any purpose other than the intended purpose. The data is not to be used for any purpose other than the intended purpose.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	_____	_____
Reviewed By	_____	_____
Checked By	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
9 of 38



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.








The location of navigation aids are based on and provided
by the U.S. Coast Guard.



U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		Surveyed By: _____
Submitted: _____	Recommended: _____	Revised By: _____
Approved: _____		Checked By: _____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

**Pool
Reach
Number
10 of 38**



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.










Distribution Liability: The data presented in this map is the result of a survey conducted by the U.S. Army Corps of Engineers. The data is provided for informational purposes only and is not intended for use in navigation. The user assumes all liability for any use of this data. The U.S. Army Corps of Engineers does not warrant the accuracy or completeness of the data. The data is provided as is, without any guarantees or warranties. The user assumes all liability for any use of this data. The U.S. Army Corps of Engineers does not warrant the accuracy or completeness of the data. The data is provided as is, without any guarantees or warranties. The user assumes all liability for any use of this data.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Reviewed By	Checked By
_____	_____	_____
_____	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number 11 of 38



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.










DISCLAIMER: The United States Government furnishes this information as a service to the public and does not warrant its accuracy or completeness. The user assumes all responsibility for any errors or omissions. The data is provided for informational purposes only and is not to be used for navigation or other purposes. The user assumes all responsibility for any errors or omissions. The data is provided for informational purposes only and is not to be used for navigation or other purposes.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Plotted By	Checked By
_____	_____	_____
_____	_____	_____

Survey Information

LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
12 of 38



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.



DISCLAIMER: The United States Government furnishes this information as it is received from the source and does not warrant its accuracy or completeness. The user assumes all responsibility for its use. The information is provided for informational purposes only and is not to be used for navigation or other purposes. The user assumes all responsibility for its use. The information is provided for informational purposes only and is not to be used for navigation or other purposes.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Submitted By	Reviewed By	Checked By
Recommended		

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
13 of 38








DISTRIBUTION LIABILITY The data aggregates the results of all data submitted for processing for a specific US Army Component. As such, it is only used for a specific time period, time and place. The data is not intended to be used for the purpose of any of the application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT	
Submitted _____	Saw Sealed By _____
Recommended _____	Relined By _____
Approved _____	Checked By _____

Survey Information

Survey information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

**Pool
Reach
Number
14 of 38**










NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided by the U.S. Coast Guard.



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.






DISCLAIMER: The United States Government furnishes this information as a service to the public and does not warrant its accuracy or completeness. The user assumes all responsibility for the use of this information. The user acknowledges that the information is provided for informational purposes only and is not to be used for any other purpose. The user agrees to hold the United States Government harmless from any and all claims, damages, and expenses, including attorney's fees, arising out of or from the use of this information, whether or not such claims, damages, and expenses are caused in whole or in part by the negligence of the United States Government. The user agrees to indemnify and hold the United States Government harmless from any and all claims, damages, and expenses, including attorney's fees, arising out of or from the use of this information, whether or not such claims, damages, and expenses are caused in whole or in part by the negligence of the United States Government.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Plotted By	Checked By
_____	_____	_____
_____	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018


Pool Reach Number 15 of 38



LAYERS	
	< 0 (drying height)
	0 - 9 ft
	10 - 12 ft
	> 12 ft
	River Mile
	Sailing Line

Daymark	
	Green and Green
	Red and Green
	Red and Red
	White and Green
	White and Red

TGT Points	
	Green Buoy
	Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.






DISCLAIMER: The data presented in this map is the result of a survey conducted by the U.S. Army Corps of Engineers. The data is provided for informational purposes only and is not intended for navigation. The data is not guaranteed to be accurate and is not intended to be used for navigation. The data is provided for informational purposes only and is not intended for navigation. The data is not guaranteed to be accurate and is not intended to be used for navigation.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	_____	_____
Checked By	_____	_____
Recommended	_____	_____
Approved	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
16 of 38



LAYERS


- < 0 (drying height)
- 0 - 9 ft
- 10 - 12 ft
- > 12 ft
- River Mile
- Sailing Line

Daymark

- Green and Green
- Red and Green
- Red and Red
- White and Green
- White and Red

TGT Points

- Green Buoy
- Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.






DISCLAIMER: The United States Government furnishes this information as it is received from the source and does not warrant its accuracy or completeness. The user assumes all responsibility for the use of this information. The United States Government makes no warranty, expressed or implied, concerning the accuracy, completeness, or timeliness of the information. The user assumes all responsibility for the use of this information. The United States Government makes no warranty, expressed or implied, concerning the accuracy, completeness, or timeliness of the information. The user assumes all responsibility for the use of this information.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Plotted By	Checked By

Survey Information

LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018


Pool Reach Number
17 of 38



LAYERS	
—	< 0 (drying height)
—	0 - 9 ft
—	10 - 12 ft
—	> 12 ft
•	River Mile
—	Sailing Line

Daymark	
■	Green and Green
▲	Red and Green
▼	Red and Red
◆	White and Green
◆	White and Red

TGT Points	
▲	Green Buoy
▲	Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.






Distribution Liability: The data presented in this map is the result of a survey conducted by the U.S. Army Corps of Engineers. The data is not to be used for any purpose other than the intended purpose of the survey. The data is not to be used for any purpose other than the intended purpose of the survey. The data is not to be used for any purpose other than the intended purpose of the survey. The data is not to be used for any purpose other than the intended purpose of the survey.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT	
Surveyed By _____	Checked By _____
Reviewed By _____	Approved By _____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number 18 of 38



LAYERS


- < 0 (drying height)
- 0 - 9 ft
- 10 - 12 ft
- > 12 ft
- River Mile
- Sailing Line

Daymark

- Green and Green
- Red and Green
- Red and Red
- White and Green
- White and Red

TGT Points

- Green Buoy
- Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Kentucky South Zone. Distance units in U.S. Survey Feet.
Vertical Datum:
Soundings are shown in feet and indicate depths below the Ohio River Datum.
The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.
The location of navigation aids are based on and provided by the U.S. Coast Guard.




US Army Corps of Engineers
District: CELRL

Accession: The United States Government furnishes this information for the use of the recipient and does not warrant its accuracy or completeness. The recipient is responsible for the accuracy of the information and the data furnished. The United States shall be held harmless for any and all claims, damages, or losses, including reasonable attorney's fees, arising out of the use of this information, whether or not such claims, damages, or losses are caused in whole or in part by the negligence of the United States Government. The recipient may not transfer these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Reviewed By	Checked By
_____	_____	_____
_____	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
19 of 38



The location of navigation aids are based on and provided by the U.S. Coast Guard.






37°40'N

87°26'W

87°27'W


37°40'N



LAYERS	
	< 0 (drying height)
	0 - 9 ft
	10 - 12 ft
	> 12 ft
	River Mile
	Sailing Line

Daymark	
	Green and Green
	Red and Green
	Red and Red
	White and Green
	White and Red

TGT Points	
	Green Buoy
	Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.





DISCLAIMER: The United States Government furnishes this information as a service to the public and does not warrant its accuracy or completeness. The user assumes all responsibility for any use of this information. The user acknowledges that the information is provided for informational purposes only and is not to be used for any other purpose. The user further acknowledges that the information is not to be used for any purpose other than the intended purpose. The user further acknowledges that the information is not to be used for any purpose other than the intended purpose. The user further acknowledges that the information is not to be used for any purpose other than the intended purpose.




U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT	
Surveyed By _____ Date _____/_____/_____	Reviewed By _____ Date _____/_____/_____
Checked By _____ Date _____/_____/_____	Approved By _____ Date _____/_____/_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number 21 of 38








LAYERS	
	< 0 (drying height)
	0 - 9 ft
	10 - 12 ft
	> 12 ft
	River Mile
	Sailing Line

Daymark	
	Green and Green
	Red and Green
	Red and Red
	White and Green
	White and Red

TGT Points	
	Green Buoy
	Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.







DISCLAIMER: The United States Government furnishes this information as a service to the public and does not warrant the accuracy, completeness, or reliability of the information. The user assumes all responsibility for the use of the information and the data furnished. The United States shall not be liable for any damages, including consequential damages, arising from the use of the information. The user shall indemnify and hold the United States harmless from all claims, damages, and expenses, including reasonable attorneys' fees, arising from the use of the information. The user shall not disseminate or otherwise make available the information to the public without the written consent of the United States. The user shall not use the information for any purpose other than the purpose for which it was provided. The user shall not use the information for any purpose other than the purpose for which it was provided. The user shall not use the information for any purpose other than the purpose for which it was provided.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Reviewed By	Checked By
_____	_____	_____
_____	_____	_____
_____	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
24 of 38






LAYERS	
	< 0 (drying height)
	0 - 9 ft
	10 - 12 ft
	> 12 ft
	River Mile
	Sailing Line

Daymark	
	Green and Green
	Red and Green
	Red and Red
	White and Green
	White and Red

TGT Points	
	Green Buoy
	Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.










DISCLAIMER: The United States Government furnishes this information as a service to the public and does not warrant the accuracy, completeness, or reliability of the information. The information is provided for informational purposes only and should not be used for navigation or other purposes. The user assumes all responsibility for the use of the information. The information is provided as is, without any warranty, express or implied. The user assumes all responsibility for the use of the information. The information is provided as is, without any warranty, express or implied. The user assumes all responsibility for the use of the information.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Plotted By	Checked By
_____	_____	_____
_____	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
26 of 38



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Kentucky South Zone. Distance units in U.S. Survey Feet.
Vertical Datum:
Soundings are shown in feet and indicate depths below the Ohio River Datum.
The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.
The location of navigation aids are based on and provided by the U.S. Coast Guard.










DISCLAIMER: The United States Government furnishes this information as a service to the public and does not warrant its accuracy or completeness. The user assumes all responsibility for the use of this information. The user shall indemnify and hold the United States Government harmless from all claims, damages, and expenses, including reasonable attorneys' fees, arising from the use of this information, whether or not such claims, damages, and expenses are caused in whole or in part by the negligence of the United States Government. This disclaimer shall not be construed to limit the liability of the United States Government for its negligence.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Reviewed By	Checked By
_____	_____	_____
_____	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
27 of 38



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.






Accession Number: The United States Government furnishes this information for the use of the public and does not assume any liability for its use. It is not to be used for any purpose other than that for which it was prepared. The user is responsible for the results of any use of this information. The user is responsible for the results of any use of this information. The user is responsible for the results of any use of this information.


U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	_____	_____
Reviewed By	_____	_____
Checked By	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
28 of 38








 < 0 (drying height)
 0 - 9 ft
 10 - 12 ft
 > 12 ft
 River Mile
 Sailing Line

	Green and Green
	Red and Green
	Red and Red
	White and Green
	White and Red

 Green Buoy
 Red Buoy




NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided by the U.S. Coast Guard.



Distribution Liability. The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy specifications. The user is responsible for the results of any of the application of the data for other than its intended purpose.

DISCLAIMER

Access Constraints. The United States Government furnishes this information for the public and does not place any restrictions on its use and the recipient accepts and uses them with the express understanding that the U.S. Government makes no warranties, either expressed or implied, in this information, and that the availability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient if they agrees not to retransmit these data to anyone as the United States may be liable for damages if they are used for purposes other than those for which they were originally intended.

U.S. ARMY CORPS OF ENGINEERS
LOUISVILLE DISTRICT

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT	Survived By:
---	--------------




	Plotted By:
--	-----------------------------

Approved: _____	Checked By: _____
-----------------	-------------------

LOCK11_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

22 March 2018


**Pool
Reach
Number
31 of 38**



LAYERS	
	< 0 (drying height)
	0 - 9 ft
	10 - 12 ft
	> 12 ft
	River Mile
	Sailing Line

Daymark	
	Green and Green
	Red and Green
	Red and Red
	White and Green
	White and Red

TGT Points	
	Green Buoy
	Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.



DISCLAIMER: The United States Government furnishes this information as a service to the public and does not warrant the accuracy, completeness, or reliability of the information. The user assumes all responsibility for the use of the information and the data furnished. The United States shall be held harmless from any and all claims, damages, and expenses, including reasonable attorneys' fees, that may be incurred by or for the user in connection with the use of the information provided herein. The recipient may not retransmit these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT	
Surveyed By _____ Date _____/_____/_____	Reviewed By _____ Date _____/_____/_____
Checked By _____ Date _____/_____/_____	Approved By _____ Date _____/_____/_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
32 of 38

37°33'N

McLean
County, KY

Hopkins
County, KY






Accession: The United States Government furnishes this information for the use of the public and does not assume any liability for its use. It is not to be used for any purpose other than that for which it was prepared. The user is responsible for the accuracy of the information and the data furnished. The United States shall not be held liable for any loss or damage resulting from the use of this information. The user is responsible for the accuracy of the information and the data furnished. The United States shall not be held liable for any loss or damage resulting from the use of this information.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	_____	_____
Reviewed By	_____	_____
Checked By	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
33 of 38




37°33'N

87°22'W


LAYERS	
	< 0 (drying height)
	0 - 9 ft
	10 - 12 ft
	> 12 ft
	River Mile
	Sailing Line

Daymark	
	Green and Green
	Red and Green
	Red and Red
	White and Green
	White and Red

TGT Points	
	Green Buoy
	Red Buoy









NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Kentucky South Zone. Distance units in U.S. Survey Feet.
Vertical Datum:
Soundings are shown in feet and indicate depths below the Ohio River Datum.
The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.
The location of navigation aids are based on and provided by the U.S. Coast Guard.



Hopkins
County, KY

McLean
County, KY



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.








The location of navigation aids are based on and provided
by the U.S. Coast Guard.



Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Plotted By	Checked By
_____	_____	_____
_____	_____	_____

**Pool Reach
Number
34 of 38**



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.





DISCLAIMER: The United States Government furnishes this information as it is received from the source and does not warrant its accuracy or completeness. The user is responsible for the use of this information and the data furnished. The user shall be held harmless for any and all claims, damages, or liabilities, including reasonable attorneys' fees, arising from the use of this information, whether or not such claims, damages, or liabilities are caused in whole or in part by the negligence of the United States Government. The user shall also be held harmless for any and all claims, damages, or liabilities, including reasonable attorneys' fees, arising from the use of this information, whether or not such claims, damages, or liabilities are caused in whole or in part by the negligence of the user.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Reviewed By	Checked By
_____	_____	_____
_____	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
35 of 38






LAYERS	
	< 0 (drying height)
	0 - 9 ft
	10 - 12 ft
	> 12 ft
	River Mile
	Sailing Line

Daymark	
	Green and Green
	Red and Green
	Red and Red
	White and Green
	White and Red

TGT Points	
	Green Buoy
	Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
Ohio River Datum.

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.






DISCLAIMER: The United States Government furnishes this information as it is received from the source and does not warrant its accuracy or completeness. The user assumes all responsibility for the use of this information. The data is provided for informational purposes only and is not to be used for navigation or other purposes. The user assumes all responsibility for the use of this information. The data is provided for informational purposes only and is not to be used for navigation or other purposes.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Reviewed By	Checked By
_____	_____	_____
_____	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018


Pool Reach Number
37 of 38



LAYERS	
	< 0 (drying height)
	0 - 9 ft
	10 - 12 ft
	> 12 ft
	River Mile
	Sailing Line

Daymark	
	Green and Green
	Red and Green
	Red and Red
	White and Green
	White and Red

TGT Points	
	Green Buoy
	Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Kentucky South Zone. Distance units in U.S. Survey Feet.
Vertical Datum:
Soundings are shown in feet and indicate depths below the Ohio River Datum.
The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.
The location of navigation aids are based on and provided by the U.S. Coast Guard.



DISCLAIMER: The United States Government furnishes this information as a service to the public and does not warrant its accuracy or completeness. The user assumes all responsibility for the use of this information. The user acknowledges that the information is provided for informational purposes only and is not to be used for any other purpose. The user acknowledges that the information is provided for informational purposes only and is not to be used for any other purpose. The user acknowledges that the information is provided for informational purposes only and is not to be used for any other purpose.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Reviewed By	Checked By
_____	_____	_____
_____	_____	_____

Survey Information
LOCK1_POOL_GREEN_RIVER
GR_LD_GR1_20180322_OT_PRS_9_63_SORT
22 March 2018

Pool Reach Number
38 of 38