


NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
project pool of 358.0

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.









DISCLAIMER
The United States Government furnishes this map as a service to the public and does not warrant its accuracy or the results of its use. The user assumes all liability for any errors or omissions. The user is responsible for the results of its use. The user is responsible for the results of its use. The user is responsible for the results of its use.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By	Plotted By	Checked By
_____	_____	_____
_____	_____	_____
_____	_____	_____

Survey Information
NEWBURGH_POOL_OHIO_RIVER
OH_LD_NBG_2020208_OT_PRS_721_776_SORT
08 February 2022

Pool Reach Number
1 of 10



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
project pool of 358.0

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.



Distribution Liability: The data presented in this map is the result of data collection and processing for a specific US Army Corps of Engineers project. It is not intended for use in any other project. As such, it is only valid for its intended use, current time and location. The user is responsible for the validity of the data for any other application. The user is responsible for the validity of the data for any other application. The user is responsible for the validity of the data for any other application.







U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By:	Revised By:	Checked By:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Survey Information

NEWBURGH_POOL_OHIO_RIVER

OH_LD_NBG_20220208_OT_PRS_721_776_SORT

08 February 2022



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
project pool of 358.0

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.









DISCLAIMER: The United States Government assumes no responsibility for the accuracy or completeness of the information provided herein. The user is responsible for the accuracy and completeness of the information provided herein. The user is responsible for the accuracy and completeness of the information provided herein. The user is responsible for the accuracy and completeness of the information provided herein.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By:	Plotted By:	Checked By:
_____	_____	_____
_____	_____	_____

Survey Information
NEWBURGH_POOL_OHIO_RIVER
OH_LD_NBG_20220208_OT_PRS_721_776_SORT
08 February 2022

Pool Reach Number
3 of 10



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Kentucky South Zone. Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the project pool of 358.0

The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided by the U.S. Coast Guard.





DISCLAIMER: The data presented on this map is the property of the U.S. Army Corps of Engineers and is not to be used for any purpose other than that for which it was originally prepared. The data is not to be used for any purpose other than that for which it was originally prepared. The data is not to be used for any purpose other than that for which it was originally prepared. The data is not to be used for any purpose other than that for which it was originally prepared.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By:	Plotted By:	Checked By:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Survey Information
NEWBURGH_POOL_OHIO_RIVER
OH_LD_NBG_20220208_OT_PRS_721_776_SORT
08 February 2022

Pool Reach Number
4 of 10



LAYERS


- < 0 (drying height)
- 0 - 9 ft
- 10 - 12 ft
- > 12 ft
- River Mile
- Sailing Line

Navigation Lights

- Green
- Red
- Junction

TGT Points

- Green Buoy
- Red Buoy



NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
project pool of 358.0

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.


**US Army Corps
of Engineers
District: CELRL**







Distribution Liability: The data presented by this map is the result of a survey conducted by the U.S. Army Corps of Engineers. The data is not to be used for any purpose other than that for which it was collected. The data is not to be used for any purpose other than that for which it was collected. The data is not to be used for any purpose other than that for which it was collected.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By:	Plotted By:	Checked By:
_____	_____	_____
_____	_____	_____

Survey Information
NEWBURGH_POOL_OHIO_RIVER
OH_LD_NBG_20220208_OT_PRS_721_776_SORT
08 February 2022

**Pool
Reach
Number
5 of 10**





NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
project pool of 358.0

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.









DISCLAIMER: The United States Government furnishes this information as a service to the public and does not warrant its accuracy or completeness. The user assumes all liability for any use of this information. The United States Government makes no warranty, expressed or implied, concerning the accuracy or completeness of the information and the data furnished. The United States Government shall not be liable for any damages, including consequential damages, arising from the use of this information. These data are for informational purposes only and are not to be used for navigation or other purposes. The recipient may not transfer these data to others without also transferring the disclaimer.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Submitted By	Reviewed By	Checked By
Recommended		

Survey Information
NEWBURGH_POOL_OHIO_RIVER
OH_LD_NBG_20220208_OT_PRS_721_776_SORT
08 February 2022





NOTES:
Horizontal Coordinate System:
North American Datum of 1983 (NAD83), projected to the
State Plane Coordinate System (SPCS), Kentucky South Zone.
Distance units in U.S. Survey Feet.

Vertical Datum:
Soundings are shown in feet and indicate depths below the
project pool of 358.0

The information depicted on this map represents the results of
a survey conducted on the date indicated and can only be
considered to represent the general condition existing at that time.

The location of navigation aids are based on and provided
by the U.S. Coast Guard.



Accession: This United States Government work is in the public domain in the United States of America. It is not to be reproduced for sale or for other than official government purposes without the express written permission of the U.S. Army Corps of Engineers. The user is responsible for the validity and accuracy of the information and data furnished. The United States shall not be held responsible for any errors or omissions in the data furnished. The user is responsible for the validity and accuracy of the information and data furnished. The United States shall not be held responsible for any errors or omissions in the data furnished.

U.S. ARMY CORPS OF ENGINEERS LOUISVILLE DISTRICT		
Surveyed By:	Plotted By:	Checked By:
_____	_____	_____
_____	_____	_____

Survey Information
NEWBURGH_POOL_OHIO_RIVER
OH_LD_NBG_20220208_OT_PRS_721_776_SORT
08 February 2022

Pool Reach Number 9 of 10

