





LEGEND

- Federal Navigation Channel
- Cable or Pipeline Area
- Centerline
- Contour Line
- Obstruction Point
- Marine Infrastructure*
- Fixed Navigation Aids
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at time of Survey

GRAPHIC SCALE

100 0 100 200

1" = 100' Feet

Notes:

Horizontal Datum: Maine West, ME-1802 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Applanix POS MV (RTK)
RTK Base Station: Station 8418445B Pine Point (2002)
Software Used: Hypack
Sounding Sort Distance: 30'
Field Books: R&H 4985
Survey No.: ME_59_SCA_20250326_CS_016
Reference NOAA Chart No.: US5ME1FH

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during March 2025.The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

USACE FNP local control BM 8445B (2002), as referenced in current and historic R&H Books corresponds to NOS BM Disk 8418445B Pine Point, Scarborough River ME with stamping "8445B 2002". Marine Infrastructure within federal navigation project limits, marine infrastructure surveyed with Lidar in 2022 and confirmed present at time of this survey.

Water Level Information

Tides were recorded using RTK GPS. NAVD88 to MLLW corrections were logged utilizing NOAA's V-Datum regional model Maine/New Hampshire/Massachusetts Version 2.3. The corrections in the project area range from 4.92 feet to 4.94 feet. MLLW is below NAVD88; therefore, the correction should be added to NAVD88 to convert to MLLW (e.g.-10 NAV88 = -8 MLLW when using a 2-foot correction).

US Army Corps of Engineers
District: CENAE

Distribution Liability: The data represents the results of data collected by the U.S. Army Corps of Engineers, New England District, as a result of the hydrographic survey activity and indicates the general existing conditions. Any use of this data for purposes other than those for which it was intended, as well as any misinterpretation of the results of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information with the understanding that the US Government makes no warranties, represented or implied concerning the accuracy, completeness, reliability, or suitability of this information. Neither the US Government nor the data furnished. The United States shall be under no liability whatsoever to any individual or group entity with respect to any claim or action brought by them or anyone else as a result of data furnished by the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data and to hold harmless the Government from these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: WHW
ISSUE DATE: 3/31/2025
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
SIZE: ANSI D
MAP DOCUMENT: ME_59_SCA_20250326_CS_016

SCARBOROUGH RIVER SCARBOROUGH, MAINE CONDITION SURVEY

8 AND 6-FOOT CHANNELS 6-FOOT ANCHORAGE


File Name: ME_59_SCA_20250326_CS_016

SHEET IDENTIFICATION
Scarborough River

Sheet 1 of 3

Revison Number: 5.24.09.03-5.24.09.03





LEGEND

- Federal Navigation Channel
- Cable or Pipeline Area
- Centerline
- Contour Line
- Obstruction Point
- Marine Infrastructure*
- Fixed Navigation Aids
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at time of Survey

GRAPHIC SCALE

100 0 100 200

1" = 100' Feet

Notes:

Horizontal Datum: Maine West, ME-1802 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Applanix POS MV (RTK)
RTK Base Station: Station 8418445B Pine Point (2002)
Software Used: Hypack
Sounding Sort Distance: 30'
Field Books: R&H 4985
Survey No.: ME_59_SCA_20250326_CS_016
Reference NOAA Chart No.: US5ME1FH

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during March 2025.The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

USACE FNP local control BM 8445B (2002), as referenced in current and historic R&H Books corresponds to NOS BM Disk 8418445B Pine Point, Scarborough River ME with stamping "8445B 2002". Marine Infrastructure within federal navigation project limits, marine infrastructure surveyed with Lidar in 2022 and confirmed present at time of this survey.

Water Level Information

Tides were recorded using RTK GPS. NAVD88 to MLLW corrections were logged utilizing NOAA's V-Datum regional model Maine/New Hampshire/Massachusetts Version 2.3. The corrections in the project area range from 4.92 feet to 4.94 feet. MLLW is below NAVD88; therefore, the correction should be added to NAVD88 to convert to MLLW (e.g.-10 NAV88 = -8 MLLW when using a 2-foot correction).

US Army Corps of Engineers
District: CENAE

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient agrees and understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of these data and information. The data and information and the data furnished. The United States shall be under no liability for any special, indirect or consequential damages made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data received from the Government. The recipient shall not release these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collected by the Corps of Engineers. The Corps of Engineers activity and indicates the general existing conditions. The Corps of Engineers makes no warranty as to the accuracy, accuracy specifications. The user is responsible for the results of any of the application of this data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: WHW
ISSUE DATE: 3/31/2025
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
SIZE: ANSI D
MAP DOCUMENT: ME_59_SCA_20250326_CS_016

SCARBOROUGH RIVER
SCARBOROUGH, MAINE
CONDITION SURVEY


8 AND 6-FOOT CHANNELS
6-FOOT ANCHORAGE


File Name: **ME_59_SCA_20250326_CS_016**

SHEET IDENTIFICATION
Scarborough River

Sheet 2 of 3

Revison Number: 5.24.09.03-5.24.09.03





LEGEND

- Federal Navigation Channel
- Cable or Pipeline Area
- Centerline
- Contour Line
- Obstruction Point
- Marine Infrastructure*
- Fixed Navigation Aids
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at time of Survey

GRAPHIC SCALE

100 0 100 200

1" = 100' Feet

N W E S

Notes:

Horizontal Datum: Maine West, ME-1802 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Applanix POS MV (RTK)
RTK Base Station: Station 8418445B Pine Point (2002)
Software Used: Hypack
Sounding Sort Distance: 30'
Field Books: R&H 4985
Survey No.: ME_59_SCA_20250326_CS_016
Reference NOAA Chart No.: US5ME1FH

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during March 2025.The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

USACE FNP local control BM 8445B (2002), as referenced in current and historic R&H Books corresponds to NOS BM Disk 8418445B Pine Point, Scarborough River ME with stamping "8445B 2002". Marine Infrastructure within federal navigation project limits, marine infrastructure surveyed with Lidar in 2022 and confirmed present at time of this survey.

Water Level Information

Tides were recorded using RTK GPS. NAVD88 to MLLW corrections were logged utilizing NOAA's V-Datum regional model Maine/New Hampshire/Massachusetts Version 2.3. The corrections in the project area range from 4.92 feet to 4.94 feet. MLLW is below NAVD88; therefore, the correction should be added to NAVD88 to convert to MLLW (e.g.-10 NAV88 = -8 MLLW when using a 2-foot correction).

US Army Corps of Engineers
District: CENAE

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient's understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of these data and information for any purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any individual or any party for any loss made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. The recipient shall not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collected by the Government of the United States Army Corps of Engineers activity and indicates the general existing conditions. Engineers assumes no responsibility for the use of the data on any project other than as a guide. The user is responsible for the results accuracy specifications. The user is responsible for the results of any of the application of this data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: WHW
ISSUE DATE: 3/31/2025
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
MAP DOCUMENT: ME_59_SCA_20250326_CS_016
SIZE: ANSI D

SCARBOROUGH RIVER
SCARBOROUGH, MAINE
CONDITION SURVEY

8 AND 6-FOOT CHANNELS
6-FOOT ANCHORAGE

File Name: ME_59_SCA_20250326_CS_016

SHEET IDENTIFICATION
Scarborough River

Sheet 3 of 3

Revison Number: 5.24.09.03-5.24.09.03