




SHEET
REFERENCE
NUMBER
C003

Page 1 of 44

**Atlantic Intracoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Absolute Scale:
1:7,770

Reference Scale:
1 inch = 648 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0 250 500 1,000 1,500 2,000 Feet

Production Notes:

1. The information depicted on this product is for plotting purposes only

2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners


3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



SHEET REFERENCE NUMBER C003 Page 2 of 44	Atlantic Intercoastal Waterway (AIWW) Channel Survey The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. Concluded on: 06 AUG 2026 Charleston, SC to Port Royal, SC		U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA		Survey Date: 06 AUG 2026	Production Date: 12 AUG 2026
	Reviewed By: CCW		Absolute Scale: 1:11,840		Project Reference Number: CESAC-PRA-0001	
	SPATIAL DATA BRANCH 69A HAGOOD AVE CHARLESTON, SC 29403		Reference Scale: 1 inch = 987 feet		Survey Type: CONDITION	
	CESAC-GIS@USACE.ARMY.MIL		Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			



Production Notes:


- The information depicted on this product is for plotting purposes only
- Vector hydrographic data derived from surveys conducted by the USACE and approved partners
- Soundings are in feet and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 3 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Absolute Scale:
1:13,260

Reference Scale:
1 inch = 1,105 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

3,000


3,500


Feet


Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)


In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District









SHEET
REFERENCE
NUMBER
C003

Page 7 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Reference Scale:
1 inch = 1,242 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

3,000


3,500

4,000

Feet

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
**This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.**

U.S. Army Corps
of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 9 of 44

**Atlantic Intracoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Absolute Scale:
1:7,830

Reference Scale:
1 inch = 653 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"i" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000


1,500

2,000

Feet

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District





SHEET
REFERENCE
NUMBER
C003
Page 10 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**
The information depicted on this map represents the
results of surveys made on the dates indicated and
can only be considered as indicating the general
conditions existing at that time.
Concluded on: **06 AUG 2026**
Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By: CCW	Absolute Scale: 1:13,410	Survey Date: 06 AUG 2026	Production Date: 12 AUG 2026
Reference Scale: 1 inch = 1,118 feet	Project Reference Number: CESAC-PRA-0001	Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Shoalest Sounding

Sounding
Sounding may cover several
point areas and is calculated
per reach quarter area
"+" indicates sounding above MLLW


Depth in feet

0 250 500 1,000 1,500 2,000 2,500 3,000 3,500 Feet

Production Notes:
1. The information depicted on this
product is for plotting purposes only
2. Vector hydrographic data derived
from surveys conducted by the
USACE and approved partners
3. Soundings are in feet and refer
to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston
District Office, Spatial Data Branch be liable for direct, indirect,
incidental, consequential or special damages of any kind, including,
but not limited to, loss of anticipated profits or benefits arising out of
use of or reliance on the data.
These data sets have been developed from the best available
sources. Although efforts have been made to ensure that the
datasets are accurate and reliable, errors and variable conditions
originating from physical sources used to develop the data may be
reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003
Page 11 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**
Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Absolute Scale:
1:10,170

Reference Scale:
1 inch = 848 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding


Sounding
Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0 250 500 1,000 1,500 2,000 2,500 Feet

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET REFERENCE NUMBER C003 Page 12 of 44	Atlantic Intracoastal Waterway (AIWW) Channel Survey The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. Concluded on: 06 AUG 2026 Charleston, SC to Port Royal, SC		U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA		Survey Date: 06 AUG 2026	Production Date: 12 AUG 2026
	Reviewed By: CCW		Absolute Scale: 1:12,970		Project Reference Number: CESAC-PRA-0001	
	SPATIAL DATA BRANCH 69A HAGOOD AVE. CHARLESTON, SC 29403		Reference Scale: 1 inch = 1,081 feet		Survey Type: CONDITION	
	CESAC-GIS@USACE.ARMY.MIL		Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Shoalest Sounding



Sounding
Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0-3 3 to 6 6 to 9 9 to 12 Greater Than 12




Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.



U.S. Army Corps
of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 13 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Reference Scale:
1 inch = 1,240 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500


3,000

3,500

4,000

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



Page 15 of 44

SHEET
REFERENCE
NUMBER
C003

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**
The information depicted on this map represents the
results of surveys made on the dates indicated and
can only be considered as indicating the general
conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Reference Scale:
1 inch = 1,073 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding
Sounding may cover several
point areas and is calculated
per reach quarter area
"+" indicates sounding above MLLW


Depth in feet

0 250 500 1,000 1,500 2,000 2,500 3,000 3,500 Feet

Production Notes:
1. The information depicted on this
product is for plotting purposes only
2. Vector hydrographic data derived
from surveys conducted by the
USACE and approved partners
3. Soundings are in feet and refer
to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston
District Office, Spatial Data Branch be liable for direct, indirect,
incidental, consequential or special damages of any kind, including,
but not limited to, loss of anticipated profits or benefits arising out of
use of or reliance on the data.
These data sets have been developed from the best available
sources. Although efforts have been made to ensure that the
datasets are accurate and reliable, errors and variable conditions
originating from physical sources used to develop the data may be
reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District





SHEET
REFERENCE
NUMBER
C003

Page 17 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA		Survey Date: 06 AUG 2026	Production Date: 12 AUG 2026
Reviewed By: CCW	Absolute Scale: 1:13,110	Project Reference Number: CESAC-PRA-0001	
SPATIAL DATA BRANCH 69A HAGOOD AVE CHARLESTON, SC 29403 CESAC-GIS@USACE.ARMY.MIL		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

3,000

3,500

Feet

Production Notes:

1. The information depicted on this product is for plotting purposes only

2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners

3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)


In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District





SHEET
REFERENCE
NUMBER
C003

Page 19 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Absolute Scale:
1 inch = 940 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500


3,000

Feet


Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



SHEET REFERENCE NUMBER C003 Page 20 of 44	Atlantic Intercoastal Waterway (AIWW) Channel Survey The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. Concluded on: 06 AUG 2026 Charleston, SC to Port Royal, SC		U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA		Survey Date: 06 AUG 2026	Production Date: 12 AUG 2026
	Reviewed By: CCW		Absolute Scale: 1:15,320		Project Reference Number: CESAC-PRA-0001	
	SPATIAL DATA BRANCH 69A HAGOOD AVE CHARLESTON, SC 29403 CESAC-GIS@USACE.ARMY.MIL		Reference Scale: 1 inch = 1,277 feet		Survey Type: CONDITION	
			Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			



Production Notes:

- The information depicted on this product is for plotting purposes only
- Vector hydrographic data derived from surveys conducted by the USACE and approved partners
- Soundings are in feet and refer to Mean Lower Low Water (MLLW)


This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 21 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Reference Scale:
1 inch = 1,264 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

3,000

3,500


4,000

Feet

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 22 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By: CCW	Absolute Scale: 1:15,340	Project Reference Number: CESAC-PRA-0001
Reference Scale: 1 inch = 1,278 feet	Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet		

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

3,000


3,500


4,000


Feet

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District







SHEET
REFERENCE
NUMBER
C003

Page 25 of 44

**Atlantic Intracoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Reference Scale:
1 inch = 866 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area

"+" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9


9 to 12

Greater Than 12

0 250 500 1,000 1,500 2,000 2,500 Feet

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 26 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Reference Scale:
1 inch = 799 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500


Feet

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 27 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA		Survey Date: 06 AUG 2026	Production Date: 12 AUG 2026
SPATIAL DATA BRANCH 69A HAGOOD AVE CHARLESTON, SC 29403 CESAC-GIS@USACE.ARMY.MIL		Reviewed By: CCW	Project Reference Number: CESAC-PRA-0001
Reference Scale: 1 inch = 756 feet		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"187" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500


2,000

2,500

Feet

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 28 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA	Reviewed By: CCW	Absolute Scale: 1:10,050	Project Reference Number: CESAC-PRA-0001	Survey Date: 06 AUG 2026	Production Date: 12 AUG 2026
	SPATIAL DATA BRANCH 69A HAGOOD AVE CHARLESTON, SC 29403		Survey Type: CONDITION		
	CESAC-GIS@USACE.ARMY.MIL		Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet		

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area

"+" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

Feet

Production Notes:

1. The information depicted on this product is for plotting purposes only

2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners

3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.


These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation.

Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers

Charleston District



Atlantic Intercoastal Waterway (AIWW)
Channel Survey

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: 06 AUG 2026

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By: CCW	Absolute Scale: 1:12,790	Project Reference Number: CESAC-PRA-0001
Reference Scale: 1 inch = 1,066 feet	Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet		

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

3,000

3,500

Feet

Production Notes:

1. The information depicted on this product is for plotting purposes only

2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners


3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 30 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**
Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By: CCW	Absolute Scale: 1:13,930	Project Reference Number: CESAC-PRA-0001
Reference Scale: 1 inch = 1,161 feet	Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet		

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Shoalest Sounding

Sounding
Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

3,000


3,500


Feet

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District





SHEET
REFERENCE
NUMBER
C003

Page 32 of 44

**Atlantic Intracoastal Waterway (AIWW)
Channel Survey**

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By: CCW	Absolute Scale: 1:8,830	Project Reference Number: CESAC-PRA-0001
Reference Scale: 1 inch = 736 feet	Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet		

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

Feet

N

E

S

W

1. The information depicted on this product is for plotting purposes only

2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners


3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)


Production Notes:

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers

Charleston District





SHEET
REFERENCE
NUMBER
C003

Page 34 of 44

Atlantic Intercoastal Waterway (AIWW)
Channel Survey

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: 06 AUG 2026

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Absolute Scale:
1:15,330

Reference Scale:
1 inch = 1,278 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

3,000

3,500

4,000

Feet

N

W

E


S

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 35 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**
The information depicted on this map represents the
results of surveys made on the dates indicated and
can only be considered as indicating the general
conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Absolute Scale:
1:14,130

Reference Scale:
1 inch = 1,178 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding
Sounding may cover several
point areas and is calculated
per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

3,000

3,500


4,000

Production Notes:
1. The information depicted on this
product is for plotting purposes only
2. Vector hydrographic data derived
from surveys conducted by the
USACE and approved partners
3. Soundings are in feet and refer
to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston
District Office, Spatial Data Branch be liable for direct, indirect,
incidental, consequential or special damages of any kind, including,
but not limited to, loss of anticipated profits or benefits arising out of
use of or reliance on the data.
These data sets have been developed from the best available
sources. Although efforts have been made to ensure that the
datasets are accurate and reliable, errors and variable conditions
originating from physical sources used to develop the data may be
reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

**U.S. Army Corps
of Engineers**

Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 36 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**
The information depicted on this map represents the
results of surveys made on the dates indicated and
can only be considered as indicating the general
conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Absolute Scale:
1:13,640

Reference Scale:
1 inch = 1,137 feet

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Project Reference Number:
CESAC-PRA-0001

Survey Type:
CONDITION

Shoalest Sounding

Sounding
Sounding may cover several
point areas and is calculated
per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

3,000


3,500

Feet

Production Notes:
1. The information depicted on this
product is for plotting purposes only
2. Vector hydrographic data derived
from surveys conducted by the
USACE and approved partners
3. Soundings are in feet and refer
to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston
District Office, Spatial Data Branch be liable for direct, indirect,
incidental, consequential or special damages of any kind, including,
but not limited to, loss of anticipated profits or benefits arising out of
use of or reliance on the data.
These data sets have been developed from the best available
sources. Although efforts have been made to ensure that the
datasets are accurate and reliable, errors and variable conditions
originating from physical sources used to develop the data may be
reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 37 of 44

Atlantic Intercoastal Waterway (AIWW)
Channel Survey

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: 06 AUG 2026

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

Reviewed By: CCW	Absolute Scale: 1:14,680	Project Reference Number: CESAC-PRA-0001
Reference Scale: 1 inch = 1,223 feet	Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet		

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

3,000

3,500

4,000

Feet

N

E

S

W

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

Production Notes:

1. The information depicted on this product is for plotting purposes only

2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners


3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C003

Page 38 of 44

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 AUG 2026**
Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By: CCW	Absolute Scale: 1:15,200	Project Reference Number: CESAC-PRA-0001
Reference Scale: 1 inch = 1,267 feet	Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet		

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Shoalest Sounding

Sounding
Sounding may cover several point areas and is calculated per reach quarter area
"4" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

1,000

1,500

2,000

2,500

3,000

3,500


4,000

Feet

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

U.S. Army Corps of Engineers
Charleston District



SHEET REFERENCE NUMBER C003 Page 39 of 44	Atlantic Intercoastal Waterway (AIWW) Channel Survey The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. Concluded on: 06 AUG 2026 Charleston, SC to Port Royal, SC		U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA		Survey Date: 06 AUG 2026	Production Date: 12 AUG 2026
	Reviewed By: CCW		Absolute Scale: 1:14,590		Project Reference Number: CESAC-PRA-0001	
	SPATIAL DATA BRANCH 69A HAGOOD AVE. CHARLESTON, SC 29403		Reference Scale: 1 inch = 1,216 feet		Survey Type: CONDITION	
	CESAC-GIS@USACE.ARMY.MIL		Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area

"+" indicates sounding above MLLW

Depth in feet

0-3	3 to 6	6 to 9	9 to 12	Greater Than 12
-----	--------	--------	---------	-----------------

Production Notes:


- The information depicted on this product is for plotting purposes only
- Vector hydrographic data derived from surveys conducted by the USACE and approved partners
- Soundings are in feet and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.


U.S. Army Corps of Engineers
Charleston District




SHEET REFERENCE NUMBER C003 Page 41 of 44	Atlantic Intercoastal Waterway (AIWW) Channel Survey The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. Concluded on: 06 AUG 2026 Charleston, SC to Port Royal, SC		U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA		Survey Date: 06 AUG 2026	Production Date: 12 AUG 2026
	Reviewed By: CCW		Absolute Scale: 1:15,230		Project Reference Number: CESAC-PRA-0001	
	SPATIAL DATA BRANCH 69A HAGOOD AVE CHARLESTON, SC 29403 CESAC-GIS@USACE.ARMY.MIL		Reference Scale: 1 inch = 1,269 feet		Survey Type: CONDITION	
			Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			



U.S. Army Corps
of Engineers
Charleston District





Page 43 of 44

SHEET
REFERENCE
NUMBER
C003

**Atlantic Intercoastal Waterway (AIWW)
Channel Survey**
The information depicted on this map represents the
results of surveys made on the dates indicated and
can only be considered as indicating the general
conditions existing at that time.
Concluded on: **06 AUG 2026**

Charleston, SC to Port Royal, SC

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By: CCW	Absolute Scale: 1:11,210	Project Reference Number: CESAC-PRA-0001
Reference Scale: 1 inch = 934 feet	Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet		

Survey Date:
06 AUG 2026

Production Date:
12 AUG 2026

Shoalest Sounding

Sounding
Sounding may cover several
point areas and is calculated
per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0 250 500 1,000 1,500 2,000 2,500 3,000 Feet

Production Notes:
1. The information depicted on this
product is for plotting purposes only
2. Vector hydrographic data derived
from surveys conducted by the
USACE and approved partners
3. Soundings are in feet and refer
to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston
District Office, Spatial Data Branch be liable for direct, indirect,
incidental, consequential or special damages of any kind, including,
but not limited to, loss of anticipated profits or benefits arising out of
use of or reliance on the data.
These data sets have been developed from the best available
sources. Although efforts have been made to ensure that the
datasets are accurate and reliable, errors and variable conditions
originating from physical sources used to develop the data may be
reflected in the data supplied.
**This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.**

U.S. Army Corps
of Engineers
Charleston District

