





Legend

Hydro-Survey Data

Contour Lines

Chart Background

Station_Lines

DEPTHCLASSIFICATION

C

L

R


AidsToNavigationP

- Harbor.Beacon_Lateral_point
- Harbor.Beacon_Safe_Water_point

- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red
- Green, Red, Green
- Yellow
- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- <all other values>
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster Value

- 4.786 - 7.999
- 8 - 8.999
- 9 - 9.999
- 10 - 10.999
- 11 - 11.999
- 12 - 12.999
- 13 - 13.999
- 16 - 14.999
- 14 - 15.999
- 15 - 17.663



NOTES:

- ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
- COORDINATES ARE REFERENCED TO MISSISSIPPI STATE PLANE COORDINATE SYSTEM 83 DATUM EAST ZONE.
- TIDE CORRECTION: GAGE
- SURVEYED BY: H. LANGHAM
- SURVEY VESSEL: WALLACE
- SURVEY DATE: 04/29/2026
- THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
- FREQUENCY SOUNDINGS: 200 KHz.





DISCLAIMER
Access Constraints: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The user is responsible for the results of any application of the data for other than its intended purpose.
Engineers actively and indicates the general existing conditions. The user is responsible for the results of any application of the data for other than its intended purpose.
Engineers actively and indicates the general existing conditions. The user is responsible for the results of any application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS		
MOBILE DISTRICT		
Submitted:	D. GORDON	Surveyed By:
Recommended:	D. GORDON	Plotted By:
Approved:	S. REID	Checked By:
Chief, Irvington Site Office		

Biloxi Harbor, Mississippi
BH_06_BLC_20260429_CS
Biloxi Lateral
STA.0+00 - 17+00
CONDITION SURVEY

Sheet
Reference
Number
1 of 7



Legend

Hydro-Survey Data

— Contour Lines

— Station Lines

DEPTHCLASSIFICATION

--- C

--- L

--- R

AidsToNavigationP

■ Harbor.Beacon_Lateral_point


■ Harbor.Beacon_Safe_Water_point

- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red
- Green, Red, Green
- Yellow

- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster Value

- 4.786 - 7.999
- 8 - 8.999
- 9 - 9.999
- 10 - 10.999
- 11 - 11.999
- 12 - 12.999
- 13 - 13.999
- 16 - 14.999
- 14 - 15.999
- 15 - 17.663



NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO MISSISSIPPI STATE PLANE COORDINATE SYSTEM 83 DATUM EAST ZONE.
3. TIDE CORRECTION: GAGE
4. SURVEYED BY: H. LANGHAM
5. SURVEY VESSEL: WALLACE
6. SURVEY DATE: 04/29/2026
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
8. FREQUENCY SOUNDINGS: 200 KHz.



DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The recipient may not transfer these data to others without also transferring the Disclaimer.


Access Constraints: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The recipient may not transfer these data to others without also transferring the Disclaimer.

Distribution Liability: The data represent the results of data collection/processing for a specific US Army Corps of Engineers activity and indicate the general existing conditions. The user is responsible for the results of any of the application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS		
MOBILE DISTRICT		
Submitted: D. GORDON	Surveyed By: _____	
Recommended: D. GORDON Lead, Navigation Support Section	Plotted By: _____	
Approved: S. REID Chief, Irvington Site Office	Checked By: _____	

Biloxi Lateral
STA. 17+00 - 41+00
CONDITION SURVEY


Sheet
Reference
Number
2 of 7





U.S. ARMY CORPS OF ENGINEERS	
MOBILE DISTRICT	
Submitted: _____	Surveyed By: _____
Recommended: <u>D. GORDON</u>	Plotted By: _____
Land Navigation Support Section	
Approved: <u>S. REID</u>	Checked By: _____
Chief, Irvington Site Office	

BILOXI HARBOR, MISSISSIPPI
BH_06_BLC_20260429_CS

Sheet
Reference
Number
3 of 7






- | | | | |
|---|---|---|---|
|  | Harbor.Beacon_Special_Purpose_General_point |  | Harbor.Buoy_Safe_Water_point |
|  | Harbor.Buoy_Cardinal_point |  | Harbor.Buoy_Special_Purpose_General_point |
|  | Harbor.Buoy_Isolated_Danger_point |  | Harbor.Daymark_point |
|  | <all other values> |  | Harbor.Fog_Signal_point |
|  | None |  | <all other values> |
|  | Black |  | Harbor.Light_Float_point |
|  | Red |  | Harbor.Radio_Station_point |
|  | Red, Green |  | Harbor.Retro_Reflector_point |
|  | Red, Green, Red |  | Harbor.Radar_Transponder_Beacon_point |
|  | Green |  | Harbor.Topmark_point |
|  | Green, Red | | Harbor.Land_Area - Imagery Transparency |
|  | Green, Red, Green | | Harbor.Sea_Area - Imagery Hide |
|  | Yellow | | |



NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO MISSISSIPPI STATE PLANE COORDINATE SYSTEM 83 DATUM EAST ZONE.
3. TIDE CORRECTION: GAGE
4. SURVEYED BY: H. LANGHAM
5. SURVEY VESSEL: WALLACE
6. SURVEY DATE: 04/29/2026
7. THE INFORMATION CONTAINED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
8. FREQUENCY SOUNDINGS: 200 KHZ.





Legend

Hydro-Survey Data

Contour Lines

Station Lines

DEPTHCLASSIFICATION

- C
- L
- R


AidsToNavigationP

- Harbor.Beacon_Lateral_point
- Harbor.Beacon_Safe_Water_point

- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red
- Green, Red, Green
- Yellow
- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- <all other values>
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster Value

- 4.786 - 7.999
- 8 - 8.999
- 9 - 9.999
- 10 - 10.999
- 11 - 11.999
- 12 - 12.999
- 13 - 13.999
- 14 - 14.999
- 15 - 15.999
- 16 - 16.999
- 17 - 17.663



NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO MISSISSIPPI STATE PLANE COORDINATE SYSTEM 83 DATUM EAST ZONE.
3. TIDE CORRECTION: GAGE
4. SURVEYED BY: H. LANGHAM
5. SURVEY VESSEL: WALLACE
6. SURVEY DATE: 04/29/2026
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
8. FREQUENCY SOUNDINGS: 200 KHz.





DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The United States Government makes no warranty, expressed or implied, concerning the accuracy, completeness, or reliability of the data, and the recipient agrees to hold the United States Government harmless from any liability whatsoever to any person by reason of any use made thereof. These data belong to the Government, and therefore the recipient agrees to transfer these data to the Government without charge and to transfer these data to others without also transferring the Disclaimer.

U.S. ARMY CORPS OF ENGINEERS		
MOBILE DISTRICT		
Submitted:	D. GORDON	Surveyed By:
Recommended:	D. GORDON	Plotted By:
Approved:	S. REID	Checked By:
Chief, Irvington Site Office		

Biloxi Lateral
STA.95+00 - 122+00
CONDITION SURVEY

Sheet
Reference
Number
5 of 7



Legend

Hydro-Survey Data

Contour Lines

Chart Background

Station Lines

DEPTHCLASSIFICATION

C

L

R


AidsToNavigationP

- Harbor.Beacon_Lateral_point
- Harbor.Beacon_Safe_Water_point

- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red
- Green, Red, Green
- Yellow
- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- <all other values>
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster Value

- 4.786 - 7.999
- 8 - 8.999
- 9 - 9.999
- 10 - 10.999
- 11 - 11.999
- 12 - 12.999
- 13 - 13.999
- 14 - 14.999
- 15 - 15.999
- 16 - 16.999
- 17 - 17.663



NOTES:

- ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
- COORDINATES ARE REFERENCED TO MISSISSIPPI STATE PLANE COORDINATE SYSTEM 83 DATUM EAST ZONE.
- TIDE CORRECTION: GAGE
- SURVEYED BY: H. LANGHAM
- SURVEY VESSEL: WALLACE
- SURVEY DATE: 04/29/2026
- THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
- FREQUENCY SOUNDINGS: 200 KHz.

Biloxi Lateral

STA.122+00 - 149+00

CONDITION SURVEY

Sheet Reference Number 6 of 7

U.S. ARMY CORPS OF ENGINEERS		
MOBILE DISTRICT		
Submitted: D. GORDON	Surveyed By: _____	
Recommended: D. GORDON	Plotted By: _____	
Approved: S. REID	Checked By: _____	
	Chief, Irvington Site Office	

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were originally collected, processed, or disseminated. The user is responsible for the results of any application of the data for other than its intended purpose. The data are not to be used for any purpose other than that for which they were originally collected, processed, or disseminated. The user is responsible for the results of any application of the data for other than its intended purpose.



