





Legend

Hydro-Survey Data
- Contour Lines

Chart Background
- Station_Lines

DEPTHCLASSIFICATION
- C
- L
- R
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster
Value
- 3.435 - 31.999
- 32 - 33.999
- 34 - 35.999
- 36 - 37.999
- 38 - 39.999
- 40 - 41.999
- 42 - 43.999
- 44 - 45.999
- 46 - 47.999
- 48 - 50.904
- Harbor.Beacon_Lateral_point
- Harbor.Beacon_Safe_Water_point
- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point

Harbor.Buoy_Lateral_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red
- Green, Red, Green
- Yellow
- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- <all other values>
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point

N W E S

Feet
0 600 1,200 1,800

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO MISSISSIPPI STATE PLANE COORDINATE SYSTEM 83 DATUM EAST ZONE.
3. TIDE CORRECTION: RTX
4. SURVEYED BY: B. TABB
5. SURVEY VESSEL: SARGE
6. SURVEY DATE: 07/28/2026
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
8. FREQUENCY SOUNDINGS: 200 KHz.

US Army Corps of Engineers
District: CESAM

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information or of any of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data received from the Government. The recipient shall not transfer these data to others without also transferring this Disclaimer.


Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers application and was collected under those conditions. As such, it is only valid for its intended use, content, time and accuracy. Any use, modification, interpretation or decision made by a user based on these data is the responsibility of the user. The user assumes the entire risk related to its use of these data. The Government assumes no liability for any of the application of the data for other than its intended purpose.


U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT

Surveyed By:	Plotted By:	Checked By:
Submitted: B. HEWITT	Recommended: D. GORDON, Lead, Navigation Support Section	Approved: S. REID, Chief, Irvington Site Office

MOBILE HARBOR, ALABAMA
MH_05_TSC_20260728_CS
Theodore Ship Channel
STA.0+00 - 52+00
CONDITION SURVEY

Sheet Reference Number
1 of 6





Legend

Hydro-Survey Data
- Contour Lines

Chart Background
- Station_Lines

DEPTHCLASSIFICATION
- C
- L
- R
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster
Value
- 3.435 - 31.999
- 32 - 33.999
- 34 - 35.999
- 36 - 37.999
- 38 - 39.999
- 40 - 41.999
- 42 - 43.999
- 44 - 45.999
- 46 - 47.999
- 48 - 50.904
- Harbor.Beacon_Lateral_point
- Harbor.Beacon_Safe_Water_point
- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point

Harbor.Buoy_Lateral_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red
- Green, Red, Green
- Yellow
- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- <all other values>
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point

N W E S

Feet
0 600 1,200 1,800

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO MISSISSIPPI STATE PLANE COORDINATE SYSTEM 83 DATUM EAST ZONE.
3. TIDE CORRECTION: RTX
4. SURVEYED BY: B. TABB
5. SURVEY VESSEL: SARGE
6. SURVEY DATE: 07/28/2026
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
8. FREQUENCY SOUNDINGS: 200 KHz.

US Army Corps of Engineers
District: CESAM

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient's understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information for any purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any individual or group entity for any claim made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data or in any form that may conflict with these data to others without also transferring this Disclaimer.


Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission project at the time and under conditions. As such, it is only valid for its intended use, content, time and conditions at collection/processing. The US Government shall be under no liability whatsoever to any individual or group entity for any claim resulting from any improper or incorrect use of any of the application of the data for other than its intended purpose.


U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT

Surveyed By: ____
Submitted: B. HEWITT
Plotted By: ____
Recommended: D. GORDON
Lead, Navigation Support Section
Checked By: ____
Approved: S. REID
Chief, Irvington Site Office

MOBILE HARBOR, ALABAMA
MH_05_TSC_20260728_CS
Theodore Ship Channel
STA.52+00 - 112+00
CONDITION SURVEY

Sheet Reference Number
2 of 6





Legend

Hydro-Survey Data
- Contour Lines

Chart Background
- Station_Lines

DEPTHCLASSIFICATION
- C
- L
- R
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster
Value
- 3.435 - 31.999
- 32 - 33.999
- 34 - 35.999
- 36 - 37.999
- 38 - 39.999
- 40 - 41.999
- 42 - 43.999
- 44 - 45.999
- 46 - 47.999
- 48 - 50.904
- Harbor.Beacon_Lateral_point

- Harbor.Beacon_Safe_Water_point
- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point

Harbor.Buoy_Lateral_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red

- Green, Red, Green
- Yellow
- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- <all other values>
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point

N
W E
S

Feet
0 600 1,200 1,800

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO MISSISSIPPI STATE PLANE COORDINATE SYSTEM 83 DATUM EAST ZONE.
3. TIDE CORRECTION: RTX
4. SURVEYED BY: B. TABB
5. SURVEY VESSEL: SARGE
6. SURVEY DATE: 07/28/2026
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
8. FREQUENCY SOUNDINGS: 200 KHz.

US Army Corps of Engineers
District: CESAM

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information "as is" and expressly disclaims understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information for any use. The information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. The recipient agrees to hold the United States free from suit for any use of these data and will not transfer the data to others without also transferring this Disclaimer.


Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and project at a specific time and conditions. As such, it is only valid for its intended use, content, time and conditions of collection. The US Army Corps of Engineers is not liable for misuse, misinterpretation, or unauthorized modification of any of the application of the data for other than its intended purpose.


U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT

Surveyed By:		
Submitted:	B. HEWITT	
Plotted By:		
Recommended:	D. GORDON Lead, Navigation Support Section	
Checked By:		
Approved:	S. REID Chief, Irvington Site Office	

MOBILE HARBOR, ALABAMA
MH_05_TSC_20260728_CS
Theodore Ship Channel
STA.112+00 - 177+00
CONDITION SURVEY

Sheet Reference Number
3 of 6





Legend

Hydro-Survey Data
- Contour Lines

Chart Background
- Station_Lines

DEPTHCLASSIFICATION
- C
- L
- R
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster
Value
- 3.435 - 31.999
- 32 - 33.999
- 34 - 35.999
- 36 - 37.999
- 38 - 39.999
- 40 - 41.999
- 42 - 43.999
- 44 - 45.999
- 46 - 47.999
- 48 - 50.904
- Harbor.Beacon_Lateral_point

- Harbor.Beacon_Safe_Water_point
- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point

Harbor.Buoy_Lateral_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red
- Green, Red, Green
- Yellow
- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- <all other values>
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point

N W E S

Feet
0 600 1,200 1,800

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO MISSISSIPPI STATE PLANE COORDINATE SYSTEM 83 DATUM EAST ZONE.
3. TIDE CORRECTION: RTX
4. SURVEYED BY: B. TABB
5. SURVEY VESSEL: SARGE
6. SURVEY DATE: 07/28/2026
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
8. FREQUENCY SOUNDINGS: 200 KHz.

US Army Corps of Engineers
District: CESAM

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and is provided "as is" without warranty of conditions. As such, it is only valid for its intended use, content, time and extent specified by the responsible Corps of Engineers office. The user assumes all responsibility for the accuracy and its application to other uses or projects and holds the United States harmless from any and all damages, liabilities, or claims of any kind which may arise from the use of these data. The user is responsible for the application of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient's understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information. Neither the information and the data furnished. The United States shall be held harmless from any liability resulting from improper or incorrect use of these data. This limitation of liability applies to any and all damages made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data received from the Government. The recipient shall not transfer these data to others without also transferring this Disclaimer.


U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT


Surveyed By: ____
Plotted By: ____
Checked By: ____

Submitted: B. HEWITT
Recommended: D. GORDON, Lead, Navigation Support Section
Approved: S. REID, Chief, Irvington Site Office

MOBILE HARBOR, ALABAMA
MH_05_TSC_20260728_CS
Theodore Ship Channel
STA.177+00 - 235+00
CONDITION SURVEY

Sheet Reference Number
4 of 6





Legend

Hydro-Survey Data
- Contour Lines

Chart Background
- Station_Lines

DEPTHCLASSIFICATION
- C
- L
- R
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster
Value
- 3.435 - 31.999
- 32 - 33.999
- 34 - 35.999
- 36 - 37.999
- 38 - 39.999
- 40 - 41.999
- 42 - 43.999
- 44 - 45.999
- 46 - 47.999
- 48 - 50.904
- Harbor.Beacon_Lateral_point

- Harbor.Beacon_Safe_Water_point
- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point

Harbor.Buoy_Lateral_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red
- Green, Red, Green
- Yellow
- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- <all other values>
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point

N W E S

Feet
0 600 1,200 1,800

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO MISSISSIPPI STATE PLANE COORDINATE SYSTEM 83 DATUM EAST ZONE.
3. TIDE CORRECTION: RTX
4. SURVEYED BY: B. TABB
5. SURVEY VESSEL: SARGE
6. SURVEY DATE: 07/28/2026
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
8. FREQUENCY SOUNDINGS: 200 KHz.

US Army Corps of Engineers
District: CESAM

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient's understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information. Neither the information and the data furnished. The United States shall be under no liability whatsoever to any individual or group entity for any claim because of omissions, or for any use of the data or information made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data received from the Government. The recipient shall not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers application and purpose under existing conditions. As such, it is only valid for its intended use, content, time and environmental conditions at the time of survey. The data is not valid for any of the application of the data for other than its intended purpose.


U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT


		Surveyed By:
Submitted:	B. HEWITT	
Recommended:	D. GORDON, Lead, Navigation Support Section	Plotted By:
Approved:	S. REID, Chief, Irvington Site Office	Checked By:

MOBILE HARBOR, ALABAMA
MH_05_TSC_20260728_CS

Theodore Ship Channel
STA.235+00 - 299+00
CONDITION SURVEY

Sheet Reference Number
5 of 6





Legend

Hydro-Survey Data
- Contour Lines

Chart Background
- Station_Lines

DEPTHCLASSIFICATION
- C
- L
- R
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster
Value
- 3.435 - 31.999
- 32 - 33.999
- 34 - 35.999
- 36 - 37.999
- 38 - 39.999
- 40 - 41.999
- 42 - 43.999
- 44 - 45.999
- 46 - 47.999
- 48 - 50.904
- Harbor.Beacon_Lateral_point

- Harbor.Beacon_Safe_Water_point
- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point

Harbor.Buoy_Lateral_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red
- Green, Red, Green
- Yellow
- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- <all other values>
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point

N
W E
S

Feet
0 600 1,200 1,800

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO MISSISSIPPI STATE PLANE COORDINATE SYSTEM 83 DATUM EAST ZONE.
3. TIDE CORRECTION: RTX
4. SURVEYED BY: B. TABB
5. SURVEY VESSEL: SARGE
6. SURVEY DATE: 07/28/2026
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
8. FREQUENCY SOUNDINGS: 200 KHz.

US Army Corps of Engineers
District: CESAM

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and is subject to change with changing conditions. As such, it is only valid for its intended use, content, time and extent as indicated by the originator. Use of this data for any of the application of the data for other than its intended purpose, or any of the application of re-data is for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map/chart/publication/data in good faith and expressly disclaims any warranty or representation as to its accuracy, completeness, understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information, and shall not be liable for any damages, including consequential damages, resulting from its use. In the event this information and the data furnished. The United States shall be granted unlimited rights to use, modify, and distribute the data made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government-produced. The recipient agrees to not sell these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT

Submitted:	B. HEWITT	Surveyed By:	____
Recommended:	D. GORDON Lead, Navigation Support Section	Plotted By:	____
Approved:	S. REID Chief, Irvington Site Office	Checked By:	____

MOBILE HARBOR, ALABAMA
MH_05_TSC_20260728_CS
Theodore Ship Channel
STA.299+00 - 385+54
CONDITION SURVEY

Sheet Reference Number
6 of 6