

CORPS OF ENGINEERS

U.S. ARMY





Legend

Hydro-Survey Data
- Contour Lines

Chart Background
- Station_Lines

DEPTHCLASSIFICATION
- C
- L
- R
- Harbor.Beacon_Lateral_point
- Harbor.Beacon_Safe_Water_point
- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point

Harbor.Buoy_Lateral_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red
- Green, Red, Green
- Yellow
- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- <all other values>
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster
Value
- 3.606 - 16.999
- 17 - 18.999
- 19 - 20.999
- 21 - 22.999
- 23 - 24.999
- 25 - 26.999
- 27 - 28.999
- 29 - 30.999
- 31 - 32.999
- 33 - 34.999

Feet
0 400 800 1,200

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO ALABAMA STATE PLANE COORDINATE SYSTEM 83 DATUM WEST ZONE.
3. TIDE CORRECTION: NOAA TIDES
4. SURVEYED BY: J. FREEMAN
5. SURVEY VESSEL: PERRY
6. SURVEY DATE: 08/06/2026
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
8. FREQUENCY SOUNDINGS: 200 KHz.

US Army Corps of Engineers
District: CESAM

DISTRIBUTION LIABILITY: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and is only valid for its intended conditions. As such, it is only valid for its intended use, content, time and application as presented in the project documentation. The US Government assumes no liability for any reuse of the data or any of the application of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map/geospatial data/publication "as is" and makes no express understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information and shall not be liable for any damages resulting from the information and the data furnished. The United States shall be under no obligation to update the information and the data furnished by it after the date of delivery to the recipient, whether or not changes affecting the information and the data furnished by it after the date of delivery to the recipient fully agrees not to represent these data to anyone as other than data produced by the Government. Therefore the recipient will not release these data to anyone without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT


Submitted: B.LEE — Surveyed By: ____


Recommended: D. GORDON, Lead, Navigation Support Section — Plotted By: ____

Approved: S. REID, Chief, Irvington Site Office — Checked By: ____

MOBILE HARBOR, ALABAMA
MH_09_CKC_20260806_CS
Chickasaw Creek
STA.0+00 - 60+00
CONDITION SURVEY

Sheet Reference Number
1 of 3





Legend

Hydro-Survey Data
- Contour Lines

Chart Background
- Station_Lines

DEPTHCLASSIFICATION
- C
- L
- R
- Harbor.Beacon_Lateral_point
- Harbor.Beacon_Safe_Water_point
- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point

Harbor.Buoy_Lateral_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red
- Green, Red, Green
- Yellow
- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- <all other values>
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster
Value
- 3.606 - 16.999
- 17 - 18.999
- 19 - 20.999
- 21 - 22.999
- 23 - 24.999
- 25 - 26.999
- 27 - 28.999
- 29 - 30.999
- 31 - 32.999
- 33 - 34.999

W S N m

Feet
0 400 800 1,200

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO ALABAMA STATE PLANE COORDINATE SYSTEM 83 DATUM WEST ZONE.
3. TIDE CORRECTION: NOAA TIDES
4. SURVEYED BY: J. FREEMAN
5. SURVEY VESSEL: PERRY
6. SURVEY DATE: 08/06/2026
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
8. FREQUENCY SOUNDINGS: 200 KHz.

US Army Corps of Engineers
District: CESAM

DISCLAIMER
Access Constraints: The United States Government furnishes this map and the data contained therein "as is" without express or implied warranty regarding its fitness for any particular purpose. The user understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information and the data furnished. The United States shall be under no liability whatsoever to any individual or group for any damages resulting from the use of this map and the information and the data furnished thereon. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data received from the Government. The recipient shall not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and project at the time and conditions. As such, it is only valid for its intended use, content, time and conditions stated in the metadata. The US Army Corps of Engineers is not liable for any use, misuse, modification, or interpretation of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT

Surveyed By: ____
Plotted By: ____
Checked By: ____

Submitted: B.LEE
Recommended: D. GORDON
Lead, Navigation Support Section
Approved: S. REID
Chief, Irvington Site Office

MOBILE HARBOR, ALABAMA
MH_09_CKC_20260806_CS
Chickasaw Creek
STA.60+00 - 113+89
CONDITION SURVEY

Sheet Reference Number
2 of 3

277,000 278,000 279,000 280,000 281,000 282,000

1,794,000 1,795,000 1,796,000

CHICKASAW CREEK
25' X 250' CHANNEL
DIMENSIONS


135+00 134+00 133+00 132+00 130+71 130+00 129+00 128+00 127+00 126+00 125+00 124+00 123+00 122+00 121+00 119+00 120+00 116+00 115+00 114+00 113+00 112+00 111+00 110+00 109+00 108+00 107+00 106+00 105+00 104+00 103+00 102+00 101+00

136+00 137+00 138+00 139+00 140+00 141+00 142+00 143+00 144+00 145+00 146+00 147+00 148+00 149+00 150+00 151+00 152+00 153+00 154+00 155+00 156+00 157+00 158+00 159+00 160+00

(-25)

Microsoft Vantor

277,000 278,000 279,000 280,000 281,000 282,000



Legend

Hydro-Survey Data
- Contour Lines

Chart Background
- Station_Lines

DEPTHCLASSIFICATION
- C
- L
- R
- Harbor.Beacon_Lateral_point
- Harbor.Beacon_Safe_Water_point
- Harbor.Beacon_Special_Purpose_General_point
- Harbor.Buoy_Cardinal_point
- Harbor.Buoy_Isolated_Danger_point

Harbor.Buoy_Lateral_point
- <all other values>
- None
- Black
- Red
- Red, Green
- Red, Green, Red
- Green
- Green, Red
- Green, Red, Green
- Yellow

- Harbor.Buoy_Safe_Water_point
- Harbor.Buoy_Special_Purpose_General_point
- Harbor.Daymark_point
- Harbor.Fog_Signal_point
- <all other values>
- Harbor.Light_Float_point
- Harbor.Radio_Station_point
- Harbor.Retro_Reflector_point
- Harbor.Radar_Transponder_Beacon_point
- Harbor.Topmark_point
- Harbor.Land_Area - Imagery Transparency
- Harbor.Sea_Area - Imagery Hide

Bathymetry Raster
Value
- 3.606 - 16.999
- 17 - 18.999
- 19 - 20.999
- 21 - 22.999
- 23 - 24.999
- 25 - 26.999
- 27 - 28.999
- 29 - 30.999
- 31 - 32.999
- 33 - 34.999

W S N E

Feet
0 400 800 1,200

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO ALABAMA STATE PLANE COORDINATE SYSTEM 83 DATUM WEST ZONE.
3. TIDE CORRECTION: NOAA TIDES
4. SURVEYED BY: J. FREEMAN
5. SURVEY VESSEL: PERRY
6. SURVEY DATE: 08/06/2026
7. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
8. FREQUENCY SOUNDINGS: 200 KHz.

US Army Corps of Engineers
District: CESAM

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and may not be suitable for other conditions. As such, it is only valid for its intended use, content, time and conditions existing at the time of collection. The US Government is not responsible for any use of the data for other than its intended purpose, or any of the application of the data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map/data and related graphic material on an "as is" basis and the user expressly understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information and the data furnished. The United States shall be under no liability whatsoever to any individual or group for any damages from the use of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or group for any damages from the use of the information and the data furnished. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data or in any way that may misrepresent the government ownership. Also, the recipient agrees to pass this disclaimer on to any subsequent user of these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT

Surveyed By: ____	Plotted By: ____	Checked By: ____

Submitted: B.LEE
Recommended: D. GORDON, Lead, Navigation Support Section
Approved: S. REID, Chief, Irvington Site Office

MOBILE HARBOR, ALABAMA
MH_09_CKC_20260806_CS

Chickasaw Creek
STA.113+89 - 162+91
CONDITION SURVEY

Sheet Reference Number
3 of 3