





ATONs LEGEND

- Daybeacon
- Daybeacon Even
- Daybeacon Odd
- Lighted Buoy
- Lighted Buoy Even
- Lighted Buoy Odd
- Light
- Light Even
- Light Odd
- Range Forward Light
- Range Rear Light
- Unlighted Buoy
- Unlighted Buoy Even
- Unlighted Buoy Odd
- Other Aid
- Shoalest Sounding
- Sounding Points
- Contour Lines
- Station Lines

N W E S

Feet
0 400 800 1,200

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO FLORIDA STATE PLANE COORDINATE SYSTEM 83 DATUM NORTH ZONE.
3. SURVEYED BY:SPRIGGS/CALHOUN
4. SURVEY VESSEL:ST ANDREW
5. SURVEY DATE:03/13/2026
6. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
7. FREQUENCY SOUNDINGS: 200 KHz.

Imagery courtesy of: USDA/FSA - Aerial Photography Field Office Dated 2015

US Army Corps of Engineers District: CESAM

DISCLAIMER
Access Constraints: The United States Government furnishes this map and geospatial data and related graphics as is with the understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information for any particular purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data received from the Government. The Government shall not be liable for any deficiencies in these data nor shall it assume any responsibility for omissions in these data. In the event that these data are utilized in publication or reproduced for others, the Government must be acknowledged as the originator of the data. However, this statement shall not be construed that the Government has approved, endorsed, or authorized the use of these data. The Government also requires that any enhanced products derived from these data must reflect both the contribution of the Government and the fact that the data are being modified. Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and is only valid for the conditions. As such, it is only valid for its intended use, content, time and accuracy as determined by the project requirements. It is not to be used for navigation or any other purpose. The user is liable for the verification of the data for other than its intended purpose, of any of the application of the data for other than its intended purpose.


U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT


		Surveyed By:
Submitted:	W. CALHOUN	Plotted By:
Recommended:	A. SPRIGGS, Lead, Navigation Support Section	Checked By:
Approved:	W. REGISTER, Chief, Panama City Site Office	

PANAMA CITY, FL
CF_23_WAT_20260313_CS

Watson Bayou
STA. 00+00 - 31+00
CONDITION SURVEY

Sheet Reference Number
1 of 3





ATONs LEGEND

- Daybeacon
- Daybeacon Even
- Daybeacon Odd
- Lighted Buoy
- Lighted Buoy Even
- Lighted Buoy Odd
- Light
- Light Even
- Light Odd
- Range Forward Light
- Range Rear Light
- Unlighted Buoy
- Unlighted Buoy Even
- Unlighted Buoy Odd
- Other Aid
- Shoalest Sounding
- Sounding Points
- Contour Lines
- Station Lines

Feet
0 400 800 1,200

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO FLORIDA STATE PLANE COORDINATE SYSTEM 83 DATUM NORTH ZONE.
3. SURVEYED BY:SPRIGGS/CALHOUN
4. SURVEY VESSEL:ST ANDREW
5. SURVEY DATE:03/13/2026
6. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
7. FREQUENCY SOUNDINGS: 200 KHz.

Imagery courtesy of: USDA/FSA - Aerial Photography Field Office Dated 2015

US Army Corps of Engineers
District: CESAM

DISCLAIMER
Access Constraints: The United States Government furnishes this data and makes no warranties, expressed or implied, with respect to the understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this data or any of the information and the data furnished. The United States shall be held harmless from any liability resulting from any inaccuracies made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data received from the Government and not to transfer these data to others without also transferring this Disclaimer.


Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission project and is valid only under these conditions. As such, it is only valid for its intended use, content, time and extent as specified by the data producer. The US Government is not liable for any misuse of the data by the recipient or third parties, or for any modification of the data or for other than its intended purpose.


U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT

Surveyed By:		
Submitted:	W. CALHOUN	
Plotted By:		
Recommended:	A. SPRIGGS Lead, Navigation Support Section	
Checked By:		
Approved:	W. REGISTER Chief, Panama City Site Office	

PANAMA CITY, FL
CF_23_WAT_20260313_CS
Watson Bayou
STA. 31+00 - 66+00
CONDITION SURVEY

Sheet Reference Number
2 of 3





ATONs LEGEND

- Daybeacon
- Daybeacon Even
- Daybeacon Odd
- Lighted Buoy
- Lighted Buoy Even
- Lighted Buoy Odd
- Light
- Light Even
- Light Odd
- Range Forward Light
- Range Rear Light
- Unlighted Buoy
- Unlighted Buoy Even
- Unlighted Buoy Odd
- Other Aid
- Shoalest Sounding
- Sounding Points
- Contour Lines
- Station Lines

N W E S

Feet
0 400 800 1,200

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO FLORIDA STATE PLANE COORDINATE SYSTEM 83 DATUM NORTH ZONE.
3. SURVEYED BY:SPRIGGS/CALHOUN
4. SURVEY VESSEL:ST ANDREW
5. SURVEY DATE:03/13/2026
6. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
7. FREQUENCY SOUNDINGS: 200 KHz.

Imagery courtesy of: USDA/FSA - Aerial Photography Field Office Dated 2015

US Army Corps of Engineers District: CESAM

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information. The United States shall be held harmless from any liability resulting from the use of the information and the data furnished. The United States shall be held harmless from any liability resulting from the use of the data made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. The recipient agrees to forward a copy of these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers mission and project under specific conditions. As such, it is only valid for its intended use, content, time and environmental conditions at the time of survey. The US Army Corps of Engineers assumes no responsibility for the misuse or modification of any of the application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT

Submitted:	W. CALHOUN	Surveyed By:	____
Recommended:	A. SPRIGGS Lead, Navigation Support Section	Plotted By:	____
Approved:	W. REGISTER Chief, Panama City Site Office	Checked By:	____

PANAMA CITY, FL
CF_23_WAT_20260313_CS

Watson Bayou
STA. 66+00 - 115+26
CONDITION SURVEY

Sheet Reference Number
3 of 3