





- Daybeacon
- Daybeacon Even
- Daybeacon Odd
- Lighted Buoy
- Lighted Buoy Even
- Lighted Buoy Odd
- Light
- Light Even
- Light Odd
- Range Forward Light
- Range Rear Light
- Unlighted Buoy
- Unlighted Buoy Even
- Unlighted Buoy Odd
- Other Aid
- Shoalest Sounding
- Contour Lines
- Station Lines

Bathymetry Depth
- 2.336 - 8 ft
- 8.001 - 9.053 ft
- 9.054 - 10.326 ft
- 10.327 - 11.904 ft
- 11.905 - 15.314 ft

N W E S

Feet
0 400 800 1,200

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO FLORIDA STATE PLANE COORDINATE SYSTEM 83 DATUM NORTH ZONE.
3. SURVEYED BY:NAZARIO/SCHWITZ/YARBROUGH
4. SURVEY VESSEL:BLACKWATER
5. SURVEY DATE:04/21/2026
6. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
7. FREQUENCY SOUNDINGS: 200 KHz.

Imagery courtesy of: USDA/FSA - Aerial Photography Field Office Dated 2015

US Army Corps of Engineers
District: CESAM

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and is valid only for existing conditions. As such, it is only valid for its intended use, content, time and extent as indicated in the source documentation. The Government assumes no liability for any of the application of the data for other than its intended purpose.


DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of this information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not transfer these data to others without also transferring this Disclaimer.


U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT

Surveyed By: ____			
Submitted: MCLENDON		Plotted By: ____	Checked By: ____
Recommended: SPRIGGS, Lead, Navigation Support Section			
Approved: REGISTER, Chief, Panama City Site Office			

PANACEA, FLORIDA
CF_46_PAH_20260421_CS
Panacea Harbor
STA. 00+00 - 44+00
CONDITION SURVEY

Sheet Reference Number
1 of 4





- Daybeacon
- Daybeacon Even
- Daybeacon Odd
- Lighted Buoy
- Lighted Buoy Even
- Lighted Buoy Odd
- Light
- Light Even
- Light Odd
- Range Forward Light
- Range Rear Light
- Unlighted Buoy
- Unlighted Buoy Even
- Unlighted Buoy Odd
- Other Aid
- Shoalest Sounding
- Contour Lines
- Station Lines

Bathymetry Depth
- 2.336 - 8 ft
- 8.001 - 9.053 ft
- 9.054 - 10.326 ft
- 10.327 - 11.904 ft
- 11.905 - 15.314 ft

N W E S

Feet
0 400 800 1,200

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO FLORIDA STATE PLANE COORDINATE SYSTEM 83 DATUM NORTH ZONE.
3. SURVEYED BY:NAZARIO/SCHWITZ/YARBROUGH
4. SURVEY VESSEL:BLACKWATER
5. SURVEY DATE:04/21/2026
6. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
7. FREQUENCY SOUNDINGS: 200 KHz.

Imagery courtesy of: USDA/FSA - Aerial Photography Field Office Dated 2015

US Army Corps of Engineers District: CESAM

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers application and was prepared under contract conditions. As such, it is only valid for its intended use, content, time and extent as indicated by the originator. Re-use of these data for any of the application of the data for other than its intended purpose.


DISCLAIMER
Access Constraints: The United States Government furnishes these data and information "as is" and makes no express or implied warranties with respect to the digital data or the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not transfer these data to others without also transferring this Disclaimer.


U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT

Surveyed By: ____	Plotted By: ____	Checked By: ____
Submitted: MCLENDON	Recommended: SPRIGGS, Lead, Navigation Support Section	Approved: REGISTER, Chief, Panama City Site Office

PANACEA, FLORIDA
CF_46_PAH_20260421_CS
Panacea Harbor
STA. 44+00 - 91+00
CONDITION SURVEY

Sheet Reference Number
2 of 4





- Daybeacon
- Daybeacon Even
- Daybeacon Odd
- Lighted Buoy
- Lighted Buoy Even
- Lighted Buoy Odd
- Light
- Light Even
- Light Odd
- Range Forward Light
- Range Rear Light
- Unlighted Buoy
- Unlighted Buoy Even
- Unlighted Buoy Odd
- Other Aid
- Shoalest Sounding
- Contour Lines
- Station Lines

Bathymetry Depth
- 2.336 - 8 ft
- 8.001 - 9.053 ft
- 9.054 - 10.326 ft
- 10.327 - 11.904 ft
- 11.905 - 15.314 ft

N W E S

Feet
0 400 800 1,200

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO FLORIDA STATE PLANE COORDINATE SYSTEM 83 DATUM NORTH ZONE.
3. SURVEYED BY:NAZARIO/SCHWITZ/YARBROUGH
4. SURVEY VESSEL: BLACKWATER
5. SURVEY DATE:04/21/2026
6. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
7. FREQUENCY SOUNDINGS: 200 KHz.

Imagery courtesy of: USDA/FSA - Aerial Photography Field Office Dated 2015

US Army Corps of Engineers District: CESAM

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and was prepared for specific conditions. As such, it is only valid for its intended use, content, time and project extents as presented in the project documents. The US Government assumes no liability for reuse or misrepresentation of the data for other than its intended purpose, or any of the application of the data for other than its intended purpose.


DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient understanding that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information. Neither the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient agrees to hold these data to others without also transferring this Disclaimer.


U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT

		Surveyed By:
Submitted:	MCLENDON	Plotted By:
Recommended:	SPRIGGS, Lead, Navigation Support Section	Checked By:
Approved:	REGISTER, Chief, Panama City Site Office	

PANACEA, FLORIDA
CF_46_PAH_20260421_CS
Panacea Harbor
STA. 91+00 - 161+00
CONDITION SURVEY

Sheet Reference Number 3 of 4





- Daybeacon
- Daybeacon Even
- Daybeacon Odd
- Lighted Buoy
- Lighted Buoy Even
- Lighted Buoy Odd
- Light
- Light Even
- Light Odd
- Range Forward Light
- Range Rear Light
- Unlighted Buoy
- Unlighted Buoy Even
- Unlighted Buoy Odd
- Other Aid
- Shoalest Sounding
- Contour Lines
- Station Lines

Bathymetry Depth
- 2.336 - 8 ft
- 8.001 - 9.053 ft
- 9.054 - 10.326 ft
- 10.327 - 11.904 ft
- 11.905 - 15.314 ft

N W E S

Feet
0 400 800 1,200

NOTES:

1. ALL ELEVATIONS SHOWN ARE REFERENCED TO FEET BELOW MEAN LOWER LOW WATER (M.L.L.W.)
2. COORDINATES ARE REFERENCED TO FLORIDA STATE PLANE COORDINATE SYSTEM 83 DATUM NORTH ZONE.
3. SURVEYED BY:NAZARIO/SCHWITZ/YARBROUGH
4. SURVEY VESSEL: BLACKWATER
5. SURVEY DATE:04/21/2026
6. THE INFORMATION DEPICTED ON THIS MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THE TIME.
7. FREQUENCY SOUNDINGS: 200 KHz.

Imagery courtesy of: USDA/FSA - Aerial Photography Field Office Dated 2015

US Army Corps of Engineers
District: CESAM

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information on an "as is" basis. The recipient agrees by its use of these data and information that the US Government makes no warranties, expressed, or implied concerning the accuracy, completeness, reliability, or suitability of these data and information for any purpose. The recipient agrees that the United States shall be held harmless from any damages resulting from the use of these data and information by the recipient. The recipient fully agrees not to represent these data to anyone as other than data provided by the United States Government. Therefore the recipient agrees to indemnify the United States Government and to not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection/processing for a specific US Army Corps of Engineers project and is valid only for existing conditions. As such, it is only valid for its intended use, content, time and extent as indicated by the originator. Any use, change in use, or application of the data for other than its intended purpose, of any of the application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS
MOBILE DISTRICT

Surveyed By: ____	Plotted By: ____	Checked By: ____
Submitted: MCLENDON	Recommended: SPRIGGS, Lead, Navigation Support Section	Approved: REGISTER, Chief, Panama City Satc Office

PANACEA, FLORIDA
CF_46_PAH_20260421_CS
Panacea Harbor
STA. 161+00 - 198+00
CONDITION SURVEY

Sheet Reference Number
4 of 4