1,773,000 6,612,000 6,613,000 6,614,000 1,772,000 6,615,000 6,616,000

San Joaquin River Light 3

San Joaquin River Light 2

San Joaquin River Light 5

Antioch Marina Entrance Light 2

Antioch Marina Entrance Light 1

1,771,000 1,770,000 1,769,000

6,611,000 6,612,000 6,613,000 1,769,000 6,614,000 6,615,000 6,616,000

PRELIMINARY ISSUE
THIS PLAN ISSUED FOR ADVANCE INFORMATION ONLY
NOT FOR NAVIGATION PURPOSES

Feet
0 400 800 1,200

VICINITY MAP



LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers District: CESPK

Distribution Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and extent as specified by the Corps of Engineers. The United States shall not be liable for any damages resulting from the unauthorized use or misinterpretation of any of the application of the data for other than its intended purpose.

DISCLAIMER
Acceptance of Data: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights thereto and shall not sell or offer these data to others without also transferring this Disclaimer.

Chart Date:	Feb 24, 2026
Surveyed By:	
Designed by:	
Plotted By:	PDT
Drawn by:	PDT
Checked By:	PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader
Recommended: Chief, Technical Services Section
Approved: Chief, Geospatial Branch

CALIFORNIA

SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number 1 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
-35
-34
-33
-32
-31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT. 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N W E S

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and conditions as originally compiled. The recipient is liable for misuse of any of the application of the data for other than its intended purpose.

DISCLAIMER
Recipient Responsibilities: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assign any proprietary interest in these data to any other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Chart Date: Feb 24, 2026			
Surveyed By:	Plotted By: PDT	Designed by: PDT	Drawn by: PDT
			Checked By: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader
Recommended: Chief, Technical Services Section
Approved: Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
2 of 35

CORPS OF ENGINEERS

U.S. ARMY

6,622,000 6,623,000 6,624,000 1,773,000 6,625,000 6,626,000 6,627,000

1,772,000

1,771,000

1,770,000

1,773,000 6,628,000

1,772,000

1,771,000

110+00 111+00 112+00 113+00 114+00 115+00 116+00 117+00 118+00 119+00 120+00 121+00 122+00 123+00 124+00 125+00 126+80 127+00 128+00 129+00 130+00 131+00 132+00 133+00 134+00 135+00 136+00 137+00 138+00 139+00 140+00 141+00 142+00 143+00 144+00 145+00 146+00 147+00 148+00 149+00 150+00 151+00 152+00 153+00 154+00 155+00 156+00 157+00 158+00 159+00 160+00 161+00 162+00 163+00 164+00 165+00 166+00 167+00 168+00 169+00

San Joaquin River Light 10

6,623,000 6,624,000 6,625,000 1,770,000 6,626,000 6,627,000 6,628,000

Feet

0 400 800 1,200

PRELIMINARY ISSUE

THIS PLAN ISSUED FOR ADVANCE INFORMATION ONLY

NOT FOR NAVIGATION PURPOSES

VICINITY MAP

0 2 4 6 8 10 Miles

Sacramento R.

San Joaquin R.

Pittsburg

Antioch

Stockto

Mt Diablo 3849

SUPPLEMENTAL INFOR

Consult U.S. Coast Pilot supplemental information.

NOTE B

TRAFFIC SEPARATION SCHEME

Recommended traffic lanes ha established for the approaches to San

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours

- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT. 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT. 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N W E S

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and interpretation in support of Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy and is subject to change without notice. The United States shall not be liable for any damages resulting from the misuse of any of the application of the data for other than its intended purpose.

DISCLAIMER
Limitations on Use: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not transfer these data to any other party except than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Chart Date:	Feb 24, 2026
Surveyed By:	
Designed by:	PDT
Plotted By:	PDT
Drawn by:	PDT
Checked By:	PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted
Technical Services Section Leader

Recommended
Chief, Technical Services Section

Approved
Chief, Geospatial Branch

CALIFORNIA

SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
3 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N W E S

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and conditions at the time of collection and processing. The data is not to be used for any other purpose or in any other manner than its intended purpose. Any use of any of the application of the data for other than its intended purpose.

DISCLAIMER
Restrictions: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert proprietary rights thereto nor represent these data to others without also transferring this Disclaimer.

Chart Date: Feb 24, 2026
Surveyed By:
Designed by:
Plotted By: PDT
Drawn by: PDT
Checked By: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted
Technical Services Section Leader

Recommended
Chief, Technical Services Section

Approved
Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
4 of 35

CORPS OF ENGINEERS U.S. ARMY



Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours

- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N W E S

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and analysis performed by Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and extent indicated in the metadata and/or report. Use of the data for other than its intended purpose, or of any of the application of the data for other than its intended purpose.

DISCLAIMER
Restrictions: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights and shall not represent these data to others without also transferring this Disclaimer.

Surveyed By:		Chart Date:	Feb 24, 2026
Plotted By:	PDT	Designed by:	
Checked By:	PDT	Drawn by:	PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted:
Technical Services Section Leader

Recommended:
Chief, Technical Services Section

Approved:
Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
5 of 35

CORPS OF ENGINEERS

U.S. ARMY

6,638,000 6,639,000 1,775,000 6,640,000 6,641,000 6,642,000 1,776,000 6,643,000

1,776,000

1,775,000 6,644,000

1,774,000

1,773,000

1,772,000

San Joaquin River Light 17A

San Joaquin River Light 18A

275+00 276+00 277+00 278+00 279+00 280+00 281+00 282+00 283+00 284+00 285+00 286+00 287+00 288+00 289+00 290+00 291+00 292+00 293+00 294+00 295+00 296+00 297+00 298+00 299+00 300+00 301+00 302+00 303+00 304+00 305+00 306+00 307+00 308+00 309+00 310+00 311+00 312+00 313+00 314+00 315+00 316+00 317+00 318+00 319+00 320+00 321+00 322+00 323+00 324+00 325+00 326+00 327+00 328+00 329+00 330+00 331+00 332+00 333+00

PRELIMINARY ISSUE

THIS PLAN ISSUED FOR
ADVANCE INFORMATION ONLY
NOT FOR NAVIGATION PURPOSES

6,639,000 6,640,000 6,641,000 6,642,000 6,643,000 6,644,000 1,773,000

Feet

0 400 800 1,200

VICINITY MAP



LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours

- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY. THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N W E S

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy as specified in the contract documents. No liability is assumed of any of the application of the data for other than its intended purpose.

DISCLAIMER
Data Quality Statements: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights thereto and shall not sell these data to others without also transferring this Disclaimer.

Chart Date:	Feb 24, 2026
Surveyed By:	
Plotted By:	PDT
Designed by:	
Checked By:	PDT
Drawn by:	PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted
Technical Services Section Leader

Recommended
Chief, Technical Services Section

Approved
Chief, Geospatial Branch

CALIFORNIA

SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
6 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT. 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT. 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N W E S

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data acquisition and processing performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and conditions specified by the originator. The Government assumes no liability of any of the application of the data for other than its intended purpose.

DISCLAIMER
Acceptance of Data: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights and shall not transfer these data to others without also transferring this Disclaimer.

Surveyed By:		Chart Date:	Feb 24, 2026
Plotted By:	PDT	Designed by:	
Checked By:	PDT	Drawn by:	PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted
Technical Services Section Leader

Recommended
Chief, Technical Services Section

Approved
Chief, Geospatial Branch

CALIFORNIA

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

SAN JOAQUIN COUNTY

Sheet Reference Number
7 of 35





Feet

0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours

- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION, ONLY CHANNEL CONDITION AT DATE OF SURVEY,
THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY
THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II
CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers
District: CESPK

DISCLAIMER
Distribution Liability: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or any party for any loss or damage caused by errors or omissions in the data furnished hereto. These data belong to the Government. Therefore the recipient shall not transfer these data to any other party except third party contractors employed by the recipient to perform a function for the Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection and interpretation for the sole purpose of Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy as specified in the report for which it was prepared. Use of any of the application of the data for other than its intended purpose.

Chart Date: Feb 24, 2026

Surveyed By:	Plotted By: PDT	Designed by:	Checked By: PDT	Drawn by: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader	Recommended: Chief, Technical Services Section	Approved: Chief, Geospatial Branch

CALIFORNIA

SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
8 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data acquisition and processing of a particular Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and extent as indicated in the original project metadata. Reuse of any of the application of the data for other than its intended purpose.

DISCLAIMER
Acceptance of Risk: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or party for any reason made thereof. These data belong to the Government. Therefore the recipient shall not transfer these data to any party other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Surveyed By: | Chart Date: Feb 24, 2026
Plotted By: PDT | Designed by:
Checked By: PDT | Drawn by: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader
Recommended: Chief, Technical Services Section
Approved: Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
9 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY. THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

W S N E

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and interpretation as of the date of Corps of Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy and application to any other conditions is the responsibility of any of the application of the data for other than its intended purpose.

DISCLAIMER
Acceptance of Data: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights thereto and shall not represent these data to others without also transferring this Disclaimer.

Chart Date: Feb 24, 2026			
Surveyed By:	Designed by:	Drawn by:	PDT
	Plotted By: PDT	Checked By:	PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader
Recommended: Chief, Technical Services Section
Approved: Chief, Geospatial Branch

CALIFORNIA

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

SAN JOAQUIN COUNTY

Sheet Reference Number 10 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT. 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT. 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

US Army Corps of Engineers
District: CESPK

DISCLAIMER
Limitations and Restrictions: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights and may not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy and is not to be used for any other purpose. The user assumes all responsibility for the application of the data for other than its intended purpose.

Surveyed By:		Chart Date:	Feb 24, 2026
Plotted By:	PDT	Designed by:	
Checked By:	PDT	Drawn by:	PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted:	Technical Services Section Leader
Recommended:	Chief, Technical Services Section
Approved:	Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
11 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
-35
-34
-33
-32
-31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data acquisition by the US Army Corps of Engineers Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy as stated in the metadata. The user assumes the liability of any of the application of the data for other than its intended purpose.

DISCLAIMER
Acceptance of Data: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not transfer these data to any other party than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Surveyed By:	Chart Date:	Feb 24, 2026
Plotted By: PDT	Designed by:	
Checked By: PDT	Drawn by:	PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader	
Recommended: Chief, Technical Services Section	
Approved: Chief, Geospatial Branch	

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
12 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and interpretation at the time of Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and application. The Government assumes no liability for the misuse of any of the application of the data for other than its intended purpose.

DISCLAIMER
Access Limitations: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights thereto and shall not transfer these data to others without also transferring this Disclaimer.

Surveyed By:		Chart Date:	Feb 24, 2026
Plotted By:	PDT	Designed by:	
Submitted: Technical Services Section Leader		Drawn by:	PDT
Recommended: Chief, Technical Services Section		Checked By:	PDT
Approved: Chief, Geospatial Branch			

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
13 of 35





6,668,000 1,794,000 1,795,000 6,669,000 1,796,000 1,797,000 6,670,000 1,798,000

Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY. THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT. 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT. 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N N E S

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and interpretation by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and extent indicated. The United States shall not be liable for any of the application of the data for other than its intended purpose.

DISCLAIMER
Agency Liability: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights thereto and shall not transfer these data to others without also transferring this Disclaimer.

Surveyed By:		Chart Date:	Feb 24, 2026
Plotted By:	PDT	Designed by:	
Submitted: Technical Services Section Leader		Drawn by:	PDT
Recommended: Chief, Technical Services Section		Checked By:	PDT
Approved: Chief, Geospatial Branch			

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
14 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
-35
-34
-33
-32
-31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N W E S

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and application as described in the accompanying publication. The Government assumes no liability for any use of the data for other than its intended purpose.

DISCLAIMER
Data Limitations: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or party for any loss made thereof. These data belong to the Government. Therefore the recipient shall not transfer these data to any party other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Surveyed By:	Chart Date:	Feb 24, 2026
Plotted By: PDT	Designed by:	
Submitted: Technical Services Section Leader	Drawn by:	PDT
Recommended: Chief, Technical Services Section	Checked By:	PDT
Approved: Chief, Geospatial Branch		

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number 15 of 35



PRELIMINARY ISSUE
THIS PLAN ISSUED FOR ADVANCE INFORMATION ONLY
NOT FOR NAVIGATION PURPOSES



Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collected by the Government for the purpose of Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and geographic coverage. The Government disclaims any liability for any of the application of the data for other than its intended purpose.

DISCLAIMER
Data Limitations: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights and shall not transfer these data to others without also transferring this Disclaimer.

Chart Date: Feb 24, 2026
Surveyed By:
Plotted By: PDT
Designed by:
Checked By: PDT
Drawn by: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted
Technical Services Section Leader

Recommended
Chief, Technical Services Section

Approved
Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number 16 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data acquisition and processing as performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and conditions specified by the originating activity. It should not be used for any of the application of the data for other than its intended purpose.

DISCLAIMER
Restrictions/Limitations: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not transfer these data to any other party or use them for other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT COLONEL, U.S. ARMY COMMANDING

Surveyed By:	Chart Date:	Feb 24, 2026
Plotted By: PDT	Designed by:	
Checked By: PDT	Drawn by:	PDT

Submitted: Technical Services Section Leader
Recommended: Chief, Technical Services Section
Approved: Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number 17 of 35



PRELIMINARY ISSUE
THIS PLAN ISSUED FOR ADVANCE INFORMATION ONLY
NOT FOR NAVIGATION PURPOSES

Feet
0 400 800 1,200



LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
-35
-34
-33
-32
-31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data acquisition and processing procedures of the Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy specified in the metadata and should not be used for any of the application of the data for other than its intended purpose.

DISCLAIMER
Restrictions: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights thereto and shall not sell or offer these data to any person other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Surveyed By:
Chart Date: Feb 24, 2026

Plotted By: PDT
Designed by:

Checked By: PDT
Drawn by: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader
Recommended: Chief, Technical Services Section
Approved: Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
18 of 35



PRELIMINARY ISSUE
THIS PLAN ISSUED FOR ADVANCE INFORMATION ONLY
NOT FOR NAVIGATION PURPOSES



Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

US Army Corps of Engineers
District: CESPK

DISTRIBUTION LIABILITY: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and application. The recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not transfer these data to any other party except than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

DISCLAIMER

Chart Date: Feb 24, 2026

Surveyed By:	Plotted By:	Checked By:	Drawn by:
	PDT	PDT	PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted Technical Services Section Leader	
Recommended Chief, Technical Services Section	
Approved Chief, Geospatial Branch	

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
19 of 35





Feet

0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours

- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY. THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers District: CESPK

Distribution Liability: The data represents the results of data acquisition and processing as of the survey date. Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy as specified in the survey report. Any other use or reliance of any of the application of the data for other than its intended purpose.

DISCLAIMER
Agency Liability: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or party for any loss made thereof. These data belong to the Government. Therefore the recipient shall not represent to any party that these data are other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Surveyed By: | Chart Date: Feb 24, 2026
Plotted By: PDT | Designed by:
Checked By: PDT | Drawn by: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader
Recommended: Chief, Technical Services Section
Approved: Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number 20 of 35





LEGEND

Federal Navigation Channel	Cable Area	Shoaling Area	Contours
Federal Navigation Center Line	Placement Area	Shoalest Sounding**	-35
Cable Submarine	Anchorage Area	Beacon, General	-34
Cable Overhead	Obstruction Point	Red Navigation Buoy	-33
Contour Line	Wrecks-Submerged	Green Navigation Buoy	-32
			-31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT. 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N
W E
S

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and conditions at the time of the survey. The Government assumes no liability for any of the application of the data for other than its intended purpose.

DISCLAIMER
Distribution Liability: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights and will not represent these data to others without also transferring this Disclaimer.

Surveyed By:	Plotted By: PDT	Checked By: PDT	Chart Date: Feb 24, 2026
			Designed by:
			Drawn by: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader
Recommended: Chief, Technical Services Section
Approved: Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
21 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
-35
-34
-33
-32
-31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY. THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data acquisition and processing performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy. The United States Government assumes no liability for any of the application of the data for other than its intended purpose.

DISCLAIMER
Restrictions: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not transfer to anyone outside the recipient's organization than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Surveyed By: Chart Date: Feb 24, 2026
Plotted By: PDT Designed by: PDT
Checked By: PDT Drawn by: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader
Recommended: Chief, Technical Services Section
Approved: Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
22 of 35



PRELIMINARY ISSUE
THIS PLAN ISSUED FOR ADVANCE INFORMATION ONLY
NOT FOR NAVIGATION PURPOSES



Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy. The Government assumes no liability for the misuse of any of the application of the data for other than its intended purpose.

DISCLAIMER
Data Limitations: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights thereto and shall not sell other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Chart Date: Feb 24, 2026

Surveyed By:	Plotted By: PDT	Designed by:	Drawn by: PDT
			Checked By PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted	Recommended	Approved
Technical Services Section Leader	Chief, Technical Services Section	Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number 23 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

US Army Corps of Engineers
District: CESPK

DISCLAIMER
Distribution Liability: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not transfer these data to any other party except than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection efforts at the time of survey and is valid for Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and conditions specified by the originator. The user assumes the risk of any of the application of the data for other than its intended purpose.

Chart Date: Feb 24, 2026

Surveyed By:

Plotted By: PDT

Designed by:

Checked By: PDT

Drawn by: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT COLONEL, U.S. ARMY COMMANDING

Submitted:
Technical Services Section Leader

Recommended:
Chief, Technical Services Section

Approved:
Chief, Geospatial Branch

CALIFORNIA

SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
24 of 35





LEGEND

Federal Navigation Channel	Cable Area	Shoaling Area	**Contours**
Federal Navigation Center Line	Placement Area	Shoalest Sounding**	-35
Cable Submarine	Anchorage Area	Beacon, General	-34
Cable Overhead	Obstruction Point	Red Navigation Buoy	-33
Contour Line	Wrecks-Submerged	Green Navigation Buoy	-32
			-31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT. 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT. 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers
District: CESPK

DISCLAIMER
Distribution Liability: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not transfer to any unaffiliated third party who is other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data acquisition and processing as of the time of survey and is valid for the Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and conditions of survey. The United States shall be under no liability for any of the application of the data for other than its intended purpose.

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Surveyed By:		Chart Date:	Feb 24, 2026
Plotted By:	PDT	Designed by:	
Checked By:	PDT	Drawn by:	PDT

Submitted
Technical Services Section Leader

Recommended
Chief, Technical Services Section

Approved
Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
25 of 35

CORPS OF ENGINEERS

U.S. ARMY



PRELIMINARY ISSUE

THIS PLAN ISSUED FOR
ADVANCE INFORMATION ONLY
NOT FOR NAVIGATION PURPOSES



Feet

0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours

- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

US Army Corps
of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and interpretation as of the time of Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and extent indicated. Any reuse of the data for purposes other than those intended is the responsibility of the user. The Government assumes no liability for any of the application of the data for other than its intended purpose.

DISCLAIMER
Distribution Liability: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights and shall not transfer these data to others without also transferring this Disclaimer.

Chart Date: Feb 24, 2026

Surveyed By:

Designed by:

Plotted By: PDT

Drawn by: PDT

Submitted
Technical Services Section Leader

Recommended
Chief, Technical Services Section

Checked By: PDT

Approved
Chief, Geospatial Branch

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL U.S. ARMY COMMANDING

CALIFORNIA

SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet
Reference
Number
26 of 35



PRELIMINARY ISSUE

THIS PLAN ISSUED FOR ADVANCE INFORMATION ONLY

NOT FOR NAVIGATION PURPOSES



Feet

0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours

- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT. 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT. 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N W E S

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data acquisition and processing efforts of the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and extent specified by the originator. The recipient assumes the liability of any of the application of the data for other than its intended purpose.

DISCLAIMER
Acceptance of Data: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assign any proprietary rights to these data. Other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Surveyed By:	Chart Date:	Feb 24, 2026
Plotted By: PDT	Designed by:	
Checked By: PDT	Drawn by:	PDT

Submitted:
Technical Services Section Leader

Recommended:
Chief, Technical Services Section

Approved:
Chief, Geospatial Branch

CALIFORNIA

SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
27 of 35

6,723,000 6,724,000 6,725,000 6,726,000 6,727,000 1,762,000 6,728,000

1,761,000

1,760,000

1,759,000

Stockton Channel Light 25

Stockton Channel Light 26

Stockton Channel Light 27

Stockton Channel Light 28

Stockton Channel Light 29

Stockton Channel Light 30

PRELIMINARY ISSUE
THIS PLAN ISSUED FOR ADVANCE INFORMATION ONLY
NOT FOR NAVIGATION PURPOSES

6,723,000 6,724,000 6,725,000 6,726,000 6,727,000 6,728,000

Feet
0 400 800 1,200

VICINITY MAP



LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY. THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N W E S

US Army Corps of Engineers District: CESPK

Distribution Liability: The data represents the results of data acquisition and processing at the time of Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and extent specified. The recipient assumes all liability for any misuse of any of the application of the data for other than its intended purpose.

DISCLAIMER
Agency Disclaimer: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights and may not transfer these data to others without also transferring this Disclaimer.

Chart Date: Feb 24, 2026
Surveyed By:
Plotted By: PDT
Designed by:
Drawn by: PDT
Checked By: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader
Recommended: Chief, Technical Services Section
Approved: Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number 28 of 35





6,728,000 1,759,000 6,729,000 6,730,000 6,731,000 1,758,000 6,732,000 6,733,000

Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers District: CESPK

Distribution Liability: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy specified in the metadata. Use beyond the intended purpose of any of the application of the data for other than its intended purpose.

DISCLAIMER
Limited Warranties: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert proprietary rights thereto and shall not transfer these data to others without also transferring this Disclaimer.

Surveyed By:	Chart Date: Feb 24, 2026
Plotted By: PDT	Designed by:
Checked By: PDT	Drawn by: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader	
Recommended: Chief, Technical Services Section	
Approved: Chief, Geospatial Branch	

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number 29 of 35



PRELIMINARY ISSUE

THIS PLAN ISSUED FOR ADVANCE INFORMATION ONLY

NOT FOR NAVIGATION PURPOSES



Feet

0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours

- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT. 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT. 37 55.44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N W E S

US Army Corps of Engineers District: CESPK

Distribution Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and extent indicated. Any change in these conditions may limit the reliability, usability or suitability of the data for other than its intended purpose.

DISCLAIMER
Acceptance of Risk and Limitations: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights and shall not represent these data to others without also transferring this Disclaimer.

Chart Date: Feb 24, 2026

Surveyed By:

Plotted By: PDT

Designed by:

Drawn by: PDT

Checked By: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted:
Technical Services Section Leader

Recommended:
Chief, Technical Services Section

Approved:
Chief, Geospatial Branch

CALIFORNIA

SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number 30 of 35



PRELIMINARY ISSUE
THIS PLAN ISSUED FOR ADVANCE INFORMATION ONLY
NOT FOR NAVIGATION PURPOSES



Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
-35
-34
-33
-32
-31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY. THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT. 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT. 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data acquisition and processing conducted by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and conditions at the time of acquisition. The recipient assumes all liability of any of the application of the data for other than its intended purpose.

DISCLAIMER
Data Limitations: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert proprietary rights and may not transfer to any other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Chart Date: Feb 24, 2026

Surveyed By:
Plotted By: PDT
Designed by:
Checked By: PDT
Drawn by: PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader
Recommended: Chief, Technical Services Section
Approved: Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
31 of 35



PRELIMINARY ISSUE
THIS PLAN ISSUED FOR
ADVANCE INFORMATION ONLY
NOT FOR NAVIGATION PURPOSES



Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY. THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT. 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data acquisition and processing as of the time of survey and reflects Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and conditions of survey. The United States Government is not liable for any of the application of the data for other than its intended purpose.

DISCLAIMER
Acknowledgments: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or party for any loss made thereof. These data belong to the Government. Therefore the recipient shall not represent these data to anyone other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Chart Date: Feb 24, 2026			
Surveyed By:	Designed by:	Drawn by:	PDT
	Plotted By: PDT	Checked By:	PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader
Recommended: Chief, Technical Services Section
Approved: Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
32 of 35



PRELIMINARY ISSUE

THIS PLAN ISSUED FOR ADVANCE INFORMATION ONLY

NOT FOR NAVIGATION PURPOSES



Feet

0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours

- -35
- -34
- -33
- -32
- -31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N E S W

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection and interpretation as of the time of survey and reflects the Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy as determined by the Government. The Government is not liable for any of the application of the data for other than its intended purpose.

DISCLAIMER
Agency Disclaimers: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert any proprietary rights and shall not transfer these data to others without also transferring this Disclaimer.

Chart Date: Feb 24, 2026			
Surveyed By:	Designed by:	Drawn by:	PDT
Plotted By: PDT	Checked By:	Checked By:	PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted: Technical Services Section Leader

Recommended: Chief, Technical Services Section

Approved: Chief, Geospatial Branch

CALIFORNIA

SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number 33 of 35





Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
- -38.5
- -37.5
- -36.5
- -35.5
- -34.5

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY, THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT: 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT: 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N W E S

US Army Corps of Engineers
District: CESPK

Distribution Liability: The data represents the results of data collection efforts on the date and time of the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy as specified in the project documentation. The Government assumes no liability for the use of any of the application of the data for other than its intended purpose.

DISCLAIMER
Data Limitations: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient shall not assert proprietary rights thereto and shall not sell these data to others without also transferring this Disclaimer.

Surveyed By:	Chart Date:	Feb 24, 2026
Plotted By: PDT	Designed by:	
Checked By: PDT	Drawn by:	PDT

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Submitted:	Technical Services Section Leader
Recommended:	Chief, Technical Services Section
Approved:	Chief, Geospatial Branch

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL SEDIMENT TRAP
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number 34 of 35



PRELIMINARY ISSUE
THIS PLAN ISSUED FOR ADVANCE INFORMATION ONLY
NOT FOR NAVIGATION PURPOSES



Feet
0 400 800 1,200

LEGEND

- Federal Navigation Channel
- Federal Navigation Center Line
- Cable Submarine
- Cable Overhead
- Contour Line
- Cable Area
- Placement Area
- Anchorage Area
- Obstruction Point
- Wrecks-Submerged
- Shoaling Area
- Shoalest Sounding**
- Beacon, General
- Red Navigation Buoy
- Green Navigation Buoy

Contours
-35
-34
-33
-32
-31

NOTES:
DRAWING NOT TO BE USED FOR NAVIGATION. ONLY CHANNEL CONDITION AT DATE OF SURVEY. THE LOCATION OF ALL NAVIGATION AIDS ARE BASED ON INFORMATION PROVIDED BY THE U.S. COAST GUARD. BUOY LOCATIONS REPRESENT THE POSITION OF THE SINKER ONLY.

SOUNDING FOR THE CHANNEL MEASURED WITH MULTIBEAM ECHOSOUNDER AND ARE SHOWN TO THE NEAREST TENTH FOOT

SOUNDINGS ARE BASED ON THE DATUM OF MEAN LOWER LOW WATER AT THE LOCALITY.

PLANE GRID AND COORDINATES ARE BASED ON LAMBERT PROJECTION, NAD 83, ZONE II CALIFORNIA AS DESCRIBED IN SPECIAL PUBLICATION NO. 235, PUBLISHED BY THE NATIONAL OCEAN SURVEY.

PROJECT DEPTH: -35', SEDIMENT TRAP (STA. 2089+00 TO STA. 2113+00) -38.5'

VERTICAL DATUM: MLLW

THE LOCATION OF NAVIGATION AIDS ARE BASED ON AND PROVIDED BY THE U.S. COAST GUARD

CONTROLS:
LOCATION: ANTIOCH
NOAA STATION: 941 5064
BENCHMARK: 5064-F (No PID)
TIDE GAUGE:
Nail @ 10.15 FT MLLW
LAT. 38 01 6.9393 N
LONG: 121 48 56.7074 W

LOCATION: PORT OF STOCKTON
NOAA STATION: 941 4867
BENCHMARK: 941 4867 TIDAL 2 (PID: HS0439)
TIDE GAUGE:
NAIL @ 10.0 FT MLLW
LAT. 37 55 44.62 N
LONG: 121 19 40.74 W

OTHER SAN JOAQUIN RIVER GAUGES:
DAY MARKER 19 = 8.2 FT MLLW
DAY MARKER 27 = 9.0 FT MLLW
DAY MARKER 29 = 9.0 FT MLLW
PORT OF STOCKTON TG #2 (37.951 N, 121.334 W) = 10.0 FT MLLW

N
W E
S

US Army Corps of Engineers
District: CESPK

DISCLAIMER
Distribution Liability: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or party for any action made thereof. These data belong to the Government. Therefore the recipient shall not transfer these data to any party other than Government provided data. The recipient may not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers Engineer activity and indicates the general existing conditions. As such, it is only valid for its intended use, content, time and accuracy and is subject to change without notice. The Corps of Engineers shall not be liable for any damages resulting from the misuse of any of the application of the data for other than its intended purpose.

PREPARED UNDER THE DIRECTION OF
VIRGINIA R. BRICKNER
LT. COLONEL, U.S. ARMY COMMANDING

Surveyed By:		Chart Date:	Feb 24, 2026
Plotted By:	PDT	Designed by:	
Submitted: Technical Services Section Leader		Drawn by:	PDT
Recommended: Chief, Technical Services Section		Checked By:	PDT
Approved: Chief, Geospatial Branch			

CALIFORNIA
SAN JOAQUIN COUNTY

STOCKTON CHANNEL
CONDITION SURVEY
02-05 JANUARY 2026

Sheet Reference Number
35 of 35