





Navigation Channel

Channel Centerline

Cable Submarine

Cable Overhead

Contour Line

Wrecks-Submerged

Obstruction Point

Cable Area

Placement Area

Anchorage Area

Primary Project Control Point

Local Project Control Point

Tide Gauge

Shoaling Area

Shoalest Sounding**

Beacon, General

Green Navigation Buoy

Red Navigation Buoy

N

W

S

E

1:3,000

Feet

0

500

1,000

1,500

NOTES:

- SOUNDINGS AND ELEVATIONS, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF THE SURVEY.
- COORDINATES ARE CALIFORNIA LAMBERT ZONE VI, (NAD 1983).
- MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM SAN DIEGO, STATION ID: 9410170.
- ELEVATIONS ARE ESTABLISHED FROM MONUMENT TIDAL 12 (PID DC0891), WITH AN ELEVATION OF 16.96 FEET, MLLW, EPOCH 1983 - 2001.
- CONTOURS AND SOUNDINGS ARE BASED ON THE DEPTH OF A SOUNDING NEAREST THE CENTER OF A 35 ft GRID.
- SOUNDINGS LOCATED BY REAL-TIME OR POST-PROCESSED KINEMATIC GPS. DEPTHS MEASURED BY A MULTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
- SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.
- INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/w/index.html>

US Army Corps of Engineers District: CESPL

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The United States Government makes no warranty, expressed or implied, concerning the accuracy, completeness, or reliability of the data, and the recipient agrees to hold the United States Government harmless from any liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient may not transfer these data to others without also transferring the Disclaimer.

U.S. ARMY CORPS OF ENGINEERS		
Submitted:	Surveyed By:	
Recommended:	Plotted By:	
Approved:	Checked By:	

San Diego Harbor


LA_11_SDH_20241021_CS

21 October 2024


Sheet Reference Number

6 of 12

Revision Number: 5.23.12.3-S.23.12.3



LEGEND		
Navigation Channel	Cable Area	Shoalest Sounding**
Channel Centerline	Placement Area	Beacon, General
Cable Submarine	Anchorage Area	Green Navigation Bouy
Cable Overhead	Primary Project Control Point	Red Navigation Bouy
Contour Line	Local Project Control Point	
Wrecks-Submerged	Tide Gauge	
Obstruction Point	Shoaling Area	



- NOTES:
- SOUNDINGS AND ELEVATIONS, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF THE SURVEY.
 - COORDINATES ARE CALIFORNIA LAMBERT ZONE VI, (NAD 1983).
 - MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM SAN DIEGO, STATION ID: 9410170.
 - ELEVATIONS ARE ESTABLISHED FROM MONUMENT TIDAL 12 (PID DC0891), WITH AN ELEVATION OF 16.96 FEET, MLLW, EPOCH 1983 - 2001.
 - CONTOURS AND SOUNDINGS ARE BASED ON THE DEPTH OF A SOUNDING NEAREST THE CENTER OF A 35 ft GRID.
 - SOUNDINGS LOCATED BY REAL-TIME OR POST-PROCESSED KINEMATIC GPS. DEPTHS MEASURED BY A MULTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
 - SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.
 - INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/w/index.html>





DISCLAIMER: The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions. The data is not intended to be used for any purpose other than the intended purpose of the application of the data for other than its intended purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose.

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not intended to be used for any purpose other than the intended purpose of the application of the data for other than its intended purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose. The data are not intended to be used for any purpose other than the intended purpose of the application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS		
Submitted:	Surveyed By:	
Recommended:	Plotted By:	
Approved:	Chief, Survey Section	
	Chief, Waterways Maintenance Section	

San Diego Harbor
LA_11_SDH_20241021_CS
21 October 2024

Sheet
Reference
Number
7 of 12



Navigation Channel

Channel Centerline

Cable Submarine

Cable Overhead

Contour Line

Wrecks-Submerged

Obstruction Point

Cable Area

Placement Area

Anchorage Area

Primary Project Control Point

Local Project Control Point

Shoaling Area

Shoalest Sounding**

Beacon, General

Green Navigation Bouy

Red Navigation Bouy

Tide Gauge

NOTES:

- SOUNDINGS AND ELEVATIONS, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF THE SURVEY.
- COORDINATES ARE CALIFORNIA LAMBERT ZONE VI, (NAD 1983).
- MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM SAN DIEGO, STATION ID: 9410170.
- ELEVATIONS ARE ESTABLISHED FROM MONUMENT TIDAL 12 (PID DC0891), WITH AN ELEVATION OF 16.96 FEET, MLLW, EPOCH 1983 - 2001.
- CONTOURS AND SOUNDINGS ARE BASED ON THE DEPTH OF A SOUNDING NEAREST THE CENTER OF A 35 ft GRID.
- SOUNDINGS LOCATED BY REAL-TIME OR POST-PROCESSED KINEMATIC GPS. DEPTHS MEASURED BY A MULTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
- SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.
- INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/w/index.html>

U.S. ARMY CORPS OF ENGINEERS			
Submitted:	Surveyed By:		
Recommended:	Plotted By:		
Approved:	Checked By:		

San Diego Harbor

LA_11_SDH_20241021_CS

21 October 2024



Sheet

Reference

Number

8 of 12

Revision Number: 5.23.12.3-S.23.12.3



Navigation Channel

Channel Centerline

Cable Submarine

Cable Overhead

Contour Line

Wrecks-Submerged

Obstruction Point

Cable Area

Placement Area

Anchorage Area

Primary Project Control Point

Local Project Control Point

Tide Gauge

Shoaling Area

Shoalest Sounding**

Beacon, General

Green Navigation Buoy

Red Navigation Buoy

NOTES:

- SOUNDINGS AND ELEVATIONS, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF THE SURVEY.
- COORDINATES ARE CALIFORNIA LAMBERT ZONE VI, (NAD 1983).
- MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM SAN DIEGO, STATION ID: 9410170.
- ELEVATIONS ARE ESTABLISHED FROM MONUMENT TIDAL 12 (PID DC0891), WITH AN ELEVATION OF 16.96 FEET, MLLW, EPOCH 1983 - 2001.
- CONTOURS AND SOUNDINGS ARE BASED ON THE DEPTH OF A SOUNDING NEAREST THE CENTER OF A 35 ft GRID.
- SOUNDINGS LOCATED BY REAL-TIME OR POST-PROCESSED KINEMATIC GPS. DEPTHS MEASURED BY A MUTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
- SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.
- INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/w/index.html>



US Army Corps of Engineers

District: CESPL

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The United States Government makes no warranty, expressed or implied, concerning the accuracy, completeness, reliability, usability, or availability of the data. The recipient understands that the data are provided "as is" and that the recipient is responsible for the results of any application of the data for other than its intended purpose.

Access Constraints: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The United States Government makes no warranty, expressed or implied, concerning the accuracy, completeness, reliability, usability, or availability of the data. The recipient understands that the data are provided "as is" and that the recipient is responsible for the results of any application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS		
Submitted:	Surveyed By:	
Recommended:	Plotted By:	
Approved:	Checked By:	

San Diego Harbor


LA_11_SDH_20241021_CS



21 October 2024

Sheet Reference Number

9 of 12

Revision Number: 5.23.12.3-S.23.12.3





Navigation Channel

Channel Centerline

Cable Submarine

Cable Overhead

Contour Line

Wrecks-Submerged

Obstruction Point

Cable Area

Placement Area

Anchorage Area

Primary Project Control Point

Local Project Control Point

Tide Gauge

Shoaling Area

Shoalest Sounding**

Beacon, General

Green Navigation Bouy

Red Navigation Bouy

N

E

S

W

1:3,000

Feet

0

500

1,000

1,500

NOTES:

- SOUNDINGS AND ELEVATIONS, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF THE SURVEY.
- COORDINATES ARE CALIFORNIA LAMBERT ZONE VI, (NAD 1983).
- MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM SAN DIEGO, STATION ID: 9410170.
- ELEVATIONS ARE ESTABLISHED FROM MONUMENT TIDAL 12 (PID DC0891), WITH AN ELEVATION OF 16.96 FEET, MLLW, EPOCH 1983 - 2001.
- CONTOURS AND SOUNDINGS ARE BASED ON THE DEPTH OF A SOUNDING NEAREST THE CENTER OF A 35 ft GRID.
- SOUNDINGS LOCATED BY REAL-TIME OR POST-PROCESSED KINEMATIC GPS. DEPTHS MEASURED BY A MUTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
- SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.
- INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/w/index.html>

U.S. ARMY CORPS OF ENGINEERS			
Submitted:		Surveyed By:	
Recommended:		Plotted By:	
Approved:		Checked By:	
Chief, Survey Section		Chief, Waterways Maintenance Section	

San Diego Harbor

LA_11_SDH_20241021_CS

21 October 2024

Sheet

Reference

Number

11 of 12


Revision Number:
5.23.12.3-S.23.12.3



US Army Corps
of Engineers
District: CESPL

DISTRIBUTION: The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions. The data is not intended for use in any other project or for any other purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose.

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not intended for use in any other project or for any other purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose. The data are not intended for use in any other project or for any other purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose.



Navigation Channel

Channel Centerline

Cable Submarine

Cable Overhead

Contour Line

Wrecks-Submerged

Obstruction Point

Cable Area

Placement Area

Anchorage Area

Primary Project Control Point

Local Project Control Point

Tide Gauge



Shoaling Area

Shoalest Sounding**

Beacon, General

Green Navigation Buoy

Red Navigation Buoy



- NOTES:
- SOUNDINGS AND ELEVATIONS, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF THE SURVEY.
 - COORDINATES ARE CALIFORNIA LAMBERT ZONE VI, (NAD 1983).
 - MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM SAN DIEGO, STATION ID: 9410170.
 - ELEVATIONS ARE ESTABLISHED FROM MONUMENT TIDAL 12 (PID DC0891), WITH AN ELEVATION OF 16.96 FEET, MLLW, EPOCH 1983 - 2001.
 - CONTOURS AND SOUNDINGS ARE BASED ON THE DEPTH OF A SOUNDING NEAREST THE CENTER OF A 35 ft GRID.
 - SOUNDINGS LOCATED BY REAL-TIME OR POST-PROCESSED KINEMATIC GPS. DEPTHS MEASURED BY A MULTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
 - SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.
 - INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/w/index.html>

U.S. ARMY CORPS OF ENGINEERS			
Submitted:	Surveyed By:		
Recommended:	Plotted By:		
Approved:	Chief, Survey Section	Checked By:	
	Chief, Waterways Maintenance Section		

San Diego Harbor

LA_11_SDH_20241021_CS

21 October 2024

Sheet Reference Number

12 of 12

Revision Number:
5.23.12.3-S.23.12.3

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided, and that the data are not to be used for any purpose other than that for which they were provided, and that the data are not to be used for any purpose other than that for which they were provided.

US Army Corps of Engineers District: CESPL