





LEGEND			
Navigation Channel	Obstruction Point	Red Navigation Bouy	
Cable Area	Wrecks-Submerged	Tide Gauge	
Placement Area	Beacon, General	Shoalest Sounding	
Anchorage Area	Green Navigation Bouy	Shoaling Areas	
Cable Overhead		Primary Project Control Point	
Cable Submarine		local Project Control Point	



- NOTES:
- SOUNDINGS AND ELEVATIONS, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF THE SURVEY.
 - COORDINATES ARE CALIFORNIA LAMBERT ZONE VI, (NAD 1983).
 - MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM NEWPORT BEACH, STATION ID: 9410580.
 - ELEVATIONS ARE ESTABLISHED FROM MONUMENT COORS (PID DX3663), WITH AN ELEVATION OF 10.745 FEET, MLLW, EPOCH 1983 - 2001.
 - CONTOURS AND SOUNDINGS ARE BASED ON THE DEPTH OF A SOUNDING NEAREST THE CENTER OF A 25 ft GRID.
 - SOUNDINGS LOCATED BY DIFFERENTIAL OR POST-PROCESSED KINEMATIC GPS, DEPTHS MEASURED BY A MUTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
 - SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.
 - INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/w/index.html>





DISCLAIMER: The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions. The data is not intended for use for any other purpose, expressed, or implied concerning the accuracy, completeness, reliability, usability or availability for any particular purpose of the project. The data is provided for informational purposes only and is not intended for use for any other purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose.

Access Constraints: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be distributed, reproduced, expressed, or implied concerning the accuracy, completeness, reliability, usability or availability for any particular purpose of the project. The data is provided for informational purposes only and is not intended for use for any other purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS		
Submitted:	Surveyed By:	
Recommended:	Plotted By:	
Approved:	Checked By:	

Newport Beach Harbor
LA_15_NBH_20250716_CS
16 July 2025

Sheet
Reference
Number
2 of 7



Navigation Channel

Cable Area

Placement Area

Anchorage Area

Cable Overhead

Cable Submarine

Obstruction Point

Wrecks-Submerged

Beacon, General

Green Navigation Bouy

Red Navigation Bouy

Tide Gauge

Shoalest Sounding

Shoaling Areas

Primary Project Control Point

local Project Control Point

LEGEND

1:1,800

NOTES:

- SOUNDINGS AND ELEVATIONS. INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF THE SURVEY.
- COORDINATES ARE CALIFORNIA LAMBERT ZONE VI, (NAD 1983).
- MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM NEWPORT BEACH, STATION ID: 9410580.
- ELEVATIONS ARE ESTABLISHED FROM MONUMENT COORS (PID DX3663), WITH AN ELEVATION OF 10.745 FEET, MLLW, EPOCH 1983 - 2001.
- CONTOURS AND SOUNDINGS ARE BASED ON THE DEPTH OF A SOUNDING NEAREST THE CENTER OF A 25 ft GRID.
- SOUNDINGS LOCATED BY DIFFERENTIAL OR POST-PROCESSED KINEMATIC GPS, DEPTHS MEASURED BY A MUTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
- SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.
- INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/w/index.html>

U.S. ARMY CORPS OF ENGINEERS		
Submitted:	Surveyed By:	
Recommended:	Plotted By:	Chief, Survey Section
Approved:	Checked By:	Chief, Waterways Maintenance Section

Newport Beach Harbor

LA_15_NBH_20250716_CS

16 July 2025

Sheet

Reference

Number

3 of 7


Revision Number:
5.25.07.03-5.25.07.03





US Army Corps
of Engineers
District: CESPL

Disclaimer: Liability. The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions. The user is responsible for the results of any of the application of the data for other than its intended purpose.

DICU ANECS. The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The user is responsible for the results of any of the application of the data for other than its intended purpose. The data are not to be used for any purpose other than that for which they were provided. The user is responsible for the results of any of the application of the data for other than its intended purpose.





Navigation Channel

Cable Area

Placement Area

Anchorage Area

Cable Overhead

Cable Submarine

Obstruction Point

Wrecks-Submerged

Beacon, General

Green Navigation Bouy

Red Navigation Bouy

Tide Gauge

Shoalest Sounding

Shoaling Areas

Primary Project Control Point

local Project Control Point

LEGEND

NOTES:

- SOUNDINGS AND ELEVATIONS, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF THE SURVEY.
- COORDINATES ARE CALIFORNIA LAMBERT ZONE VI, (NAD 1983).
- MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM NEWPORT BEACH, STATION ID: 9410580.
- ELEVATIONS ARE ESTABLISHED FROM MONUMENT COORS (PID DX3663), WITH AN ELEVATION OF 10.745 FEET, MLLW, EPOCH 1983 - 2001.
- CONTOURS AND SOUNDINGS ARE BASED ON THE DEPTH OF A SOUNDING NEAREST THE CENTER OF A 25 ft GRID.
- SOUNDINGS LOCATED BY DIFFERENTIAL OR POST-PROCESSED KINEMATIC GPS, DEPTHS MEASURED BY A MUTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
- SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.
- INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/w/index.html>

US Army Corps of Engineers District: CESPL

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The user is responsible for the results of any application of the data for other than its intended purpose. The data are not to be used for any purpose other than that for which they were provided. The user is responsible for the results of any application of the data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS		
Submitted:	Surveyed By:	
Recommended:	Plotted By:	
Approved:	Checked By:	
Chief, Waterways Maintenance Section		


Newport Beach Harbor

LA_15_NBH_20250716_CS

Sheet Reference Number

5 of 7

Revision Number: 5.25.07.03-5.25.07.03



Navigation Channel

Cable Area

Placement Area

Anchorage Area

Cable Overhead

Cable Submarine

Obstruction Point

Wrecks-Submerged

Beacon, General

Green Navigation Bouy

Red Navigation Bouy

Tide Gauge

Shoalest Sounding

Shoaling Areas

Primary Project Control Point

local Project Control Point

LEGEND

1:1,800

NOTES:

- SOUNDINGS AND ELEVATIONS. INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF THE SURVEY.
- COORDINATES ARE CALIFORNIA LAMBERT ZONE VI, (NAD 1983).
- MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM NEWPORT BEACH, STATION ID: 9410580.
- ELEVATIONS ARE ESTABLISHED FROM MONUMENT COORS (PID DX3663), WITH AN ELEVATION OF 10.745 FEET, MLLW, EPOCH 1983 - 2001.
- CONTOURS AND SOUNDINGS ARE BASED ON THE DEPTH OF A SOUNDING NEAREST THE CENTER OF A 25 ft GRID.
- SOUNDINGS LOCATED BY DIFFERENTIAL OR POST-PROCESSED KINEMATIC GPS, DEPTHS MEASURED BY A MUTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
- SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.
- INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/w/index.html>

US Army Corps of Engineers District: CESPL

DISCLAIMER: The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions. The data is not intended to be used for any purpose other than the intended purpose of any of the application of the data for other than its intended purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose.

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not intended to be used for any purpose other than the intended purpose of any of the application of the data for other than its intended purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose. The user is responsible for the results of any of the application of the data for other than its intended purpose.

Submitted:	Surveyed By:
Recommended:	Plotted By:
Approved:	Checked By:
Chief, Waterways Maintenance Section	

Newport Beach Harbor


LA_15_NBH_20250716_CS

16 July 2025

Sheet Reference Number


6 of 7

Revision Number: 5.25.07.03-5.25.07.03




LEGEND

	Navigation Channel		Obstruction Point		Red Navigation Bouy
	Cable Area		Wrecks-Submerged		Tide Gauge
	Placement Area		Beacon, General		Shoalest Sounding
	Anchorage Area		Green Navigation Bouy		Shoaling Areas
- -	Cable Overhead				Primary Project Control Point
.....	Cable Submarine				local Project Control Point



1:1,800



1. SOUNDINGS AND ELEVATIONS, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF THE SURVEY.
2. COORDINATES ARE CALIFORNIA LAMBERT ZONE VI, (NAD 1983).
3. MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM NEWPORT BEACH, STATION ID: 9410580.
4. ELEVATIONS ARE ESTABLISHED FROM MONUMENT COORS (PID DX3663), WITH AN ELEVATION OF 10.745 FEET, MLW, EPOCH 1983 - 2001.
5. CONTOURS AND SOUNDINGS ARE BASED ON THE DEPTH OF A SOUNDING NEAREST THE CENTER OF A 25 ft GRID.
6. SOUNDINGS LOCATED BY DIFFERENTIAL OR POST-PROCESSED KINEMATIC GPS, DEPTHS MEASURED BY A MUTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
7. SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.
8. INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmrt.sec.usace.army.mil/w/index.html>

U.S. ARMY CORPSE ENGINEERS	
Submitted _____	Surveyed By: _____
Recommended: _____ Chief, Survey Section	Plotted By: _____
Approved: _____ Chief, Waterways Maintenance Section	Checked By: _____

Newport Beach Harbor
LA_15_NBH_20250716_CS
16 July 2025


Sheet
Reference
Number
7 of 7

Revision Number:
5.25.07.03-5.25.07.03

DISCLAIMER The United States Government furnishes this information as it appears in the original source. It does not constitute a warranty, nor does it express any opinion of the United States Government. The United States Government makes no warranty, expresses no opinion, and does not assume any liability for the accuracy, completeness, or usefulness of the information. As such, it is only valid for its intended use, content, time, and place. The user of this information must assume the responsibility of determining the applicability of the information to his intended purpose.




**US Army Corps
of Engineers
District: CESPL**




LEGEND

	Navigation Channel		Obstruction Point		Red Navigation Bouy
	Cable Area		Wrecks-Submerged		Tide Gauge
	Placement Area		Beacon, General		Shoalest Sounding
	Anchorage Area		Green Navigation Bouy		Shoaling Areas
- -	Cable Overhead				Primary Project Control Point
.....	Cable Submarine				local Project Control Point



1:1,800



NOTES:

1. SOUNDINGS AND ELEVATIONS, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF THE SURVEY.
2. COORDINATES ARE CALIFORNIA LAMBERT ZONE VI, (NAD 1983).
3. MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM NEWPORT BEACH, STATION ID: 9410560.
4. ELEVATIONS ARE ESTABLISHED FROM MONUMENT COORS (PID DX3663), WITH AN ELEVATION OF 10.745 FEET, MLW, EPOCH 1983 - 2001.
5. CONTOURS AND SOUNDINGS ARE BASED ON THE DEPTH OF A SOUNDING NEAREST THE CENTER OF A 25 ft GRID.
6. SOUNDINGS LOCATED BY DIFFERENTIAL OR POST-PROCESSED KINEMATIC GPS, DEPTHS MEASURED BY A MULTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
7. SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.
8. INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmrt.sec.usace.army.mil/w/index.html>



US Army Corps
of Engineers
District: CESPL

DISCLAIMER The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, representations, or guarantees of the accuracy, reliability, availability, or timeliness of the data furnished. The United States shall be held harmless from any and all claims, damages, or losses, including reasonable attorneys' fees, arising from the use of any of the application of the data for other than its intended purpose.

U.S. ARMY CORPSE ENGINEERS	
Submitted _____	Surveyed By: _____
Recommended: _____ Chief, Survey Section	Plotted By: _____
Approved: _____ Chief, Waterways Maintenance Section	Checked By: _____

Newport Beach Harbor
LA_15_NBH_20250716_CS
16 July 2025

Sheet
Reference
Number
1 of 7

Revision Number:
5.25.07.03-5.25.07.03