





Navigation Channel

Primary Project Control Point

Local Project Control Point

Channel Centerline

Shoalest Sounding

Shoaling Areas

Contour Lines

Navigation Buoys

green

red

Beacon Lateral


Obstruction Point

Wrecks-Submerged

Anchorage Area


Tide Gauge

**LEGEND**



1:1,800

Feet



- NOTES:
- SOUNDINGS AND ELEVATIONS, IN US SURVEY FEET, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF SURVEY.
  - COORDINATES ARE CALIFORNIA LAMBERT ZONE V, NAD 1983. US SURVEY FEET.
  - MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM SANTA MONICA STATION ID 9410840.
  - ELEVATIONS ARE ESTABLISHED FROM BENCHMARK TIDAL 1 (PID DY1283), ELEVATION IS 17.323 FT, MLLW, EPOCH 1983-2001.
  - CONTOURS AND PLOTTED ELEVATIONS ARE BASED ON THE DEPTH OF A SOUNDING OR TOPOGRAPHIC SPOT ELEVATION NEAREST THE CENTER OF A 25 ft. GRID.
  - SOUNDINGS LOCATED BY REAL-TIME OR POST-PROCESSED KINEMATIC GPS. DEPTHS MEASURED BY A MUTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
  - INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/w/index.html>
  - SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.

**US Army Corps  
of Engineers**

District: CESPL

**DISCLAIMER:** The data represents the results of data collection/processing for a specific US Army Corps of Engineers activity and indicates the general existing conditions. The data is not intended for use in any other application. The user is responsible for the results of any of the application of the data for other than its intended purpose.

**DISCLAIMER:** The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data is not intended for use in any other application, expressed, or implied concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the recipient. The data is not intended for use in any other application, expressed, or implied concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the recipient. The data is not intended for use in any other application, expressed, or implied concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the recipient. The data is not intended for use in any other application, expressed, or implied concerning the accuracy, completeness, reliability, usability or suitability for any particular purpose of the recipient.

| U.S. ARMY CORPS OF ENGINEERS |              |  |
|------------------------------|--------------|--|
| Submitted:                   | Surveyed By: |  |
| Recommended:                 | Plotted By:  |  |
| Approved:                    | Checked By:  |  |

**Marina del Rey**


**LA\_26\_MDR\_20260729\_CS**

**29 July 2026**

**Sheet  
Reference  
Number**

**1 of 3**

Revision Number:  
5.26.04.06-5.26.04.06



**LEGEND**

Navigation Channel

Primary Project Control Point

Local Project Control Point

Channel Centerline

Shoalest Sounding

Shoaling Areas

Contour Lines

Navigation Buoys

green

red

Beacon Lateral

Obstruction Point

Wrecks-Submerged

Anchorage Area

Tide Gauge

NOTES:

- SOUNDINGS AND ELEVATIONS, IN US SURVEY FEET, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF SURVEY.
- COORDINATES ARE CALIFORNIA LAMBERT ZONE V, NAD 1983. US SURVEY FEET.
- MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM SANTA MONICA STATION ID 9410840.
- ELEVATIONS ARE ESTABLISHED FROM BENCHMARK TIDAL 1 (PID DY1283), ELEVATION IS 17.323 FT. MLLW, EPOCH 1983-2001.
- CONTOURS AND PLOTTED ELEVATIONS ARE BASED ON THE DEPTH OF A SOUNDING OR TOPOGRAPHIC SPOT ELEVATION NEAREST THE CENTER OF A 25 ft. GRID.
- SOUNDINGS LOCATED BY REAL-TIME OR POST-PROCESSED KINEMATIC GPS. DEPTHS MEASURED BY A MULTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
- INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/w/index.html>
- SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.

|                                           |                                    |
|-------------------------------------------|------------------------------------|
| Submitted:                                | Surveyed By:                       |
|                                           | Plotted By:                        |
|                                           | Checked By:                        |
| Recommended:<br>Leader, Hydrographic Unit | Approved:<br>Chief, Survey Section |

Marina del Rey

LA\_26\_MDR\_20260729\_CS

29 July 2026

Sheet Reference Number

2 of 3



Revision Number: 5.26.04.06-5.26.04.06

US Army Corps of Engineers

District: CESPL

DISCLAIMER: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The user is responsible for the results of any application of the data for other than its intended purpose.

Access Constraints: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The user is responsible for the results of any application of the data for other than its intended purpose.



Navigation Channel

Primary Project Control Point

Local Project Control Point

Channel Centerline

Shoalest Sounding

Shoaling Areas

Contour Lines

Navigation Buoys

green

red

Beacon Lateral

Obstruction Point

Wrecks-Submerged

Anchorage Area

Tide Gauge

LEGEND

NOTES:

- SOUNDINGS AND ELEVATIONS, IN US SURVEY FEET, INDICATE THE GENERAL CONDITIONS EXISTING ONLY AT THE TIME OF SURVEY.
- COORDINATES ARE CALIFORNIA LAMBERT ZONE V, NAD 1983. US SURVEY FEET.
- MEAN LOWER LOW WATER DATUM IS ESTABLISHED FROM SANTA MONICA STATION ID 9410840.
- ELEVATIONS ARE ESTABLISHED FROM BENCHMARK TIDAL 1 (PID DY1283), ELEVATION IS 17.323 FT, MLLW, EPOCH 1983-2001.
- CONTOURS AND PLOTTED ELEVATIONS ARE BASED ON THE DEPTH OF A SOUNDING OR TOPOGRAPHIC SPOT ELEVATION NEAREST THE CENTER OF A 25 ft GRID.
- SOUNDINGS LOCATED BY REAL-TIME OR POST-PROCESSED KINEMATIC GPS. DEPTHS MEASURED BY A MULTIBEAM ECHO SOUNDER PROVIDING NEAR FULL BOTTOM COVERAGE.
- INFORMATION AND DATASHEETS FOR PROJECT SURVEY CONTROL CAN BE FOUND AT: <https://usmart.sec.usace.army.mil/index.html>
- SURVEY WAS CONDUCTED AND PROCESSED USING METHODS DESIGNED FOR DETERMINING GENERAL CHANNEL CONDITIONS AND/OR COMPUTING VOLUMES.

|              |                           |
|--------------|---------------------------|
| Submitted:   | Surveyed By:              |
|              | Plotted By:               |
|              | Checked By:               |
| Recommended: | Leader, Hydrographic Unit |
| Approved:    | Chief, Survey Section     |

Marina del Rey

LA\_26\_MDR\_20260729\_CS

29 July 2026

Sheet Reference Number

3 of 3

Revision Number:

5.26.04.06-5.26.04.06

US Army Corps of Engineers

District: CESPL

DISCLAIMER

The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the data are not to be used for any purpose other than that for which they were provided. The user is responsible for the results of any application of the data for other than its intended purpose.

DISCLAIMER

The data are not to be used for any purpose other than that for which they were provided. The user is responsible for the results of any application of the data for other than its intended purpose.