



Channel to Liberty: Anahuac Channel (Bay)






U.S. Army Corps of Engineers
Galveston District



TEXAS



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

<1	1-2	2-3	3-4	4-6	6-7	7-9	9-12	>12
Dark Blue	Blue	Light Blue	Green	Yellow	Orange	Red	Dark Red	Black

NOTES:

- Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
- Elevations are referenced to Mean Lower Low Water (MLLW) datum.
- This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 110.1-6152.
- The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.225
- For the most up to date information please check our website at: <http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery, Microsoft, Vantor
World Imagery Source: Esri, Vantor, Earthstar Geographics, and the GIS User Community
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:

Survey Published in High Frequency. Combined Dates: 20260408_CS_230P00_500P00;
20260407_CS_00P00_140P00; 20260518_PR_136200P00_230P00.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic


Dredging Reach Extent

0 0.2 0.4 0.8 Miles

Hydrographic Survey Extent

0 170 340 680 Feet

Latest Survey Collection Date: 18 May 2026		Authorized Depth: -7ft.
Document Page: 1 of 7	Website Index Number: 7	Width Range: 100ft to 100ft
Scale: 1:2,000		Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg		PDF Print Date: 7/24/2026
Additional Imagery info:		



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 260+00 to 0+00

CHANNEL TO LIBERTY

Anahuac Channel (Bay)




Channel to Liberty: Anahuac Channel (Bay)



U.S. Army Corps of Engineers
Galveston District



TEXAS



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

<1	1-2	2-3	3-4	4-6	6-7	7-9	9-12	>12
----	-----	-----	-----	-----	-----	-----	------	-----

NOTES:

- Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
- Elevations are referenced to Mean Lower Low Water (MLLW) datum.
- This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 111.10-1-6152.
- The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
- For the most up to date information please check our website at: <http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery, Microsoft, Vantor
World Imagery Source: Esri, Vantor, Earthstar Geographics, and the GIS User Community
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:

Survey Published in High Frequency. Combined Dates: 20260408_CS_230P00_500P00;
20260407_CS_00P00_140P00; 20260518_PR_136200P00_230P00.


Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent

0 0.2 0.4 0.8 Miles

Hydrographic Survey Extent

0 170 340 680 Feet



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 260+00 to 0+00
CHANNEL TO LIBERTY
Anahuac Channel (Bay)

Latest Survey Collection Date: 18 May 2026	Authorized Depth: -7ft.
	Width Range: 100ft to 100ft
Document Page: 2 of 7	Side Slope Ratio: (Rise : Run)
Scale: 1:2,000	PDF Print Date: 7/24/2026
Mapped by: m3odnmhg	
Additional Imagery info:	




Channel to Liberty: Anahuac Channel (Bay)



U.S. Army Corps of Engineers
Galveston District



TEXAS



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

<1	1-2	2-3	3-4	4-6	6-7	7-9	9-12	>12
Dark Red	Red	Orange	Yellow	Light Green	Green	Light Blue	Blue	Dark Blue

NOTES:

- Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
- Elevations are referenced to Mean Lower Low Water (MLLW) datum.
- This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 110.1-4152.
- The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
- For the most up to date information please check our website at: <http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery, Microsoft, Vantor
World Imagery Source: Esri, Vantor, Earthstar Geographics, and the GIS User Community
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:

Survey Published in High Frequency. Combined Dates: 20260408_CS_230P00_500P00;
20260407_CS_00P00_140P00; 20260518_PR_136200P00_230P00.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic


Dredging Reach Extent

0 0.2 0.4 0.8 Miles

Hydrographic Survey Extent

0 170 340 680 Feet

Latest Survey Collection Date: 18 May 2026		Authorized Depth: -7ft.
Document Page: 3 of 7	Website Index Number: 9	Width Range: 100ft to 100ft
Scale: 1:2,000		Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg		PDF Print Date: 7/24/2026
Additional Imagery info:		



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS



Station: 260+00 to 0+00
CHANNEL TO LIBERTY
Anahuac Channel (Bay)

Channel to Liberty: Anahuac Channel (Bay)



U.S. Army Corps of Engineers
Galveston District





Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

<1	1-2	2-3	3-4	4-6	6-7	7-9	9-12	>12
Dark Red	Red	Orange	Yellow	Light Green	Green	Light Blue	Blue	Dark Blue

NOTES:

- Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
- Elevations are referenced to Mean Lower Low Water (MLLW) datum.
- This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110 - 4-8152.
- The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325
- For the most up to date information please check our website at: <http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery, Microsoft, Vantor
World Imagery Source: Esri, Vantor, Earthstar Geographics, and the GIS User Community
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/INASA, NSA, EPA, USOA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:

Survey Published in High Frequency. Combined Dates: 20260408_CS_230P00_500P00;
20260407_CS_00P00_140P00; 20260518_PR_136200P00_230P00.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic


Dredging Reach Extent

0 0.2 0.4 0.8 Miles

Hydrographic Survey Extent

0 170 340 680 Feet

Latest Survey Collection Date: 18 May 2026		Authorized Depth: -7ft.
Document Page: 4 of 7	Website Index Number: 10	Width Range: 100ft to 100ft
Scale: 1:2,000		Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg		PDF Print Date: 7/24/2026
Additional Imagery info:		



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 260+00 to 0+00

CHANNEL TO LIBERTY

Anahuac Channel (Bay)

Channel to Liberty: Anahuac Channel (Bay)

Regional Extent



Dredging Reach Extent






U.S. Army Corps of Engineers
Galveston District



TEXAS



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

<1	1-2	2-3	3-4	4-6	6-7	7-9	9-12	>12
Dark Blue	Red	Orange	Yellow	Light Green	Green	Light Blue	Blue	Dark Blue

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR110.1-4152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.225.
5. For the most up to date information please check our website at: <http://www.six.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery, Microsoft, Vantor
World Imagery Source: Esri, Vantor, Earthstar Geographics, and the GIS User Community
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NSA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency. Combined Dates: 20260408_CS_230P00_500P00;
20260407_CS_00P00_140P00; 20260518_PR_136200P00_230P00.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic


Dredging Reach Extent

0 0.2 0.4 0.8 Miles

Hydrographic Survey Extent

0 170 340 680 Feet

Latest Survey Collection Date: 18 May 2026		Authorized Depth: -7ft.
Document Page: 5 of 7	Website Index Number: 11	Width Range: 100ft to 100ft
Scale: 1:2,000		Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg		PDF Print Date: 7/24/2026
Additional Imagery info:		



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 260+00 to 0+00

CHANNEL TO LIBERTY

Anahuac Channel (Bay)



Channel to Liberty: Anahuac Channel (Bay)



U.S. Army Corps of Engineers
Galveston District



TEXAS



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

<1	1-2	2-3	3-4	4-6	6-7	7-9	9-12	>12
Dark Blue	Red	Orange	Yellow	Light Green	Green	Dark Green	Blue	Dark Blue

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 47CFR 110.1-4-152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.225.
5. For the most up to date information please check our website at: <http://www.saw.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery, Microsoft, Vantor
World Imagery Source: Esri, Vantor, Earthstar Geographics, and the GIS User Community
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NSA, EPA, USDA, World Ocean Base, Esri, GEBCO, Garmin, NaturalVue


Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency. Combined Dates: 20260408_CS_230P00_500P00;
20260407_CS_00P00_140P00; 20260518_PR_136200P00_230P00.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.2 0.4 0.8 Miles

Hydrographic Survey Extent
0 170 340 680 Feet

Latest Survey Collection Date: 18 May 2026		Authorized Depth: -7ft.
Document Page: 6 of 7	Website Index Number: 12	Width Range: 100ft to 100ft
Scale: 1:2,000		Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg		PDF Print Date: 7/24/2026
Additional Imagery info:		



HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS



Station: 260+00 to 0+00
CHANNEL TO LIBERTY
Anahuac Channel (Bay)

Channel to Liberty: Anahuac Channel (Bay)



U.S. Army Corps of Engineers
Galveston District





Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

<1	1-2	2-3	3-4	4-6	6-7	7-9	9-12	>12
Dark Blue	Blue	Light Blue	Green	Yellow	Orange	Red	Dark Red	Black

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by 49 CFR 111.10-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.225.
5. For the most up to date information please check our website at: <http://www.saw.usace.army.mil/Missions/Navigation/HydrographicSurveys/>

Service Layer Credits: World Imagery, Microsoft, Vantor
World Imagery Source: Esri, Vantor, Earthstar Geographics, and the GIS User Community
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NSA, EPA, USDA, World Ocean Base, Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency. Combined Dates: 20260408_CS_230P00_500P00;
20260407_CS_00P00_140P00; 20260518_PR_136200P00_230P00.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic


Dredging Reach Extent

0 0.2 0.4 0.8 Miles

Hydrographic Survey Extent

0 170 340 680 Feet

Latest Survey Collection Date: 18 May 2026	Authorized Depth: -7ft.	
	Document Page: 7 of 7	Width Range: 100ft to 100ft
	Scale: 1:2,000	Side Slope Ratio: (Rise : Run)
	Mapped by: m3odnmhg	PDF Print Date: 7/24/2026
Additional Imagery info:		



HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 260+00 to 0+00
CHANNEL TO LIBERTY
Anahuac Channel (Bay)