

Gulf Intracoastal Waterway: Port Arthur to High Island






U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	06 May 2026
Document Page:	1 of 22
Scale:	1:3,000
Mapped by:	m3odnmhg
Additional Imagery info:	
Website Index Number:	1
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - -3	3 - -5	5 - -7	7 - -9	9 - -11	11 - -13	13 - -15	15 - -17	< -17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Microsoft, Vantor
World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic


Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island


Gulf Intracoastal Waterway: Port Arthur to High Island





U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	06 May 2026
Document Page:	2 of 22
Website Index Number:	2
Scale:	1:3,000
Mapped by:	m3odnmhg
Additional Imagery info:	
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	<17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Microsoft, Vantor
World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island


Gulf Intracoastal Waterway: Port Arthur to High Island





U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	06 May 2026
Document Page:	3 of 22
Scale:	1:3,000
Mapped by:	m3odnmhg
Additional Imagery info:	
Authorized Depth:	-13ft.
Website Index Number:	3
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Microsoft, Vantor
World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island


Gulf Intracoastal Waterway: Port Arthur to High Island

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Latest Survey Collection Date: 06 May 2026
Document Page: 4 of 22
Scale: 1:3,000
Mapped by: m3odnmhg
Additional Imagery info:

Authorized Depth: -13ft.
Width Range: 100ft to 670ft
Website Index Number: 4
Side Slope Ratio: (Rise : Run)
PDF Print Date: 8/11/2026

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	<17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island

Gulf Intracoastal Waterway: Port Arthur to High Island

Regional Extent




Dredging Reach Extent



U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	06 May 2026
Document Page: 5 of 22	Website Index Number: 5
Scale: 1:3,000	
Mapped by: m3odnmhg	
Additional Imagery info:	
Authorized Depth: -13ft.	
Width Range: 100ft to 670ft	
Side Slope Ratio: (Rise : Run)	
PDF Print Date: 8/11/2026	

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - -3	-3 - -5	-5 - -7	-7 - -9	-9 - -11	-11 - -13	-13 - -15	-15 - -17	< -17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic


Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island

Gulf Intracoastal Waterway: Port Arthur to High Island







U.S. Army Corps of Engineers
Galveston District



Latest Survey Collection Date: 06 May 2026
Document Page: 6 of 22
Scale: 1:3,000
Mapped by: m3odnmhg
Additional Imagery info:

Authorized Depth: -13ft.
Width Range: 100ft to 670ft
Side Slope Ratio: (Rise : Run)
PDF Print Date: 8/11/2026
Website Index Number: 6

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Microsoft, Vantor
World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island

Gulf Intracoastal Waterway: Port Arthur to High Island





U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date: 06 May 2026
Document Page: 7 of 22
Website Index Number: 7
Scale: 1:3,000
Mapped by: m3odnmhg
Additional Imagery info:
Authorized Depth: -13ft.
Width Range: 100ft to 670ft
Side Slope Ratio: (Rise : Run)
PDF Print Date: 8/11/2026

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW
0 - -3
-3 - -5
-5 - -7
-7 - -9
-9 - -11
-11 - -13
-13 - -15
-15 - -17
< -17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY


U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island

Gulf Intracoastal Waterway: Port Arthur to High Island

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Latest Survey Collection Date:	06 May 2026
Document Page:	8 of 22
Website Index Number:	8
Scale:	1:3,000
Mapped by:	m3odnmhg
Additional Imagery info:	
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Microsoft, Vantor
World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island


Gulf Intracoastal Waterway: Port Arthur to High Island

U.S. Army Corps of Engineers
Galveston District

Regional Extent



Dredging Reach Extent







Latest Survey Collection Date:	06 May 2026
Document Page:	9 of 22
Website Index Number:	9
Scale:	1:3,000
Mapped by:	m3odnmhg
Additional Imagery info:	
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island

Gulf Intracoastal Waterway: Port Arthur to High Island

Regional Extent




Dredging Reach Extent



U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	06 May 2026
Document Page:	10 of 22
Scale:	1:3,000
Mapped by:	m3odmmhg
Additional Imagery info:	
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Website Index Number:	10
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island

Gulf Intracoastal Waterway: Port Arthur to High Island

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Latest Survey Collection Date:	06 May 2026
Document Page:	11 of 22
Website Index Number:	11
Scale:	1:3,000
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026
Mapped by:	m3odnmhg
Additional Imagery Info:	

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island

Gulf Intracoastal Waterway: Port Arthur to High Island

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Latest Survey Collection Date:	06 May 2026
Document Page:	12 of 22
Website Index Number:	12
Scale:	1:3,000
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026
Mapped by:	m3odnmhg
Additional Imagery info:	

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island

Gulf Intracoastal Waterway: Port Arthur to High Island





U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	06 May 2026
Document Page: 13 of 22	Website Index Number: 13
Scale: 1:3,000	Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg	PDF Print Date: 8/11/2026
Additional Imagery info:	

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island

Gulf Intracoastal Waterway: Port Arthur to High Island





U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date: 06 May 2026
Document Page: 14 of 22
Scale: 1:3,000
Mapped by: m3odnmhg
Additional Imagery info:
Website Index Number: 14
Authorized Depth: -13ft.
Width Range: 100ft to 670ft
Side Slope Ratio: (Rise : Run)
PDF Print Date: 8/11/2026

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	<17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island


Gulf Intracoastal Waterway: Port Arthur to High Island





U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	06 May 2026
Authorized Depth:	-13ft.
Document Page:	15 of 22
Website Index Number:	15
Width Range:	100ft to 670ft
Scale:	1:3,000
Side Slope Ratio:	(Rise : Run)
Mapped by:	m3odnmhg
PDF Print Date:	8/11/2026
Additional Imagery info:	



HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW
0 - 3 | 3 - 5 | 5 - 7 | 7 - 9 | 9 - 11 | 11 - 13 | 13 - 15 | 15 - 17 | < 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

Gulf Intracoastal Waterway: Port Arthur to High Island

Regional Extent




Dredging Reach Extent



U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	06 May 2026
Document Page:	16 of 22
Website Index Number:	16
Scale:	1:3,000
Mapped by:	m3odnmhg
Additional Imagery info:	
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS


Station: 0+000 to 162+000
GIWW
Port Arthur to High Island

Gulf Intracoastal Waterway: Port Arthur to High Island

Regional Extent




Dredging Reach Extent



U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	06 May 2026
Document Page:	17 of 22
Website Index Number:	17
Scale:	1:3,000
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026
Mapped by:	m3odnmhg
Additional Imagery info:	

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic


Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island


Gulf Intracoastal Waterway: Port Arthur to High Island





U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	06 May 2026
Document Page:	18 of 22
Website Index Number:	18
Scale:	1:3,000
Mapped by:	m3odnmhg
Additional Imagery info:	
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island


Gulf Intracoastal Waterway: Port Arthur to High Island





U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	06 May 2026
Document Page:	19 of 22
Website Index Number:	19
Scale:	1:3,000
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026
Mapped by:	m3odnmhg
Additional Imagery info:	

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - -3	3 - -5	5 - -7	7 - -9	9 - -11	11 - -13	13 - -15	15 - -17	< -17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island


Gulf Intracoastal Waterway: Port Arthur to High Island





U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date: 06 May 2026
Document Page: 20 of 22
Scale: 1:3,000
Mapped by: m3odnmhg
Additional Imagery info:

Authorized Depth: -13ft.
Width Range: 100ft to 670ft
Website Index Number: 20
Side Slope Ratio: (Rise : Run)
PDF Print Date: 8/11/2026

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - -3	-3 - -5	-5 - -7	-7 - -9	-9 - -11	-11 - -13	-13 - -15	-15 - -17	< -17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS


Station: 0+000 to 162+000
GIWW
Port Arthur to High Island

Gulf Intracoastal Waterway: Port Arthur to High Island

Regional Extent




Dredging Reach Extent



U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	06 May 2026
Document Page:	21 of 22
Website Index Number:	21
Scale:	1:3,000
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026
Mapped by:	m3odnmhg
Additional Imagery info:	

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	< 17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island


Gulf Intracoastal Waterway: Port Arthur to High Island

U.S. Army Corps of Engineers
Galveston District

Regional Extent



Dredging Reach Extent







Latest Survey Collection Date:	06 May 2026
Document Page:	22 of 22
Website Index Number:	22
Scale:	1:3,000
Mapped by:	m3odnmhg
Additional Imagery info:	
Authorized Depth:	-13ft.
Width Range:	100ft to 670ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	8/11/2026

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 3	3 - 5	5 - 7	7 - 9	9 - 11	11 - 13	13 - 15	15 - 17	<17

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Central Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South Central FIPS 4204 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 0+000 to 162+000
GIWW
Port Arthur to High Island