

Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Latest Survey Collection Date:	15 October 2026
Document Page:	1 of 14
Website Index Number:	181
Scale:	1:3,000
Mapped by:	m3odnmhg
Additional Imagery info:	
Authorized Depth:	-14ft.
Width Range:	80ft to 125ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	10/20/2026



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	<18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Microsoft, Vantor
World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY


U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Latest Survey Collection Date: 15 October 2026
Document Page: 2 of 14
Scale: 1:3,000
Mapped by: m3odnmhg
Additional Imagery info:
Website Index Number: 182
Authorized Depth: -14ft.
Width Range: 80ft to 125ft
Side Slope Ratio: (Rise : Run)
PDF Print Date: 10/20/2026



Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	<18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Microsoft, Vantor
World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY


U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel

Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District

Regional Extent



Dredging Reach Extent







Latest Survey Collection Date:	15 October 2026
Document Page:	3 of 14
Website Index Number:	183
Scale:	1:3,000
Mapped by:	m3odnmhg
Additional Imagery Info:	
Authorized Depth:	-14ft.
Width Range:	80ft to 125ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	10/20/2026

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS


Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel

Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

Regional Extent




Dredging Reach Extent



U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	15 October 2026
Document Page:	4 of 14
Website Index Number:	184
Scale:	1:3,000
Mapped by:	m3odnmhg
Additional Imagery info:	
Authorized Depth:	-14ft.
Width Range:	80ft to 125ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	10/20/2026

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - -4	4 - -6	6 - -8	8 - -10	10 - -12	12 - -14	14 - -16	16 - -18	< -18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Authorized Depth: -14ft.	
Width Range: 80ft to 125ft	
Side Slope Ratio: (Rise : Run)	
PDF Print Date: 10/20/2026	
Latest Survey Collection Date: 15 October 2026	Website Index Number: 185
Document Page: 5 of 14	
Scale: 1:3,000	
Mapped by: m3odnmhg	
Additional Imagery info:	

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel





U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	15 October 2026
Authorized Depth: -14ft.	
Document Page: 6 of 14	Website Index Number: 186
Width Range: 80ft to 125ft	
Scale: 1:3,000	Side Slope Ratio: (Rise : Run)
Mapped by: m3odmmhg	PDF Print Date: 10/20/2026
Additional Imagery info:	

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District









Latest Survey Collection Date:	15 October 2026
Authorized Depth: -14ft.	
Width Range: 80ft to 125ft	
Document Page: 7 of 14	Website Index Number: 187
Side Slope Ratio: (Rise : Run)	
Scale: 1:3,000	
PDF Print Date: 10/20/2026	
Mapped by: m3odnmhg	
Additional Imagery info:	

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District









Latest Survey Collection Date:	15 October 2026
Document Page: 8 of 14	Website Index Number: 188
Scale: 1:3,000	
Mapped by: m3odnmhg	
Additional Imagery info:	

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - -4	4 - -6	6 - -8	8 - -10	10 - -12	12 - -14	14 - -16	16 - -18	< -18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Latest Survey Collection Date:	15 October 2026
Document Page:	9 of 14
Website Index Number:	189
Scale:	1:3,000
Authorized Depth:	-14ft.
Width Range:	80ft to 125ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	10/20/2026
Mapped by:	m3odnmhg
Additional Imagery info:	

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW
0 - 4 | 4 - 6 | 6 - 8 | 8 - 10 | 10 - 12 | 12 - 14 | 14 - 16 | 16 - 18 | <18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet


HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District

Regional Extent



Dredging Reach Extent







Latest Survey Collection Date:	15 October 2026
Document Page: 10 of 14	Website Index Number: 190
Scale: 1:3,000	Side Slope Ratio: (Rise : Run)
Mapped by: m3odnmhg	PDF Print Date: 10/20/2026
Additional Imagery info:	Authorized Depth: -14ft.

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel

Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel





U.S. Army Corps of Engineers
Galveston District





Latest Survey Collection Date:	15 October 2026
Document Page: 11 of 14	Website Index Number: 191
Scale: 1:3,000	
Mapped by: m3odnmhg	
Additional Imagery Info:	

Authorized Depth: -14ft.
Width Range: 80ft to 125ft
Side Slope Ratio: (Rise : Run)
PDF Print Date: 10/20/2026

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel





U.S. Army Corps of Engineers
Galveston District





Authorized Depth: -14ft.
Width Range: 80ft to 125ft
Side Slope Ratio: (Rise : Run)
PDF Print Date: 10/20/2026

Latest Survey Collection Date: 15 October 2026
Website Index Number: 192
Document Page: 12 of 14
Scale: 1:3,000
Mapped by: m3odnmhg
Additional Imagery info:

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW
0 - 4 | 4 - 6 | 6 - 8 | 8 - 10 | 10 - 12 | 12 - 14 | 14 - 16 | 16 - 18 | < 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY


U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District


Regional Extent



Dredging Reach Extent







Authorized Depth: -14ft.	Latest Survey Collection Date: 15 October 2026
Width Range: 80ft to 125ft	Website Index Number: 193
Side Slope Ratio: (Rise : Run)	Document Page: 13 of 14
PDF Print Date: 10/20/2026	Scale: 1:3,000
	Mapped by: m3odnmhg
	Additional Imagery Info:

Channel Features

- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation

- Green Side Aids
- Red Side Aids
- Lights

MLLW

0 - 4	4 - 6	6 - 8	8 - 10	10 - 12	12 - 14	14 - 16	16 - 18	< 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325.
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles


Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel


Gulf Intracoastal Waterway: Aransas Bay to Corpus Christi Ship Channel

U.S. Army Corps of Engineers
Galveston District









Latest Survey Collection Date:	15 October 2026
Document Page:	14 of 14
Website Index Number:	194
Scale:	1:3,000
Mapped by:	m3odnmhg
Authorized Depth:	- 14ft.
Width Range:	80ft to 125ft
Side Slope Ratio:	(Rise : Run)
PDF Print Date:	10/20/2026
Additional Imagery info:	

Channel Features
- Channel Center Line
- Channel Toe
- Channel Dimensions

Aids to Navigation
- Green Side Aids
- Red Side Aids
- Lights

MLLW
0 - 4 | 4 - 6 | 6 - 8 | 8 - 10 | 10 - 12 | 12 - 14 | 14 - 16 | 16 - 18 | < 18

NOTES:
1. Horizontal coordinates are referenced to Texas State Plane Coordinate System, South Zone NAD83 US Survey Feet.
2. Elevations are referenced to Mean Lower Low Water (MLLW) datum.
3. This project was designed by the Galveston District of the U.S. Army Corps of Engineers. The initials and signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by er1110-1-8152.
4. The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 cfr 209.325
5. For the most up to date information please check our website at: http://www.swg.usace.army.mil/Missions/Navigation/HydrographicSurveys/

Service Layer Credits: World_Imagery: Vantor
World Topographic Map: Texas Parks & Wildlife, Esri, HERE, Garmin, INCREMENT P, USGS, METI/NASA, NGA, EPA, USDA
World Ocean Base: Esri, GEBCO, Garmin, NaturalVue

Additional Combined Survey Dates and Stationing:
Survey Published in High Frequency.

Coordinate System: NAD 1983 StatePlane Texas South FIPS 4205 Feet
Projection: Lambert Conformal Conic

Dredging Reach Extent
0 0.3 0.6 1.2 Miles

Hydrographic Survey Extent
0 255 510 1,020 Feet

HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
GALVESTON, TEXAS

Station: 1236+611 to 1325+800
GULF INTRACOASTAL WATERWAY
Aransas Bay to Corpus Christi Ship Channel